

```
# BEGIN Better WP Security
Options -Indexes

# Begin HackRepair.com Blacklist
RewriteEngine on

# Abuse Agent Blocking
RewriteCond %{HTTP_USER_AGENT} ^BlackWidow [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Bolt\ 0 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Bot\ mailto: craftbot@yahoo.com [NC,OR]
RewriteCond %{HTTP_USER_AGENT} CazoodleBot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^ChinaClaw [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Custo [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Default\ Browser\ 0 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^DIIbot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^DISCo [NC,OR]
RewriteCond %{HTTP_USER_AGENT} discobot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Download\ Demon [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^eCatch [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ecxi [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^EirGrabber [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^EmailCollector [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^EmailSiphon [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^EmailWolf [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Express\ WebPictures [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^ExtractorPro [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^EyeNetIE [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^FlashGet [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^GetRight [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^GetWeb! [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Go! Zilla [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Go-Ahead-Got-It [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^GrabNet [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Grafula [NC,OR]
RewriteCond %{HTTP_USER_AGENT} GT::WWW [NC,OR]
RewriteCond %{HTTP_USER_AGENT} heritrix [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^HMView [NC,OR]
RewriteCond %{HTTP_USER_AGENT} HTTP::Lite [NC,OR]
RewriteCond %{HTTP_USER_AGENT} HTTrack [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ia_archiver [NC,OR]
RewriteCond %{HTTP_USER_AGENT} IDBot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} iisbot [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} id-search [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Image\ Stripper [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Image\ Sucker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Indy\ Library [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^InterGET [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Internet\ Ninja [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^InternetSeer\ com [NC,OR]
RewriteCond %{HTTP_USER_AGENT} IRLbot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ISC\ Systems\ iRc\ Search\ 2\,1 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Java [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^JetCar [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^JOC\ Web\ Spider [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^larbin [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^LeechFTP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} libwww [NC,OR]
RewriteCond %{HTTP_USER_AGENT} libwww-perl [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Link [NC,OR]
RewriteCond %{HTTP_USER_AGENT} LinksManager\ com_bot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} linkwalker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} lwp-trivial [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Mass\ Downloader [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Maxthon\$ [NC,OR]
RewriteCond %{HTTP_USER_AGENT} MFC_Tear_Sample [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^microsoft\ url [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Microsoft\ URL\ Control [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^MI Down\ tool [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Mister\ Pix [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Missigual\ Locator [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Mozilla\.*Indy [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Mozilla\.*NEWT [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^MSFrontPage [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Navroad [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^NearSite [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^NetAnts [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^NetSpider [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Net\ Vampire [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^NetZIP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Nutch [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Octopus [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Offline\ Explorer [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^Offline\ Navigator [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^PageGrabber [NC,OR]
RewriteCond %{HTTP_USER_AGENT} pamsclient.com [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Papa\ Foto [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^pavuk [NC,OR]
RewriteCond %{HTTP_USER_AGENT} PECL::HTTP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^PeoplePal [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^pcBrowser [NC,OR]
RewriteCond %{HTTP_USER_AGENT} PHP_Crawl [NC,OR]
RewriteCond %{HTTP_USER_AGENT} PleaseCrawl [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^psbot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^RealDownload [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^ReGet [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Rippers\ 0 [NC,OR]
RewriteCond %{HTTP_USER_AGENT} SBIder [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^SeaMonkey$ [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^sitecheck\.internetseer\.com [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^SiteSnagger [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^SmartDownload [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Snoopy [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Steeler [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^SuperBot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^SuperHTTP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Surfbot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^tAkeOut [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Teleport\ Pro [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Toata\ dragoste\ mea\ pentru\ diavola [NC,OR]
RewriteCond %{HTTP_USER_AGENT} URI::Fetch [NC,OR]
RewriteCond %{HTTP_USER_AGENT} urllib [NC,OR]
RewriteCond %{HTTP_USER_AGENT} User-Agent [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^VoidEYE [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Web\ Image\ Collector [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Web\ Sucker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} Web\ Sucker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} webalta [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebAuto [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^[Ww]eb[Bb]andit [NC,OR]
RewriteCond %{HTTP_USER_AGENT} WebCollage [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebCopier [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebFetch [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebGo\ IS [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^WebLeacher [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebReaper [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebSauger [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Website\ eXtractor [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Website\ Quester [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebStripper [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebWhacker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebZIP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Wellis\ Search\ II [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WEP\ Search [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Wget [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Widow [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WWW-Mechanize [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WWWOFFLE [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Xaldon\ WebSpider [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^zermelo [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Zeus [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Zeus*, *Webster [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ZyBorg [NC]
RewriteRule ^.* - [F,L]
# Abuse bot blocking rule end
# End HackRepair.com Blacklist
<files .htaccess>
Order allow,deny
Deny from all
</files>

<files readme.html>
Order allow,deny
Deny from all
</files>

<files readme.txt>
Order allow,deny
Deny from all
</files>

<files install.php>
Order allow,deny
Deny from all
</files>
```

```
<files wp-config.php>
Order allow,deny
Deny from all
</files>

<IfModule mod_rewrite.c>
RewriteEngine On

RewriteRule ^wp-admin/includes/ - [F,L]
RewriteRule !^wp-includes/ - [S=3]
RewriteCond %{SCRIPT_FILENAME} !^(.*wp-includes/ms-files.php
RewriteRule ^wp-includes/[^/]+\.php$ - [F,L]
RewriteRule ^wp-includes/js/tinymce/langs/.+\.php - [F,L]
RewriteRule ^wp-includes/theme-compat/ - [F,L]

RewriteCond %{REQUEST_METHOD} ^(TRACE|DELETE|TRACK) [NC]
RewriteRule ^(.*)$ - [F,L]

RewriteCond %{REQUEST_METHOD} POST
RewriteCond %{REQUEST_URI} ^(.*)wp-comments-post\.php*
RewriteCond %{HTTP_REFERER} !^(.*wordpress.local.*)
RewriteCond %{HTTP_REFERER} !^http://jetpack\..wordpress\..com/jetpack-comment/ [OR]
RewriteCond %{HTTP_USER_AGENT} ^$
RewriteRule ^(.*)$ - [F,L]

RewriteRule ^login/?$ /wp-login.php?2dur1mlfpuynpvclb4x4j [R,L]

RewriteCond %{HTTP_COOKIE} !^.*wordpress_logged_in_.*$
RewriteRule ^admin/?$ /wp-login.php?2dur1mlfpuynpvclb4x4j&redirect_to=/wp-admin/ [R,L]

RewriteRule ^admin/?$ /wp-admin/?2dur1mlfpuynpvclb4x4j [R,L]

RewriteRule ^register/?$ /wp-login.php?2dur1mlfpuynpvclb4x4j&action=register [R,L]

RewriteCond %{SCRIPT_FILENAME} !^(.*admin-ajax\.php)
RewriteCond %{HTTP_REFERER} !^(.*wordpress.local/wp-admin
RewriteCond %{HTTP_REFERER} !^(.*wordpress.local/wp-login\.php
RewriteCond %{HTTP_REFERER} !^(.*wordpress.local/login
RewriteCond %{HTTP_REFERER} !^(.*wordpress.local/admin
RewriteCond %{HTTP_REFERER} !^(.*wordpress.local/register
```

```
RewriteCond %{QUERY_STRING} !^2dur1mlfpuynpvclb4x4j
RewriteCond %{QUERY_STRING} !^action=logout
RewriteCond %{QUERY_STRING} !^action=rp
RewriteCond %{QUERY_STRING} !^action=register
RewriteCond %{QUERY_STRING} !^action=postpass
RewriteCond %{HTTP_COOKIE} !^.*wordpress_logged_in_.*$
RewriteRule ^.*wp-admin/?I.*wp-login\.php /not_found [R,L]

RewriteCond %{QUERY_STRING} ^loggedout=true
RewriteRule ^.*wp-login.php?2dur1mlfpuynpvclb4x4j [R,L]
</IfModule>
# END Better WP Security

# BEGIN W3TC Browser Cache
<IfModule mod_deflate.c>
    <IfModule mod_headers.c>
        Header append Vary User-Agent env=!dont-vary
    </IfModule>
        AddOutputFilterByType DEFLATE text/css text/x-component application/x-javascript
application/javascript text/javascript text/x-js text/html text/richtext image/svg+xml
text/plain text/xsd text/xsl text/xml image/x-icon application/json
    <IfModule mod_mime.c>
        # DEFLATE by extension
        AddOutputFilter DEFLATE js css htm html xml
    </IfModule>
</IfModule>
# END W3TC Browser Cache

# BEGIN W3TC Page Cache core
<IfModule mod_rewrite.c>
    RewriteEngine On
    RewriteBase /
    RewriteCond %{HTTP:Accept-Encoding} gzip
    RewriteRule . * - [E=W3TC_ENC:_gzip]
    RewriteCond %{REQUEST_METHOD} !=POST
    RewriteCond %{QUERY_STRING} =""
    RewriteCond %{REQUEST_URI} !/$
    RewriteCond %{HTTP_COOKIE} !(comment_author|wp\-
postpass|w3tc_logged_out|wordpress_logged_in|wptouch_switch_toggle) [NC]
    RewriteCond "%{DOCUMENT_ROOT}/content/cache/page_enhanced/%{HTTP_HOST}/%{REQUEST_URI}/_index.html%{ENV:W3TC_ENC}" -f
```

```
RewriteRule .\* "/content/cache/page_enhanced/[%{HTTP_HOST}]/[%{REQUEST_URI}]/_index.html%{ENV:W3TC_ENC}" [L]
</IfModule>
# END W3TC Page Cache core
# BEGIN WordPress
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
RewriteRule ^index\.php$ - [L]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . /index.php [L]
</IfModule>

# END WordPress
```