```
# BEGIN Gzip minification
<IfModule mod_deflate.c>
DeflateCompressionLevel 9
SetOutputFilter DEFLATE
AddOutputFilterByType DEFLATE text/html text/plain text/xml application/x-javascript
application/x-httpd-php
AddOutputFilter DEFLATE js css
# END Gzip minification
# BEGIN iThemes Security
  # BEGIN Ban Users
    # Begin HackRepair.com Blacklist
    RewriteEngine on
    RewriteCond %(HTTP_USER_AGENT) ^[Ww]eb[Bb]andit [NC,OR]
    RewriteCond %(HTTP_USER_AGENT) ^binlar [NC,OR]
    RewriteCond %(HTTP_USER_AGENT) ^BlackWidow [NC,OR]
    RewriteCond %(HTTP_USER_AGENT) ^Bolt\ 0 [NC,OR]
    RewriteCond %(HTTP_USER_AGENT) ^Bot\ mailto:craftbot\@yahoo\.com [NC,OR]
    RewriteCond %(HTTP_USER_AGENT) ^casper [NC,OR]
    RewriteCond %(HTTP_USER_AGENT) ^ChinaClaw [NC,OR]
    RewriteCond %(HTTP_USER_AGENT) ^cmsworldmap [NC,OR]
    RewriteCond %(HTTP_USER_AGENT) ^comodo [NC,OR]
    RewriteCond %(HTTP_USER_AGENT) ^Custo [NC,OR]
    RewriteCond %(HTTP_USER_AGENT) ^Default\ Browser\ 0 [NC,OR]
    RewriteCond %(HTTP_USER_AGENT) ^diavol [NC,OR]
    RewriteCond %(HTTP_USER_AGENT) ^DIIbot [NC,OR]
    RewriteCond %(HTTP_USER_AGENT) ^DISCo [NC,OR]
    RewriteCond %(HTTP_USER_AGENT) ^dotbot [NC,OR]
    RewriteCond %(HTTP_USER_AGENT) ^Download\ Demon [NC,OR]
    RewriteCond %(HTTP_USER_AGENT) ^eCatch [NC,OR]
    RewriteCond %(HTTP_USER_AGENT) ^EirGrabber [NC,OR]
    RewriteCond %(HTTP_USER_AGENT) ^EmailCollector [NC,OR]
    RewriteCond %(HTTP_USER_AGENT) ^EmailSiphon [NC,OR]
    RewriteCond %(HTTP_USER_AGENT) ^EmailWolf [NC,OR]
    RewriteCond %(HTTP_USER_AGENT) ^Express\ WebPictures [NC,OR]
    RewriteCond %(HTTP_USER_AGENT) ^ExtractorPro [NC,OR]
    RewriteCond %(HTTP_USER_AGENT) ^EyeNetIE [NC,OR]
    RewriteCond %(HTTP_USER_AGENT) ^feedfinder [NC,OR]
    RewriteCond %(HTTP_USER_AGENT) ^FlashGet [NC,OR]
    na....!.acaaa wourth ueen occuta Asi!a....cuc on:
```

```
REWELLECOND WINTER_OBER_HOERTZ TILCKY LNC, URJ
RewriteCond %(HTTP_USER_AGENT) ^GetRight [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^GetWeb! [NC, OR]
RewriteCond %(HTTP_USER_AGENT) ^Go-Ahead-Got-It [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^Go!Zilla [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^GrabNet [NC, OR]
RewriteCond %(HTTP_USER_AGENT) ^Grafula [NC,OR]
RewriteCond %(HTTP USER AGENT) ^HMView [NC.OR]
RewriteCond %(HTTP_USER_AGENT) ^ia_archiver [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^Image\ Stripper [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^Image\ Sucker [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^InterGET [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^Internet\ Ninja [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^InternetSeer\.com [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^jakarta [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^Java [NC, OR]
RewriteCond %(HTTP_USER_AGENT) ^JetCar [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^JOC\ Web\ Spider [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^kmccrew [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^larbin [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^LeechFTP [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^Mass\ Downloader [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^Maxthon$ [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^microsoft\.url [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^MIDown\ tool [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^Mister\ PiX [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^Mozilla\.*Indy [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^Mozilla\.*NEWT [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^MSFrontPage [NC,OR]
RewriteCond %(HTTP USER AGENT) ^Navroad [NC.OR]
RewriteCond %(HTTP_USER_AGENT) ^NearSite [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^Net\ Vampire [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^NetAnts [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^NetSpider [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^NetZIP [NC, OR]
RewriteCond %(HTTP_USER_AGENT) ^nutch [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^Octopus [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^Offline\ Explorer [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^Offline\ Navigator [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^PageGrabber [NC, OR]
RewriteCond %(HTTP_USER_AGENT) ^Papa\ Foto [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ~pavuk [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^pcBrowser [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^PeoplePal [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^planetwork [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^psbot [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^purebot [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^pycurl [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^RealDownload [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^Rippers\ 0 [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^SeaMonkey$ [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^sitecheck\.internetseer\.com[NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^SiteSnagger [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^skygrid [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^SmartDownload [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^sucker [NC, OR]
RewriteCond %(HTTP_USER_AGENT) ^SuperBot [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^SuperHTTP [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^Surfbot [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^tAkeOut [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^Teleport\ Pro [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^Toata\ dragostea\ mea\ pentru\ diayola [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^turnit [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^vikspider [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^VoidEYE [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^Web\ Image\ Collector [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^Web\ Sucker [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^WebAuto [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^WebCopier [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^WebFetch [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^WebGo\ IS [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^WebLeacher [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^WebReaper [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^WebSauger [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^WPScan [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^Website\ eXtractor [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^Website\ Quester [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^WebStripper [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^WebWhacker [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^WebZIP [NC,OR]
```

```
RewriteCond %(HTTP_USER_AGENT) ^Widow [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^WWW-Mechanize [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^WWWOFFLE [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^Xaldon\ WebSpider [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^Zeus [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^zmeu [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^CazoodleBot [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^discobot [NC,OR]
RewriteCond %CHTTP_USER_AGENT> ^ecxi [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^GT::WWW [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^heritrix [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^HTTP::Lite [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^HTTrack [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^ia_archiver [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^id-search [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^id-search\.org [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^IDBot [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^Indy\ Library [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^IRLbot [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^ISC\ Systems\ iRc\ Search\ 2\.1 [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^LinksManager.com_bot [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^linkwalker [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^1wp-trivial [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^MFC_Tear_Sample [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^Microsoft\ URL\ Control [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^Missigua\ Locator [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^panscient.com [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^PECL::HTTP [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^PHPCrawl [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^PleaseCrawl [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^SBIder [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^Snoopy [NC, OR]
RewriteCond %(HTTP_USER_AGENT) ^Steeler [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^URI::Fetch [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^urllib [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^User-Agent [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^Web\ Sucker [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^webalta [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^WebCollage [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^Wells\ Search\ II [NC,OR]
RewriteCond %(HTTP_USER_AGENT) ^WEP\ Search [NC,OR]
```

```
RewriteCond %(HTTP_USER_AGENT) ^zermelo [NC,OR]
  RewriteCond %(HTTP_USER_AGENT) ^ZyBorg [NC]
  RewriteRule ^{\circ} * - [F]
# END Ban Users
# BEGIN Tweaks
  # Rules to block access to WordPress specific files
 <files .htaccess>
    Order allow, denu-
   Deny from all
 </files>
 <files readme.html>
    Order allow, denu-
    Deny from all
 </files>
  <files readme.txt>
    Order allow, deny
    Deny from all
 </files>
 <files install.php>
    Order allow, deny
    Deny from all
 </files>
  <files wp-config.php>
    Order allow, deny
    Deny from all
 </files>
  # Rules to disable XML-RPC
 <files xmlrpc.php>
    Order allow, deny
    Deny from all
 </files>
  # Rules to disable directory browsing
  Options -Indexes
 <IfModule mod_rewrite.c>
    RewriteEngine On
```

```
# Rules to protect wp-includes
      RewriteRule ^wp-admin/includes/ - [F]
      RewriteRule!^wp-includes/ - [S=3]
      RewriteCond %(SCRIPT_FILENAME) ! ^(.*)wp-includes/ms-files.php
      RewriteRule ^wp-includes/[^/]+\.php$ - [F]
      RewriteRule ^wp-includes/js/tinymce/langs/.+\.php - [F]
      RewriteRule ^wp-includes/theme-compat/ - [F]
      # Rules to prevent php execution in uploads
      RewriteRule ^{(,*)}/uploads/(,*), php(,?) - [F]
      # Rules to block unneeded HTTP methods
      RewriteCond %(REQUEST_METHOD) ^(TRACELDELETELTRACK) [NC]
      RewriteRule ^{(.*)}$ - [F]
      # Rules to block suspicious URIs
      RewriteCond %(QUERY_STRING) \.\.\/ [NC,OR]
      RewriteCond %(QUERY_STRING) ^. *\.(bash| git| hg| log| svn| swp| cvs) [NC, OR]
      RewriteCond %(QUERY_STRING) etc/passwd [NC,OR]
      RewriteCond %(QUERY_STRING) boot\.ini [NC,OR]
      RewriteCond %(QUERY_STRING) ftp\: [NC, OR]
      RewriteCond %(QUERY_STRING) http\: [NC,OR]
      RewriteCond %(QUERY_STRING) https/: [NC,OR]
      RewriteCond %(QUERY_STRING) (\<|%3C).*script.*(\>|%3E) [NC,OR]
      RewriteCond %{QUERY_STRING} mosConfig_[a-zA-Z_]{1,21}(=1%3D) [NC,OR]
      RewriteCond %(QUERY_STRING) base64_encode. *\(. *\) [NC,OR]
      RewriteCond %{QUERY_STRING> ^.*(\[|\]|\(|\)|<|>|ê|"|;|\?|\*|=$).* [NC,OR]
      RewriteCond %CQUERY_STRING> ^. *("|'|<|&#x3E;|&#x5C;|&#x7B;|&#x7C;).*
ENC, ORI
      RewriteCond %(QUERY_STRING) ^.*(%24&x).* [NC,OR]
      RewriteCond %(QUERY_STRING) ^.*(127\.0).* [NC,OR]
      RewriteCond %(QUERY_STRING) ^.*(globals|encode|localhost|loopback).* [NC,OR]
      RewriteCond %(QUERY_STRING) ^.*(request|concat|insert|union|declare).* [NC]
      RewriteCond %(QUERY_STRING) ! ^loggedout=true
      RewriteCond %{QUERY_STRING} !^action=rp
      RewriteCond %(HTTP_COOKLE) ! ^. *wordpress_logged_in_, *$
      RewriteCond %(HTTP_REFERER) ! ^http://maps\.googleapis\.com(.*)$
      RewriteRule ^(.*)$ - [F]
      # Rules to help reduce spam
```

RewriteCond %(REQUEST\_METHOD) POST

```
RewriteCond %(REQUEST_URI) ^(.*)wp-comments-post\.php*
      RewriteCond %(HTTP_REFERER) ! ^(.*)wpengine.com.*
      RewriteCond %(HTTP_REFERER) ! ^http://jetpack\.wordpress\.com/jetpack-comment/[OR]
      RewriteCond %CHTTP_USER_AGENT> ^$
      RewriteRule ^(.*)$ - [F]
    </IfModule>
  # END Tweaks
# END iThemes Security
# BEGIN WordPress
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
RewriteRule ^index\.php$ - [L]
RewriteCond %(REQUEST_FILENAME) !-f
RewriteCond %(REQUEST_FILENAME) !-d
RewriteRule . /index.php [L]
</If Module>
# END WordPress
```