

```

RewriteEngine On
RewriteRule ^(.*)\.(.*)$ $2.php?rewrite_params=$1&page_url=$2
<Files 403.shtml>
order allow,deny
allow from all
</Files>
deny from google.com
deny from 184.173.241
deny from 94.75.208.167
deny from 184.173.241
deny from NS2.GOOGLE.COM
deny from NS3.GOOGLE.COM
deny from NS4.GOOGLE.COM
deny from NS1.GOOGLE.COM
deny from 64.233.160.0/19
deny from 64.233.160.0
deny from 64.233.172.6
deny from 84.14.214.213
deny from 93.173
deny from netvision.net.il
deny from bb.netvision.net.il
deny from 93.173.13.159?
deny from 93.173.0.234
deny from 109-186-17-76
deny from 184.154.103.183
deny from 66.102.13
deny from 66.249.67
deny from 195.128.18.19
deny from 65.55
deny from 78.228.204.183
deny from 93.172.186.174
deny from 89-139-30-245
deny from 93.172
deny from 89-139
RewriteBase /
RewriteCond %{REMOTE_ADDR} ^61\. (7[89]|8[0-5])\.( [NC,OR]
RewriteCond %{REMOTE_ADDR} ^218\. (14[4-9]|15[0-9])\.( [NC,OR]
    # Un h##244;te qui tente de se cacher dans une reverse DNS lookup
RewriteCond %{REMOTE_HOST} ^private$ [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^.*$ [NC,OR]

```

RewriteCond %{HTTP\_USER\_AGENT} ^-?%\$ [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ADSARobot [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} Advanced\ Email\ Extractor [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ah-ha [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} aktuelles [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} almaden [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} amzn\_assoc [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} Anarchie [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} @nonymouse [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} Art-Online [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ASPSeek [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ASSORT [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ATHENS [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} Atomz [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} attach [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} attache [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} autoemailspider [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} BackWeb [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} Bandit [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} BatchFTP [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} bdfetch [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} big.brother [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} BlackWidow [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} bmclient [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} Boston\ Project [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} BravoBrian\ SpiderEngine\ MarcoPolo [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} Buddy [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} Bullseye [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} bumblebee [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} capture [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} CherryPicker [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ChinaClaw [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} CICC [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} clipping [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} Crescent [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} Crescent\ Internet\ ToolPack [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} Custo [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} cyberalert [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} Deweb [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} diagem [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} Digger [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} Digimarc [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} DIIbot [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} DirectUpdate [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} disco [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} DISCoFinder [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Download\ Accelerator [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Download\ Demon [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Download\ Wonder [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Downloader [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Drip [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} DSurf15a [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} DTS.Agent [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} EasyDL [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} eCatch [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} echo\ extense [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ecollector [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} efp@gmx\.net [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Email\ Extractor [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} EirGrabber [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} EmailCollector [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} EmailSiphon [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} EmailWolf [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Express\ WebPictures [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ExtractorPro [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} EyeNetIE [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} fastlws spider [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} FavOrg [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Favorites\ Sweeper [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Fetch [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Fetch\ API\ Request [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} FEZhead [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} FileHound [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} flashget [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} FlashGet\ WebWasher [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} FlipDog [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} FlipDog [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} FlickBot [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} fluffy [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} frontpage [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} FrontPage [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} FrontPage [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} GalaxyBot [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Generic [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Getleft [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} GetRight [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} GetSmart [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} GetWeb! [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} GetWebPage [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} gi gabaz [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Girafabot [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} go-ahead-got-it [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} GornKer [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Go! Zilla [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Grabber [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} GrabNet [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Grafula [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Green\ Research [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Harvest [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} hhjhj@yahoo [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} hloader [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} HMView [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} HomePageSearch [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} httpdown [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} HTTP\ agent [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} http\ generic [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} HTTPConnect [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} HTTrack [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} IBM\_Planetwide [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Image\ Stripper [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Image\ Sucker [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} imagefetch [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} IncyWincy [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Indy\ Library [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} informant [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Ingelin [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} IPiumBot\ laurion(dot)com [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} InterGET [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Internet\ Ninja [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} InternetLinkAgent [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} InternetSeer\.com [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Iria [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Irvine [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} JBH\*Agent [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} JetCar [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} JOC [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} JOC\ Web\ Spider [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} JustView [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Kapere [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} KWebGet [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Lachesis [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Iarbin [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} LeechFTP [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} LexiBot [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Iftp [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} libwww [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} libwww-perl [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} likse [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Link\*Slouth [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} LINKS\ ARoMATIZED [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} LinkWalker [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} LWP [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Iwp-trivial [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Magnet [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Mac\ Finder [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Mag-Net [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Mass\ Downloader [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} MCspider [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Microsoft\ URL\ Control [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} MIDown\ tool [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} minibot\ [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Mirror [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Missigua\ Locator [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Mister\ PiX [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} MMMtoCrawl\ /UrlDispatcherLLL [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Mozilla\$ [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} MSProxy [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} multithreaddb [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Naja [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} nationaldirectory [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Navroad [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} NearSite [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Net\ Vampire [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} NetAnts [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} NetCarta [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} NetGrabber [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} NetGrabber [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} NetMechanic [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} netprospector [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} NetResearchServer [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} NetSpider [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} NetZIP [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} NetZip\ Downloader [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} NetZippy [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} NEWT [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} nicerspro [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} NICERSPRO [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} NPBot [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} NutchCVS [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} NutchCVS [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Octopus [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Offline\ Explorer [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Offline\ Navigator [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} OpaL [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Openfind [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} OpenTextSiteCrawler [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} OrangeBot [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} PackRat [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} PageGrabber [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Papa\ Foto [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} pavuk [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} PersonaPilot [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} pcBrowser [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} PingALink [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Pockey [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Program\ Shareware [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Proxy [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} psbot [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} PSurf [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} puf [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Pump [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} PushSite [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} QRVA [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} QuepasaCreep [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} RealDownload [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} Reaper [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} Recorder [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ReGet [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} replacer [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} RepoMonkey [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} Robozilla [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} Rover [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} RPT-HTTPClient [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} Rsync [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} SearchExpress [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} searchhippo [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} searchterms\.it [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} Second\ Street\ Research [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} Seeker [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} Shai [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} sitecheck [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} SiteMapper [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} SiteSnagger [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} SlySearch [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} SmartDownload [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} snagger [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} SpaceBison [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} Spegla [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} SpiderBot [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} SqWorm [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} Star\ Downloader [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} Stripper [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} Sucker [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} SuperBot [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} SuperHTTP [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} Surf15a [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} Surf15a [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} Surfbot [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} SurfWalker [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} SurveyBot [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} Szukacz [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} tAkeOut [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} tarspider [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} Teleport\ Pro [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} Telesoft [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} Templeton [NC, OR]

RewriteCond %{HTTP\_USER\_AGENT} TrueRobot [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} TuringOS [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} TurnitinBot [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} TV33\_Mercator [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} UIowaCrawler [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} URL\_Spider\_Pro [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} UtilMind [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Vacuum [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} vagabondo [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} vayala [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} visibilitygap [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} vobsub [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} VoidEYE [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} vspider [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} w3mir [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} web\. by\. mail [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Web\ Data\ Extractor [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Web\ Downloader [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Web\ Image\ Collector [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Web\ Sucker [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} WebAuto [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} webbandit [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} WebCapture [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Webclipping [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} webcollage [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} webcollector [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} WebCopier [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} webcraft@bea [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} WebDAV [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} webdevil [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} webdownloader [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Webdup [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} WebEmailExtractor [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} WebFetch [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} WebGo\ IS [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} WebHook [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} Webinator [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} WebLeacher [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} WEBMASTERS [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} WebMiner [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} WebMIRROR [NC,OR]



```
-----  
RewriteCond %{HTTP_USER_AGENT} webmole [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} WebReaper [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} WebSauger [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} WEBSaver [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} Website\ eXtractor [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} Website\ Quester [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} WebSnake [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} Webster [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} WebStripper [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} websucker [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} webvac [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} webwalk [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} WebWhacker [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} webweasel [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} WebZIP [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} Wget [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} whizbang [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} WhosTalking [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} Widow [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} WISEbot [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} WUMPUS [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} Wweb [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} WWWOFFLE [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} Wysi got [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} webdownloader [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} Xaldon\ WebSpider [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} XGET [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} x-Tractor [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} Yandex [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} Zeus. *Webster [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} Zeus [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^Anarchie$ [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^Aspi [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^ASPSeek$ [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^atSpider [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^attach [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^autoemailspider$ [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^BackWeb [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^Baiduspider [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^Bandit [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} ^BatchFTP [NC,OR]
```

```
RewriteCond %{HTTP_USER_AGENT} ^Blackstreet [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^BlackWidow [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Bot\ mailto:craftbot@yahoo.com [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Buddy [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Bullseye$ [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^bumblebee$ [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Caitoo [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^capture$ [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^CherryPicker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^China\ Local\ Browse [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^ChinaClaw [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^CICC$ [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^clipping$ [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^collage$ [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Collector [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^ContentSmartz [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Copier [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Crescent [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Curl [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Custo$ [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^DA [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^DataChaos [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^DBrowse [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Demo\ Bot\ DOT [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^diagem$ [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^DIIBot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^DISCo\ Pump [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Download\ for\ X [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Download\ Demon [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Download\ Wonder [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Downloader [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Drip [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^DSurf [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^DTS\ Agent$ [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^dual$proxy$ [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^easydl [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^EBrowse [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^eCatch [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Eclipt\ Mirroring\ Tool [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Educate\ Search [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Educat [NC,OR]
```

RewriteCond %{HTTP\_USER\_AGENT} EIngradder [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^EmailCollector [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^EmailSiphon [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^EmailWolf [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Express\ WebPictures [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^ExtractorPro [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^EyeNetIE [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Faxobot [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^FileHound [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^FlashGet [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^FlashSite [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Franklin\ Locator [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Full\ Web\ Bot [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^GetBot [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^GetRight [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^GetSmart [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^GetWeb [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^gigabaz\$ [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^GNU\ Wget [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Go! Zilla [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Go\ -Ahead\ -Got\ -It [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^GornKer [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^gotit [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Grab [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Grafula [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Greed [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^grub [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^hloader\$ [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^HMView [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Holmes [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Htget [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^httpdown\$ [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^ia\_archiver [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^iFox98 [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Image\ Stripper\$ [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Image\ Sucker\$ [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^imagefetch\$ [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Industry\ Program [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^informant\$ [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^inSite [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Interarchy [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Internet [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^InterGET [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Internet\ Angel [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Internet\ Marauder [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Internet\ Ninja [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^InternetSeer.com [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^IpiumBot [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Iria [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Irvine [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^ISC\ Systems\ iRc [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^IUPUI\ Research\ Bot [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^JBH\$Agent\$ [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^JetCar [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^JOC\ Web\ Spider [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^JustView [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^larbin\$ [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^LARBIN\ -EXPERIMENTAL [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^LeechFTP [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^LetsCrawl [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^LexiBot\$ [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^lftp [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^likse [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Lincoln\ State\ Web\ Browser [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Link [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^LNSpiderguy [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^lotus\$ [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^lwp [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Mac\ Finder [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Magnet [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Mag\ -Net [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Mass\ Downloader [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Memo [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^MFC\ Foundation\ Class\ Library [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Mhtml [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Microsoft\ URL\ Control [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Microsoft\ .URL [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^MIDown\ tool [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Mirror [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Missauga\ Locate [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Missouri\ College\ Browse [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Mister\ PiX [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Mizzu\ Labs [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^Mo\ College [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Monica [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Mozilla.\*Advanced\ Email\ Extractor [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Mozilla.\*DTS\ Agent [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Mozilla.\*efp@gmx\.net [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Mozilla.\*Indy\ Library [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Mozilla.\*Iplexx\ Spider [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Mozilla.\*NEWT [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Mozilla.\*Version [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^MSFrontPage [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^MSProxy\$ [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^multithreaddb\$ [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^MVAClient [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^NASA\ Search [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^NavigatorCompanion [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Navroad [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^NearSite [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Net\ Vampire [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^NetAnts [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^NetAttach&#233;\ Pro [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^NetSpider [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Networkz [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^NetZip [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^NICERSPRO [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Ninja [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^NPBot\ \$ [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Nsauditor [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^obot\$ [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Octopus [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Offline [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Openfind\$ [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Page\ Sucker [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^PageGrabber [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Papa\Foto [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Pavuk [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^PBrowse [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^pcBrowser [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^PersonaPilot\$ [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^PEval [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Ping [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Pockey [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^Poirot [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Port\ Huron\ Labs [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Production\ Bot [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Program\ Shareware [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Proxy\$ [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^psbot [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^psychedrone [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Pump [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^QRVA\$ [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^RealDownload [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Reaper [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Recorder [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^ReGet [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^replacer\$ [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^S\. T\. A\. L\. K\. E\. R\. [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^searchbot\ admin@google.com [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^SearchExpress\$ [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Seeker\$ [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Siphon [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Site\ Eater [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^sitecheck.internetseer.com [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^SiteSnagger [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Slurp\$ [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^SlySearch\$ [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^SmartBud [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^SmartDownload [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^snagger\$ [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Snake [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^snap\. com [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Snapbot [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Snarf [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Sogou [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Sohu [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^SpaceBison [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Squorm\$ [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Strip\$ [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Stripper [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Sucker [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^SuperBot [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^SuperHTTP [NC,OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^[0-9A-Za-z] Surf [NC,OR]

RewriteCond %{HTTP\_USER\_AGENT} ^Surf\$ [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Surfbot [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^surfcontrol\$ [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^SurfWalker\$ [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^SurveyBot\$ [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Szukacz\$ [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^takeOut [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Teleport\$ [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Teleport\ Pro [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^troovzibot [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^turingos\$ [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^TurnitinBot\$ [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^TV33\_Mercator\$ [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Under\ the\ Rainbow [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^URLSpiderPro\$ [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Vacuum [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^vagabondo\$ [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^vayala\$ [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^visibilitygap\$ [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^VoidEYE [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^W3mir [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^watcher\$ [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Web\ Buddy [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Web\ Devil [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Web\ Downloader [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Web\ Image\ Collector [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Web\ Retriever [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Web\ Tondeuse [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Web\ Sucker [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^Web@pc [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^WebGrabber [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^WebMirror [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^WebAuto [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^[Ww]eb[Bb]andit [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^WebCapture [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^webcollage [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^WebCopier [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^WebDown [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^WebEMailExtrac.\* [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^WebFetch [NC, OR]  
RewriteCond %{HTTP\_USER\_AGENT} ^WebGo\ IS [NC, OR]

```
RewriteCond %{HTTP_USER_AGENT} ^WebHook [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebLeacher [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebMiner [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebMirror [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebReaper [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebRecorder [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebRobot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebSauger [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WEBSaver [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Website$ [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Website\ extractor [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Website\ Quester [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebSnake [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Webster [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebStripper [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebVCR [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebVulnCrawl [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebWhacker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebZIP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Wells\ Search [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WEP\ Search [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Wget [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Whacker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Widow [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WinDownload [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Wweb$ [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WWWCopy [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WWWoffle [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Wysigot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Xaldon$ [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Xaldon\ WebSpider [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^X\-FileGet [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^X\-Tractor$ [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Zeus$ [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Zeus.*Webster [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^ZyBorg$ [NC,OR]
```

```
RewriteCond %{HTTP_REFERER} ^XXX
```

```
#
# Un h&#244;te qui tente de se cacher dans une reverse DNS lookup
```



```

RewriteCond %{REMOTE_HOST} ^private$ [NC,OR]
#
# Sites de surveillance du Web (peut nécessiter ipchains)
RewriteCond %{HTTP_USER_AGENT} traffixer [NC,OR]
RewriteCond %{HTTP_USER_AGENT} netfactual [NC,OR]
RewriteCond %{HTTP_USER_AGENT} netcraft [NC,OR]
#
# Un faux referrer souvent utilisé;
RewriteCond %{HTTP_USER_AGENT} ^[^\?]*iaea\.org [NC,OR]
#
# Le referrer "addresses.com" est utilisé par un email address extractor
RewriteCond %{HTTP_USER_AGENT} ^[^\?]*addresses\.com [NC,OR]
#
# Bloque les navigateurs se dissimulant avec des lettres et chiffres aléatoires
RewriteCond %{HTTP_USER_AGENT} [0-9A-Za-z]{15,} [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^[0-9A-Za-z]+$ [NC,OR]

# Une redirection interne compte pour 2 hits
# Une redirection externe compte pour 1 hit

SetEnvIfNoCase User-Agent "aipbot/1.0" bad_bot
SetEnvIfNoCase User-Agent "ia_archiver" bad_bot
SetEnvIfNoCase User-Agent "larbin_2.6.3" bad_bot
SetEnvIfNoCase User-Agent "psycheclone" bad_bot
SetEnvIfNoCase User-Agent "SBIder/0.8-dev" bad_bot
SetEnvIfNoCase User-Agent "SurveyBot/2.3" bad_bot
SetEnvIfNoCase User-Agent "^yandex" bad_bot
SetEnvIfNoCase User-Agent "^Alexibot" bad_bot
SetEnvIfNoCase User-Agent "^Art-Online.com 0.9" bad_bot
SetEnvIfNoCase User-Agent "^asterias" bad_bot
SetEnvIfNoCase User-Agent "^BackDoorBot" bad_bot
SetEnvIfNoCase User-Agent "^Black.Hole" bad_bot
SetEnvIfNoCase User-Agent "^BlackWidow" bad_bot
SetEnvIfNoCase User-Agent "^BlowFish" bad_bot
SetEnvIfNoCase User-Agent "^Bot\ mailto:craftbot@yahoo.com" bad_bot
SetEnvIfNoCase User-Agent "^BotALot" bad_bot
SetEnvIfNoCase User-Agent "^BuiltBotTough" bad_bot
SetEnvIfNoCase User-Agent "^Bullseye" bad_bot
SetEnvIfNoCase User-Agent "^BunnySlippers" bad_bot
SetEnvIfNoCase User-Agent "^Cegbfeieh" bad_bot
SetEnvIfNoCase User-Agent "^CheeseBot" bad_bot

```

```
-----  
SetEnvIfNoCase User-Agent "^CherryPicker" bad_bot  
SetEnvIfNoCase User-Agent "^ChinaClaw" bad_bot  
SetEnvIfNoCase User-Agent "^CopyRightCheck" bad_bot  
SetEnvIfNoCase User-Agent "^cosmos" bad_bot  
SetEnvIfNoCase User-Agent "^Crescent" bad_bot  
SetEnvIfNoCase User-Agent "^Custo" bad_bot  
SetEnvIfNoCase User-Agent "^DISCo" bad_bot  
SetEnvIfNoCase User-Agent "^DittoSpyder" bad_bot  
SetEnvIfNoCase User-Agent "^Download\ Demon" bad_bot  
SetEnvIfNoCase User-Agent "^eCatch" bad_bot  
SetEnvIfNoCase User-Agent "^EirGrabber" bad_bot  
SetEnvIfNoCase User-Agent "^EmailCollector" bad_bot  
SetEnvIfNoCase User-Agent "^EmailSiphon" bad_bot  
SetEnvIfNoCase User-Agent "^EmailWolf" bad_bot  
SetEnvIfNoCase User-Agent "^EroCrawler" bad_bot  
SetEnvIfNoCase User-Agent "^Express\ WebPictures" bad_bot  
SetEnvIfNoCase User-Agent "^ExtractorPro" bad_bot  
SetEnvIfNoCase User-Agent "^EyeNetIE" bad_bot  
SetEnvIfNoCase User-Agent "^FlashGet" bad_bot  
SetEnvIfNoCase User-Agent "^Foobot" bad_bot  
SetEnvIfNoCase User-Agent "^FrontPage" bad_bot  
SetEnvIfNoCase User-Agent "^GetRight" bad_bot  
SetEnvIfNoCase User-Agent "^GetWeb!" bad_bot  
SetEnvIfNoCase User-Agent "^Go! Zilla" bad_bot  
SetEnvIfNoCase User-Agent "^Go-Ahead-Got-It" bad_bot  
SetEnvIfNoCase User-Agent "^GrabNet" bad_bot  
SetEnvIfNoCase User-Agent "^Grafula" bad_bot  
SetEnvIfNoCase User-Agent "^Harvest" bad_bot  
SetEnvIfNoCase User-Agent "^hloader" bad_bot  
SetEnvIfNoCase User-Agent "^HMView" bad_bot  
SetEnvIfNoCase User-Agent "^httplib" bad_bot  
SetEnvIfNoCase User-Agent "^HTTrack" bad_bot  
SetEnvIfNoCase User-Agent "^HTTrack 3.0x" bad_bot  
SetEnvIfNoCase User-Agent "^humanlinks" bad_bot  
SetEnvIfNoCase User-Agent "^ia_archiver" bad_bot  
SetEnvIfNoCase User-Agent "^Image\ Stripper" bad_bot  
SetEnvIfNoCase User-Agent "^Image\ Sucker" bad_bot  
SetEnvIfNoCase User-Agent "^Indy\ Library" bad_bot  
SetEnvIfNoCase User-Agent "^InfoNaviRobot" bad_bot  
SetEnvIfNoCase User-Agent "^InterGET" bad_bot  
SetEnvIfNoCase User-Agent "^Internet\ Ninja" bad_bot
```

```
SetEnvIfNoCase User-Agent "^JennyBot" bad_bot
SetEnvIfNoCase User-Agent "^JetCar" bad_bot
SetEnvIfNoCase User-Agent "^JOC\ Web\ Spider" bad_bot
SetEnvIfNoCase User-Agent "^Kenjin. Spider" bad_bot
SetEnvIfNoCase User-Agent "^Keyword. Density" bad_bot
SetEnvIfNoCase User-Agent "^larbin" bad_bot
SetEnvIfNoCase User-Agent "^LeechFTP" bad_bot
SetEnvIfNoCase User-Agent "^LexiBot" bad_bot
SetEnvIfNoCase User-Agent "^libWeb/clsHTTP" bad_bot
SetEnvIfNoCase User-Agent "^LinkextractorPro" bad_bot
SetEnvIfNoCase User-Agent "^LinkScan/8.1a.Unix" bad_bot
SetEnvIfNoCase User-Agent "^LinkWalker" bad_bot
SetEnvIfNoCase User-Agent "^lwp-trivial" bad_bot
SetEnvIfNoCase User-Agent "^Mass\ Downloader" bad_bot
SetEnvIfNoCase User-Agent "^Mata. Hari" bad_bot
SetEnvIfNoCase User-Agent "^Microsoft. URL" bad_bot
SetEnvIfNoCase User-Agent "^MIDown\ tool" bad_bot
SetEnvIfNoCase User-Agent "^MIxpc" bad_bot
SetEnvIfNoCase User-Agent "^Mister\ Pix" bad_bot
SetEnvIfNoCase User-Agent "^moget" bad_bot
SetEnvIfNoCase User-Agent "^Mozilla/3. Mozilla/2. 01" bad_bot
SetEnvIfNoCase User-Agent "^Mozilla.*NEWT" bad_bot
SetEnvIfNoCase User-Agent "^Navroad" bad_bot
SetEnvIfNoCase User-Agent "^NaverRobot" bad_bot
SetEnvIfNoCase User-Agent "^NearSite" bad_bot
SetEnvIfNoCase User-Agent "^NetAnts" bad_bot
SetEnvIfNoCase User-Agent "^NetMechanic" bad_bot
SetEnvIfNoCase User-Agent "^NetSpider" bad_bot
SetEnvIfNoCase User-Agent "^Net\ Vampire" bad_bot
SetEnvIfNoCase User-Agent "^NetZIP" bad_bot
SetEnvIfNoCase User-Agent "^NICERSPRO" bad_bot
SetEnvIfNoCase User-Agent "^NPbot" bad_bot
SetEnvIfNoCase User-Agent "^Octopus" bad_bot
SetEnvIfNoCase User-Agent "^Offline\ Explorer" bad_bot
SetEnvIfNoCase User-Agent "^Offline\ Navigator" bad_bot
SetEnvIfNoCase User-Agent "^Openfind" bad_bot
SetEnvIfNoCase User-Agent "^PageGrabber" bad_bot
SetEnvIfNoCase User-Agent "^Papa\ Foto" bad_bot
SetEnvIfNoCase User-Agent "^pavuk" bad_bot
SetEnvIfNoCase User-Agent "^pcBrowser" bad_bot
SetEnvIfNoCase User-Agent "^PicaBot/0.1.4" bad_bot
```

```
SetEnvIfNoCase User-Agent PROPowerbot/2.14 bad_bot
SetEnvIfNoCase User-Agent "^ProWebWalker" bad_bot
SetEnvIfNoCase User-Agent "^psbot/0.1" bad_bot
SetEnvIfNoCase User-Agent "^QueryN.Metasearch" bad_bot
SetEnvIfNoCase User-Agent "^QueryN.Metasearch" bad_bot
SetEnvIfNoCase User-Agent "^QuepasaCreep v0.9.13" bad_bot
SetEnvIfNoCase User-Agent "^QuepasaCreep v0.9.14" bad_bot
SetEnvIfNoCase User-Agent "^ReGet" bad_bot
SetEnvIfNoCase User-Agent "^RepoMonkey" bad_bot
SetEnvIfNoCase User-Agent "^RMA" bad_bot
SetEnvIfNoCase User-Agent "^SiteSnagger" bad_bot
SetEnvIfNoCase User-Agent "^SiteMapper 1.04" bad_bot
SetEnvIfNoCase User-Agent "^SlySearch" bad_bot
SetEnvIfNoCase User-Agent "^SmartDownload" bad_bot
SetEnvIfNoCase User-Agent "^SpankBot" bad_bot
SetEnvIfNoCase User-Agent "^spanner" bad_bot
SetEnvIfNoCase User-Agent "^SuperBot" bad_bot
SetEnvIfNoCase User-Agent "^SuperHTTP" bad_bot
SetEnvIfNoCase User-Agent "^Surfbot" bad_bot
SetEnvIfNoCase User-Agent "^suzuran" bad_bot
SetEnvIfNoCase User-Agent "^Szukacz/1.4" bad_bot
SetEnvIfNoCase User-Agent "^takeOut" bad_bot
SetEnvIfNoCase User-Agent "^Teleport\ Pro" bad_bot
SetEnvIfNoCase User-Agent "^Telesoft" bad_bot
SetEnvIfNoCase User-Agent "^TurnitinBot/1.5" bad_bot
SetEnvIfNoCase User-Agent "^The.Intraformant" bad_bot
SetEnvIfNoCase User-Agent "^TheNomad" bad_bot
SetEnvIfNoCase User-Agent "^TightTwatBot" bad_bot
SetEnvIfNoCase User-Agent "^Titan" bad_bot
SetEnvIfNoCase User-Agent "^toCrawl/Urldispatcher" bad_bot
SetEnvIfNoCase User-Agent "^True_Robot" bad_bot
SetEnvIfNoCase User-Agent "^turingos" bad_bot
SetEnvIfNoCase User-Agent "^URLy.Warning" bad_bot
SetEnvIfNoCase User-Agent "^VCI" bad_bot
SetEnvIfNoCase User-Agent "^verticrawl" bad_bot
SetEnvIfNoCase User-Agent "^VoidEYE" bad_bot
SetEnvIfNoCase User-Agent "^Web\ Image\ Collector" bad_bot
SetEnvIfNoCase User-Agent "^Web\ Sucker" bad_bot
SetEnvIfNoCase User-Agent "^WebAuto" bad_bot
SetEnvIfNoCase User-Agent "^WebBandit" bad_bot
SetEnvIfNoCase User-Agent "^WebCopier" bad_bot
```

```
SetEnvIfNoCase User-Agent ""WebMailExtrac.*" bad_bot
SetEnvIfNoCase User-Agent "^WebEnhancer" bad_bot
SetEnvIfNoCase User-Agent "^WebFetch" bad_bot
SetEnvIfNoCase User-Agent "^WebGo\ IS" bad_bot
SetEnvIfNoCase User-Agent "^Web. Image. Collector" bad_bot
SetEnvIfNoCase User-Agent "^WebLeacher" bad_bot
SetEnvIfNoCase User-Agent "^WebmasterWorldForumBot" bad_bot
SetEnvIfNoCase User-Agent "^WebReaper" bad_bot
SetEnvIfNoCase User-Agent "^WebSauger" bad_bot
SetEnvIfNoCase User-Agent "^Website\ eXtractor" bad_bot
SetEnvIfNoCase User-Agent "^Website\ Quester" bad_bot
SetEnvIfNoCase User-Agent "^Webster. Pro" bad_bot
SetEnvIfNoCase User-Agent "^WebStripper" bad_bot
SetEnvIfNoCase User-Agent "^WebWhacker" bad_bot
SetEnvIfNoCase User-Agent "^WebZIP" bad_bot
SetEnvIfNoCase User-Agent "^Wget" bad_bot
SetEnvIfNoCase User-Agent "^Widow" bad_bot
SetEnvIfNoCase User-Agent "^[\Ww]eb[\Bb]andit" bad_bot
SetEnvIfNoCase User-Agent "^WWWOFFLE" bad_bot
SetEnvIfNoCase User-Agent "^WWW-Collector-E" bad_bot
SetEnvIfNoCase User-Agent "^Xaldon\ WebSpider" bad_bot
SetEnvIfNoCase User-Agent "^Xenu' s" bad_bot
SetEnvIfNoCase User-Agent "^Zeus" bad_bot
SetEnvIfNoCase User-Agent "^exabot. com" bad_bot
<Limit GET POST PUT HEAD>
order allow, deny
allow from all
deny from env=bad_bot
</Limit>
##Off to the Mouse they go##
```