

```
<Files ~ "^at-charset-00[1-6].css$">
```

```
AddCharset Shift_JIS .css
```

```
</Files>
```

```
<Files "http1.css">
```

```
AddCharset iso-8859-1 .css
```

```
</Files>
```

```
<Files "http15.css">
```

```
AddCharset iso-8859-15 .css
```

```
</Files>
```

```
<Files "http8.css">
```

```
AddCharset utf-8 .css
```

```
</Files>
```

```
<Files "charset8.css">
```

```
RemoveCharset .css
```

```
</Files>
```

```
<Files "charset1.css">
```

```
RemoveCharset .css
```

```
</Files>
```

```
<Files "charset15.css">
```

```
RemoveCharset .css
```

```
</Files>
```

```
<Files "none.css">
```

```
RemoveCharset .css
```

```
</Files>
```

```
<Files "bom.css">
```

```
RemoveCharset .css
```

```
</Files>
```

```
<Files "bom-charset1.css">
```

```
RemoveCharset .css
```

```
</Files>
```

```
<Files "bom-charset15.css">
```

```
RemoveCharset .css
```

```
</Files>
```

```
<Files "illegalcharset.css">
```

```
RemoveCharset .css
```

```
</Files>
```

```
<Files "http8-charset1.css">
```

```
AddCharset utf-8 .css
```

```
</Files>
```

```
<Files "http1-charset8.css">
```

```
<files http1-charset0.css >
AddCharset iso-8859-1 .css
</Files>
<Files "http1-bom.css">
AddCharset iso-8859-1 .css
</Files>

<Files ~ "^plaintext.css$" >
ForceType text/plain
</Files>

<files character-encoding-031.css>
AddCharset iso-8859-1 .css
</files>

<files character-encoding-032.css>
AddCharset iso-8859-11 .css
</files>

<files character-encoding-033.css>
AddCharset iso-8859-5 .css
</files>

<files character-encoding-034.css>
AddCharset iso-8859-6 .css
</files>

<files character-encoding-035.css>
AddCharset iso-8859-7 .css
</files>

<files character-encoding-036.css>
AddCharset iso-8859-8 .css
</files>

<files character-encoding-037.css>
AddCharset koi8-r .css
</files>

<files ~ '^at-charset-07[1234567]\.css$' >
RemoveCharset .css
...</pre>
```

</files>