

```

##### BEGIN CCAFS-CLIMATE #####
# default page to load.
DirectoryIndex index.php pages/index.php

<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
# URL more readable and much shorter.
RewriteCond %{REQUEST_URI} !^(pages|stations)
RewriteRule ^(.*)\.php /pages/$1.php [L]
RewriteRule ^(.*)/$ /pages/$1.php [L]
</IfModule>

<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^.*[^\.]$ /$0/ [L,R=301]
</IfModule>

##### END CCAFS-CLIMATE #####
ErrorDocument 404 /pages/404.php

#There is no reason that an URL start with /.
RedirectMatch 403 \[

#prevent folder browsing
Options All -Indexes
# END Extra Security

# 5G FIREWALL from PerishablePress.com

# 5G: [QUERY STRINGS]
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
RewriteCond %{QUERY_STRING} (environ|localhost|mosconfig|scanner) [NC,OR]
RewriteCond %{QUERY_STRING} (menu|mod|path|tag)\=\.\.?/? [NC,OR]
RewriteCond %{QUERY_STRING} boot\.ini [NC,OR]
RewriteCond %{QUERY_STRING} echo.*k& [NC,OR]
RewriteCond %{QUERY_STRING} etc/passwd [NC,OR]

```

```
RewriteCond %{QUERY_STRING} etc/passwd [NC,OR]
RewriteCond %{QUERY_STRING} \=\|\%27$ [NC,OR]
RewriteCond %{QUERY_STRING} \=\|\|. $ [NC,OR]
RewriteCond %{QUERY_STRING} \.\. / [NC,OR]
RewriteCond %{QUERY_STRING} \: [NC,OR]
RewriteCond %{QUERY_STRING} \[ [NC,OR]
RewriteCond %{QUERY_STRING} \] [NC]
```

```
#RewriteRule . * . [F]
```

```
</IfModule>
```

5G: [USER AGENTS]

```
<IfModule mod_setenvif.c>
```

```
SetEnvIfNoCase User-Agent ^$ keep_out
```

```
SetEnvIfNoCase User-Agent (casperl cmsworldmapl diavoll dotbot) keep_out
```

```
SetEnvIfNoCase User-Agent (flickyl ia_archiverl jakartal kmccrew) keep_out
```

```
SetEnvIfNoCase User-Agent (libwwwl planetworkl pycurll skygrid) keep_out
```

```
<Limit GET POST PUT>
```

```
Order Allow,Deny
```

```
Allow from all
```

```
Deny from env=keep_out
```

```
</Limit>
```

```
</IfModule>
```

5G: [REQUEST STRINGS]

```
<IfModule mod_alias.c>
```

```
RedirectMatch 403 (https?|ftpl|php)\: //
```

```
RedirectMatch 403 /(cgi|https?|imal|ucp)/
```

```
RedirectMatch 403 (\=\|\|.|\=\|\%27|/\|\|. /?|\)\.css\(\)$
```

```
RedirectMatch 403 (\,|//|\)\+|\/,|\/\{\0\}|\/\(\(|\.\.\.\|\\\+\\\+|\\\|
```

```
RedirectMatch 403 \.(cgi|asp|aspx|cf|cgi|dll|exe|jsp|mdb|sql|ini)$
```

```
RedirectMatch 403 /(contact|fpw|install|pingserver|register)\.php
```

```
RedirectMatch 403 (base64|crossdomain|localhost|wwwroot)
```

```
RedirectMatch 403 (eval\(|\_\vti\_| \(\null\)|echo.*kae)
```

```
RedirectMatch 403 \.well-known/host-meta
```

```
RedirectMatch 403 /function\.array\-\rand
```

```
RedirectMatch 403 \); \$(this)\.html\(\
```

```
RedirectMatch 403 proc/self/environ
```

```
RedirectMatch 403 msnbot\.htm\)\.\.\_
```

```
RedirectMatch 403 /ref\.outcontrol
```

```
RedirectMatch 403 com\_cropimage
```

```
RedirectMatch 403 indonesia\.htm
```

```
RedirectMatch 403 /wp-content/uploads/
```

RedirectMatch 403 \(\\$itemURL\)

RedirectMatch 403 function\(\)

RedirectMatch 403 labels\.rdf

</IfModule>