

```
##### PROTECT HTACCESS FILE #####
```

```
<Files .htaccess>
```

```
Order allow,deny
```

```
Deny from all
```

```
</Files>
```

```
##### PROTECT FOLDER LISTING #####
```

```
Options -Indexes
```

```
DirectoryIndex index.php
```

```
##### ACTIVATE REWRITE RULES #####
```

```
<IfModule mod_rewrite.c>
```

```
RewriteEngine On
```

```
RewriteBase "/${server.pathname}"
```

```
#Fix issue #1 invalid wp-admin redirect
```

```
RewriteRule ^wp-admin$ /wp-admin/ [L,R=301]
```

```
#If the URL start with public stop redirect
```

```
RewriteRule wp-cms/index.php$ - [L]
```

```
#If you request an URL it does not start with wp-cms
```

```
#Else the HTACCESS have done the redirect, you can go to the index.php to execute code
```

```
RewriteCond %{REQUEST_URI} ^/wp-cms
```

```
RewriteCond %{REQUEST_FILENAME} !-f
```

```
RewriteCond %{REQUEST_FILENAME} !-d
```

```
RewriteRule ^(.*)$ /wp-cms/index.php [L]
```

```
#wp-cms is not here so we add it :)
```

```
RewriteCond %{REQUEST_FILENAME} !-f
```

```
RewriteCond %{REQUEST_FILENAME} !-d
```

```
RewriteRule ^(.*)$ /wp-cms/$1 [L]
```

```
</IfModule>
```

```
##### MOD_DEFLATE COMPRESSION #####
```

```
<IfModule mod_deflate.c>
```

```
SetOutputFilter DEFLATE
```

```
AddOutputFilterByType DEFLATE text/html text/css text/plain text/xml application/x-javascript application/x-httpd-php
```

```
</IfModule>
```

```
</IfModule>
```

```
#For incompatible browsers
```

```
BrowserMatch ^Mozilla/4 gzip-only-text/html
```

```
BrowserMatch ^Mozilla/4\.0[678] no-gzip
```

```
BrowserMatch \bMSIE !no-gzip !gzip-only-text/html
```

```
BrowserMatch \bMSIE[E] !no-gzip !gzip-only-text/html
```

```
#Do not put in cache if files are already in
```

```
SetEnvIfNoCase Request_URI \.(?:gif|jpe?g|png|swf)$ no-gzip
```

```
##### EXPIRE HEADERS #####
```

```
<IfModule mod_expires.c>
```

```
ExpiresActive On
```

```
ExpiresDefault "access plus 7200 seconds"
```

```
ExpiresByType image/jpg "access plus 2592000 seconds"
```

```
ExpiresByType image/jpeg "access plus 2592000 seconds"
```

```
ExpiresByType image/png "access plus 2592000 seconds"
```

```
ExpiresByType image/gif "access plus 2592000 seconds"
```

```
AddType image/x-icon .ico
```

```
ExpiresByType image/ico "access plus 2592000 seconds"
```

```
ExpiresByType image/icon "access plus 2592000 seconds"
```

```
ExpiresByType image/x-icon "access plus 2592000 seconds"
```

```
ExpiresByType text/css "access plus 2592000 seconds"
```

```
ExpiresByType text/javascript "access plus 2592000 seconds"
```

```
ExpiresByType text/html "access plus 7200 seconds"
```

```
ExpiresByType application/xhtml+xml "access plus 7200 seconds"
```

```
ExpiresByType application/javascript A259200
```

```
ExpiresByType application/x-javascript "access plus 2592000 seconds"
```

```
ExpiresByType application/x-shockwave-flash "access plus 2592000 seconds"
```

```
</IfModule>
```

```
##### CACHE CONTROL HEADERS #####
```

```
<IfModule mod_headers.c>
```

```
#les proxies doivent donner le bon contenu
```

```
Header append Vary User-Agent env=!dont-vary
```

```
<FilesMatch "\.(ico|jpe?g|png|gif|swf|gz|ttf)$">
```

```
Header set Cache-Control "max-age=2592000, public"
```

```
</FilesMatch>
```

```
-----
```

```
<FilesMatch "\\.(css)$">
    Header set Cache-Control "max-age=2592000, public"
</FilesMatch>
<FilesMatch "\\.(js)$">
    Header set Cache-Control "max-age=2592000, private"
</FilesMatch>
<FilesMatch "\\.(html|htm)$">
    Header set Cache-Control "max-age=7200, public"
</FilesMatch>

# Disable caching for scripts and other dynamic files
<FilesMatch "\\.(pl|php|cgi|spl|scgi|fcgi)$">
    Header unset Cache-Control
</FilesMatch>

# KILL THEM ETAGS
Header unset ETag
FileETag none
</IfModule>
```