

```
## EXPIRES CACHING ##
```

```
<IfModule mod_expires.c>
```

```
ExpiresActive On
```

```
ExpiresByType image/jpg "access plus 1 year"
```

```
ExpiresByType image/jpeg "access plus 1 year"
```

```
ExpiresByType image/gif "access plus 1 year"
```

```
ExpiresByType image/js "access plus 1 year"
```

```
ExpiresByType image/png "access plus 1 year"
```

```
ExpiresByType text/css "access plus 1 month"
```

```
ExpiresByType application/pdf "access plus 1 month"
```

```
ExpiresByType application/x-shockwave-flash "access plus 1 month"
```

```
ExpiresByType image/x-icon "access plus 1 year"
```

```
ExpiresDefault "access plus 2 days"
```

```
ExpiresByType text/x-javascript "access plus 1 month"
```

```
ExpiresByType application/javascript "access plus 1 month"
```

```
ExpiresByType application/x-javascript "access plus 1 month"
```

```
</IfModule>
```

```
## EXPIRES CACHING ##
```

```
# BEGIN W3TC Browser Cache
```

```
<IfModule mod_mime.c>
```

```
    AddType text/css .css
```

```
    AddType text/x-component .htc
```

```
    AddType application/x-javascript .js
```

```
    AddType application/javascript .js2
```

```
    AddType text/javascript .js3
```

```
    AddType text/x-js .js4
```

```
    AddType text/html .html .htm
```

```
    AddType text/richtext .rtf .rtx
```

```
    AddType image/svg+xml .svg .svgz
```

```
    AddType text/plain .txt
```

```
    AddType text/xsd .xsd
```

```
    AddType text/xsl .xsl
```

```
    AddType text/xml .xml
```

```
    AddType video/asf .asf .asx .wax .wmv .wmx
```

```
    AddType video/avi .avi
```

```
    AddType image/bmp .bmp
```

```
    AddType application/java .class
```

```
    AddType video/divx .divx
```

```
    AddType application/msword .doc .docx
```

```
    AddType application/vnd.ms-fontobject .eot
```

```
    AddType application/vnd.ms-fontobject .eot
```

```
AddType application/x-msdownload .exe
AddType image/gif .gif
AddType application/x-gzip .gz .gzip
AddType image/x-icon .ico
AddType image/jpeg .jpg .jpeg .jpe
AddType application/json .json
AddType application/vnd.ms-access .mdb
AddType audio/midi .mid .midi
AddType video/quicktime .mov .qt
AddType audio/mpeg .mp3 .m4a
AddType video/mp4 .mp4 .m4v
AddType video/mpeg .mpeg .mpg .mpe
AddType application/vnd.ms-project .mpp
AddType application/x-font-otf .otf
AddType application/vnd.ms-opentype .otf
AddType application/vnd.oasis.opendocument.database .odb
AddType application/vnd.oasis.opendocument.chart .odc
AddType application/vnd.oasis.opendocument.formula .odf
AddType application/vnd.oasis.opendocument.graphics .odg
AddType application/vnd.oasis.opendocument.presentation .odp
AddType application/vnd.oasis.opendocument.spreadsheet .ods
AddType application/vnd.oasis.opendocument.text .odt
AddType audio/ogg .ogg
AddType application/pdf .pdf
AddType image/png .png
AddType application/vnd.ms-powerpoint .pot .pps .ppt .pptx
AddType audio/x-realaudio .ra .ram
AddType application/x-shockwave-flash .swf
AddType application/x-tar .tar
AddType image/tiff .tif .tiff
AddType application/x-font-ttf .ttf .ttc
AddType application/vnd.ms-opentype .ttf .ttc
AddType audio/wav .wav
AddType audio/wma .wma
AddType application/vnd.ms-write .wri
AddType application/font-woff .woff
AddType application/vnd.ms-excel .xla .xls .xlsx .xlt .xlw
AddType application/zip .zip
```

```
</IfModule>
```

```
<IfModule mod_expires.c>
```

```
ExpiresActive On
```

```
ExpiresDefault 0
```

ExpiresByType text/css A31536000
ExpiresByType text/x-component A31536000
ExpiresByType application/x-javascript A31536000
ExpiresByType application/javascript A31536000
ExpiresByType text/javascript A31536000
ExpiresByType text/x-js A31536000
ExpiresByType text/html A3600
ExpiresByType text/richtext A3600
ExpiresByType image/svg+xml A3600
ExpiresByType text/plain A3600
ExpiresByType text/xsd A3600
ExpiresByType text/xsl A3600
ExpiresByType text/xml A3600
ExpiresByType video/asf A31536000
ExpiresByType video/avi A31536000
ExpiresByType image/bmp A31536000
ExpiresByType application/java A31536000
ExpiresByType video/divx A31536000
ExpiresByType application/msword A31536000
ExpiresByType application/vnd.ms-fontobject A31536000
ExpiresByType application/x-msdownload A31536000
ExpiresByType image/gif A31536000
ExpiresByType application/x-gzip A31536000
ExpiresByType image/x-icon A31536000
ExpiresByType image/jpeg A31536000
ExpiresByType application/json A31536000
ExpiresByType application/vnd.ms-access A31536000
ExpiresByType audio/midi A31536000
ExpiresByType video/quicktime A31536000
ExpiresByType audio/mpeg A31536000
ExpiresByType video/mp4 A31536000
ExpiresByType video/mpeg A31536000
ExpiresByType application/vnd.ms-project A31536000
ExpiresByType application/x-font-otf A31536000
ExpiresByType application/vnd.ms-opentype A31536000
ExpiresByType application/vnd.oasis.opendocument.database A31536000
ExpiresByType application/vnd.oasis.opendocument.chart A31536000
ExpiresByType application/vnd.oasis.opendocument.formula A31536000
ExpiresByType application/vnd.oasis.opendocument.graphics A31536000
ExpiresByType application/vnd.oasis.opendocument.presentation A31536000
ExpiresByType application/vnd.oasis.opendocument.spreadsheet A31536000

```
ExpiresByType application/vnd.oasis.opendocument.text A31536000
ExpiresByType audio/ogg A31536000
ExpiresByType application/pdf A31536000
ExpiresByType image/png A31536000
ExpiresByType application/vnd.ms-powerpoint A31536000
ExpiresByType audio/x-realaudio A31536000
ExpiresByType image/svg+xml A31536000
ExpiresByType application/x-shockwave-flash A31536000
ExpiresByType application/x-tar A31536000
ExpiresByType image/tiff A31536000
ExpiresByType application/x-font-ttf A31536000
ExpiresByType application/vnd.ms-opentype A31536000
ExpiresByType audio/wav A31536000
ExpiresByType audio/wma A31536000
ExpiresByType application/vnd.ms-write A31536000
ExpiresByType application/font-woff A31536000
ExpiresByType application/vnd.ms-excel A31536000
ExpiresByType application/zip A31536000
```

```
</IfModule>
```

```
<IfModule mod_deflate.c>
```

```
  <IfModule mod_headers.c>
```

```
    Header append Vary User-Agent env=!dont-vary
```

```
  </IfModule>
```

```
    AddOutputFilterByType DEFLATE text/css text/x-component application/x-javascript ap
```

```
  <IfModule mod_mime.c>
```

```
    # DEFLATE by extension
```

```
    AddOutputFilter DEFLATE js css htm html xml
```

```
  </IfModule>
```

```
</IfModule>
```

```
<FilesMatch "\.(css|htcl|less|js|js2|js3|js4|CSS|HTC|LESS|JS|JS2|JS3|JS4)$">
```

```
  FileETag MTime Size
```

```
  <IfModule mod_headers.c>
```

```
    Header set Pragma "public"
```

```
    Header append Cache-Control "public"
```

```
    Header set X-Powered-By "W3 Total Cache/0.9.4"
```

```
  </IfModule>
```

```
</FilesMatch>
```

```
<FilesMatch "\.(html|htmlrft|rtxl|svg|svgz|txt|xsl|xsl|xml|HTML|HTMLRFT|RTX|SVG|SVGZ|TXT|XSL
```

```
  FileETag MTime Size
```

```
  <IfModule mod_headers.c>
```

```
    Header set Pragma "public"
```

```

        Header append Cache-Control "public"
        Header set X-Powered-By "W3 Total Cache/0.9.4"
    </IfModule>
</FilesMatch>
<FilesMatch "\.
(asfl asxl waxl umvl umxl avil bml cl assl di vxl docl docxl eotl exel gifl gzl gzpl icol jpgl jpegl jpel jsonl n
FileETag MTime Size
<IfModule mod_headers.c>
    Header set Pragma "public"
    Header append Cache-Control "public"
    Header set X-Powered-By "W3 Total Cache/0.9.4"
</IfModule>
</FilesMatch>
# END W3TC Browser Cache
# BEGIN W3TC CDN
<FilesMatch "\.(ttfl ttcl otfl eotl woffl font. css)$">
<IfModule mod_headers.c>
    Header set Access-Control-Allow-Origin "*"
</IfModule>
</FilesMatch>
# END W3TC CDN
# BEGIN W3TC Page Cache core
<IfModule mod_rewrite.c>
    RewriteEngine On
    RewriteBase /
    RewriteCond %{HTTP:Accept-Encoding} gzip
    RewriteRule .* - [E=W3TC_ENC:_gzip]
    RewriteCond %{HTTP_COOKIE} w3tc_preview [NC]
    RewriteRule .* - [E=W3TC_PREVIEW:_preview]
    RewriteCond %{REQUEST_METHOD} !=POST
    RewriteCond %{QUERY_STRING} =""
    RewriteCond %{REQUEST_URI} \/$
    RewriteCond %{HTTP_COOKIE} !(comment_author|wp\-postpass|w3tc_logged_out|wordpress_logged
    RewriteCond "%{DOCUMENT_ROOT}/wp-content/cache/page_enhanced/%{HTTP_HOST}/%{REQUEST_URI}
    RewriteRule .* "/wp-content/cache/page_enhanced/%{HTTP_HOST}/%{REQUEST_URI}/_index%{ENV:
</IfModule>
# END W3TC Page Cache core
# BEGIN WordPress
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /

```

```
RewriteRule ^index\.php$ - [L]
RewriteCond %(REQUEST_FILENAME) !-f
RewriteCond %(REQUEST_FILENAME) !-d
RewriteRule . /index.php [L]
</IfModule>
```

END WordPress