

```
#####
## uncomment the line below to enable developer mode

# SetEnv MAGE_MODE developer

#####
## uncomment these lines for CGI mode
## make sure to specify the correct cgi php binary file name
## it might be /cgi-bin/php-cgi

# Action php5-cgi /cgi-bin/php5-cgi
# AddHandler php5-cgi .php

#####
## GoDaddy specific options

# Options -MultiViews

## you might also need to add this line to php.ini
## cgi.fix_pathinfo = 1
## if it still doesn't work, rename php.ini to php5.ini

#####
## this line is specific for 1and1 hosting

#AddType x-mapp-php5 .php
#AddHandler x-mapp-php5 .php

#####
## default index file

DirectoryIndex index.php

<IfModule mod_php5.c>

#####
## adjust memory limit

php_value memory_limit 256M
php_value max_execution_time 18000
```

```
#####
## disable automatic session start
## before autoload was initialized

    php_flag session.auto_start off

#####
## enable resulting html compression

    #php_flag zlib.output_compression on

#####
# disable user agent verification to not break multiple image upload

    php_flag suhosin.session.cryptua off

</IfModule>

<IfModule mod_security.c>
#####
# disable POST processing to not break multiple image upload

    SecFilterEngine Off
    SecFilterScanPOST Off
</IfModule>

<IfModule mod_deflate.c>

#####
## enable apache served files compression
## http://developer.yahoo.com/performance/rules.html#gzip

    # Insert filter on all content
    ###SetOutputFilter DEFLATE
    # Insert filter on selected content types only
    #AddOutputFilterByType DEFLATE text/html text/plain text/xml text/css text/javascript

    # Netscape 4.x has some problems...
    #BrowserMatch ^Mozilla/4 gzip-only-text/html

    # Apache 2.2.8 and above allow you to use the same directive for every
    # MIME type, such as the following:
    #SetOutputFilter DEFLATE *

```

```
# Netscape 4.0b-4.08 have some more problems
#BrowserMatch ^Mozilla/4\.0[678] no-gzip

# MSIE masquerades as Netscape, but it is fine
#BrowserMatch \bMSIE !no-gzip !gzip-only-text/html

# Don't compress images
#SetEnvIfNoCase Request_URI \.(?:gif|jpe?g|png)$ no-gzip dont-vary

# Make sure proxies don't deliver the wrong content
#Header append Vary User-Agent env=!dont-vary
```

```
</IfModule>
```

```
<IfModule mod_ssl.c>
```

```
#####
## make HTTPS env vars available for CGI mode
```

```
SSLOptions StdEnvVars
```

```
</IfModule>
```

```
<IfModule mod_rewrite.c>
```

```
#####
## enable rewrites
```

```
Options +FollowSymLinks
```

```
RewriteEngine on
```

```
#####
## you can put here your magento root folder
## path relative to web root
```

```
#RewriteBase /magento/
```

```
#####
## workaround for HTTP authorization
## in CGI environment
```

```
RewriteRule .* - [E=HTTP_AUTHORIZATION:%{HTTP:Authorization}]

#####
## TRACE and TRACK HTTP methods disabled to prevent XSS attacks

RewriteCond %{REQUEST_METHOD} ^TRACE[EK]
RewriteRule .* - [L,R=405]

#####
## never rewrite for existing files, directories and links

RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteCond %{REQUEST_FILENAME} !-l

#####
## rewrite everything else to index.php

RewriteRule .* index.php [L]

</IfModule>

#####
## Prevent character encoding issues from server overrides
## If you still have problems, use the second line instead

AddDefaultCharset Off
#AddDefaultCharset UTF-8

<IfModule mod_expires.c>

#####
## Add default Expires header
## http://developer.yahoo.com/performance/rules.html#expires

ExpiresDefault "access plus 1 year"
ExpiresByType text/html A0
ExpiresByType text/plain A0

</IfModule>
```

#####

*## Deny access to release notes to prevent disclosure of the installed Magento version*

```
<Files RELEASE_NOTES.txt>  
    order allow,deny  
    deny from all  
</Files>
```

#####

*## If running in cluster environment, uncomment this*

*## http://developer.yahoo.com/performance/rules.html#etags*

*#FileETag none*

#####

*## Deny access to cron.php*

```
<Files cron.php>  
    order allow,deny  
    deny from all  
</Files>
```