

Don't show directory listings for URLs which map to a directory.

`Options -Indexes`

Follow symbolic links in this directory.

`Options +FollowSymLinks`

Set the default handler.

`DirectoryIndex index.php index.html index.htm`

PHP 5, Apache 1 and 2.

`<IfModule mod_php5.c>`

`php_flag magic_quotes_gpc off`

`php_flag magic_quotes_sybase off`

`php_flag register_globals off`

`php_flag session.auto_start off`

`php_value mbstring.http_input pass`

`php_value mbstring.http_output pass`

`php_flag mbstring.encoding_translation off`

`</IfModule>`

Requires mod_expires to be enabled.

`<IfModule mod_expires.c>`

Enable expirations.

`ExpiresActive On`

Cache all files for 2 weeks after access (A).

`ExpiresDefault A1209600`

`<FilesMatch \.php$>`

*# Do not allow PHP scripts to be cached unless they explicitly send cache
headers themselves. Otherwise all scripts would have to overwrite the
headers set by mod_expires if they want another caching behavior. This may
fail if an error occurs early in the bootstrap process, and it may cause
problems if a non-Drupal PHP file is installed in a subdirectory.*

`ExpiresActive Off`

`</FilesMatch>`

`</IfModule>`

`<IfModule mod_rewrite.c>`

`RewriteEngine on`

`Redirect 301 *%REQUEST_FILENAME% /`

```
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteCond %{REQUEST_URI} !=/favicon.ico

RewriteRule ^(.*)$ index.php?rt=$1 [L,QSA]
# Rules to correctly serve gzip compressed CSS and JS files.
# Requires both mod_rewrite and mod_headers to be enabled.
<IfModule mod_headers.c>
    # Serve gzip compressed CSS files if they exist and the client accepts gzip.
    RewriteCond %{HTTP:Accept-encoding} gzip
    RewriteCond %{REQUEST_FILENAME}\.gz -s
    RewriteRule ^(.*)\.css$ $1\.css\.gz [QSA]

    # Serve gzip compressed JS files if they exist and the client accepts gzip.
    RewriteCond %{HTTP:Accept-encoding} gzip
    RewriteCond %{REQUEST_FILENAME}\.gz -s
    RewriteRule ^(.*)\.js$ $1\.js\.gz [QSA]

    # Serve correct content types, and prevent mod_deflate double gzip.
    RewriteRule \.css\.gz$ - [T=text/css,E=no-gzip:1]
    RewriteRule \.js\.gz$ - [T=text/javascript,E=no-gzip:1]

    <FilesMatch "(\.js\.gz|\.css\.gz)$">
        # Serve correct encoding type.
        Header set Content-Encoding gzip
        # Force proxies to cache gzipped & non-gzipped css/js files separately.
        Header append Vary Accept-Encoding
    </FilesMatch>
</IfModule>
</IfModule>
```