

```
DefaultLanguage    pt-BR
AddDefaultCharset  UTF-8
ServerSignature    Off
```

```
<IfModule mod_mime.c>
```

```
  AddType application/vnd.ms-fontobject .eot
  AddType font/ttf                      .ttf
  AddType font/truetype                  .ttf
  AddType application/x-font-ttf        .ttf
  AddType font/otf                      .otf
  AddType font/opentype                  .otf
  AddType application/font-woff        .woff
  AddType text/x-component              .htc
```

```
</IfModule>
```

```
<IfModule mod_expires.c>
```

```
  ExpiresActive    On
  ExpiresDefault   A0
  Header set Cache-Control "public, must-revalidate"
```

```
  ExpiresByType image/*                A31 536000
  ExpiresByType application/javascript  A31 536000
  ExpiresByType application/x-javascript A31 536000
  ExpiresByType text/javascript        A31 536000
  ExpiresByType text/css                A31 536000
  ExpiresByType application/x-shockwave-flash A31 536000
  ExpiresByType application/vnd.ms-fontobject A31 536000
  ExpiresByType font/ttf                A31 536000
  ExpiresByType font/truetype           A31 536000
  ExpiresByType application/x-font-ttf  A31 536000
  ExpiresByType font/otf                A31 536000
  ExpiresByType font/opentype           A31 536000
  ExpiresByType application/font-woff   A31 536000
  ExpiresByType text/x-component        A31 536000
```

```
</IfModule>
```

```
<FilesMatch "\.(htaccess|psd|wmbl|cdri|fla)$">
```

```
  Deny from all
```

```
</FilesMatch>
```

```
<#DoNotRemove
```

```

<!define DevServer>
  <IfModule mod_autoindex.c>
    Options +Indexes
  </IfModule>
</IfDefine>
<IfDefine !DevServer>
  <IfModule mod_autoindex.c>
    Options -Indexes
  </IfModule>
</IfDefine>

<ifModule mod_gzip.c>
  mod_gzip_on Yes
  mod_gzip_dechunk Yes
  mod_gzip_item_include file \.(html?|txt|css|js|php|pl)$
  mod_gzip_item_include handler ^cgi-script$
  mod_gzip_item_include mime ^text/. *
  mod_gzip_item_include mime ^application/x-javascript.*
  mod_gzip_item_exclude mime ^image/. *
</ifModule>

<IfModule mod_deflate.c>
  AddOutputFilter DEFLATE js css
  AddOutputFilterByType DEFLATE text/plain
  AddOutputFilterByType DEFLATE text/html
  AddOutputFilterByType DEFLATE text/xml
  AddOutputFilterByType DEFLATE text/css
  AddOutputFilterByType DEFLATE application/xml
  AddOutputFilterByType DEFLATE application/xhtml+xml
  AddOutputFilterByType DEFLATE application/rss+xml
  AddOutputFilterByType DEFLATE application/javascript
  AddOutputFilterByType DEFLATE application/x-javascript

  #The following lines are to avoid bugs with some browsers
  BrowserMatch ^Mozilla/4 gzip-only-text/html
  BrowserMatch ^Mozilla/4\.0[678] no-gzip
  BrowserMatch \bMSIE !no-gzip !gzip-only-text/html
</ifModule>

<IfModule mod_rewrite.c>
  RewriteEngine on
  # ...

```

```
# RewriteBase /
```

```
RewriteRule ^favicon\.ico$ libs/imgs/favicon.png
```

```
# tricks to 'by pass' cache force browser to see "style.1.css" but load "style.css"  
updated
```

```
RewriteRule ^libs\[0-9\](1,)\(.*\) libs/$1
```

```
RewriteRule ^(\.*)\[0-9\](1,)\.css$ $1.css
```

```
RewriteRule ^(\.*)\[0-9\](1,)\.js$ $1.js
```

```
RewriteRule ^(\.*)\[0-9\](1,)\.png$ $1.png
```

```
RewriteRule ^(\.*)\[0-9\](1,)\.jpg$ $1.jpg
```

```
RewriteCond $1 !^(index\.php|libs|uploads)
```

```
RewriteRule ^(\.*)$ index.php?/$1 [L]
```

```
</IfModule>
```