

```
# Apache configuration file
# httpd.apache.org/docs/2.2/mod/quickreference.html

# Force the latest IE version, in various cases when it may fall back to IE7 mode
# github.com/rails/rails/commit/123eb25#commitcomment-118920
# Use ChromeFrame if it's installed for a better experience for the poor IE folk
<IfModule mod_setenvif.c>
  <IfModule mod_headers.c>
    BrowserMatch MSIE ie
    Header set X-UA-Compatible "IE=Edge,chrome=1" env=ie
  </IfModule>
</IfModule>

# video
AddType video/ogg ogg ogv
AddType video/mp4 mp4
AddType video/webm webm

# Proper svg serving. Required for svg webfonts on iPad
# twitter.com/FontSquirrel/status/14855840545
AddType image/svg+xml          svg svgz

# webfonts
AddType application/vnd.ms-fontobject eot
AddType font/ttf                    ttf
AddType font/otf                    otf
AddType font/x-woff                 woff

AddType text/cache-manifest         manifest

# gzip compression.
<IfModule mod_deflate.c>

# html, xml, css, and js:
  AddOutputFilterByType DEFLATE text/html text/plain text/xml text/css application/x-
  javascript text/javascript application/javascript application/json

# webfonts and svg:
  <FilesMatch "\.(ttf|otf|eot|svg)$" >
    SetOutputFilter DEFLATE
  </FilesMatch>
```

```

    </fileshatch>
</IfModule>

# these are pretty far-future expires headers
# they assume you control versioning with cachebusting query params like
# <script src="application.js?20100608">
# additionally, consider that outdated proxies may miscache
# www.stevesouders.com/blog/2008/08/23/revving-filenames-dont-use-querystring/

# if you don't use filenames to version, lower the css and js to something like
# "access plus 1 week" or so

<IfModule mod_expires.c>
    Header set cache-control: public
    ExpiresActive on

# Perhaps better to whitelist expires rules? Perhaps.
    ExpiresDefault                                "access plus 1 month"

# cache.manifest needs re-requests in FF 3.6 (thx Remy "Introducing HTML5")
    ExpiresByType text/cache-manifest            "access plus 0 seconds"

# your document html
    ExpiresByType text/html                       "access"

# rss feed
    ExpiresByType application/rss+xml            "access plus 1 hour"

# favicon (cannot be renamed)
    ExpiresByType image/vnd.microsoft.icon       "access plus 1 week"

# media: images, video, audio
    ExpiresByType image/png                      "access plus 1 month"
    ExpiresByType image/jpg                     "access plus 1 month"
    ExpiresByType image/jpeg                   "access plus 1 month"
    ExpiresByType image/x-icon                 "access plus 1 year"
    ExpiresByType video/ogg                    "access plus 1 month"
    ExpiresByType audio/ogg                    "access plus 1 month"
    ExpiresByType video/mp4                    "access plus 1 month"

# webfonts
    ExpiresByType font/woff                    "access plus 1 month"

```

```
ExpiresByType font/ttf                "access plus 1 month"
ExpiresByType font/woff               "access plus 1 month"
ExpiresByType image/svg+xml          "access plus 1 month"

# css and javascript
ExpiresByType text/css                "access plus 1 month"
ExpiresByType application/javascript "access plus 1 month"
ExpiresByType text/javascript         "access plus 1 month"
</IfModule>

# Since we're sending far-future expires, we don't need ETags for
# static content.
# developer.yahoo.com/performance/rules.html#etags
FileETag None

# Default config for PHP
php_flag register_globals off
php_flag magic_quotes_gpc off
php_flag magic_quotes_runtime off

DirectoryIndex index.html index.php

# use utf-8 encoding for anything served text/plain or text/html
AddDefaultCharset utf-8
# force utf-8 for a number of file formats
AddCharset UTF-8 .html .htm .txt .css .js .xml .json .rss

RewriteEngine On

# Si le fichier demandé n'existe pas, on utilise index.php qui va gérer la réécriture
d'URL
RewriteCond %{REQUEST_URI} ^/(classes|config|controllers|locales|models|views|cron)/
[OR]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^.*          index.php          [QSA, L]
```