


```

#RewriteCond %{QUERY_STRING} .*(%24&X). * [NC,OR]
#RewriteCond %{QUERY_STRING} ^.*(127\.\.0). * [NC,OR]
#RewriteCond %{QUERY_STRING} ^.*(0|A|B|C|D|E|F). * [NC,OR]
#RewriteCond %{QUERY_STRING} ^.*(global|localhost|loopback). * [NC,OR]
#RewriteCond %{QUERY_STRING} ^.*(request|select|concat|insert|union|declare). * [NC]
#RewriteCond %{QUERY_STRING} !^loggedout=true
#RewriteCond %{QUERY_STRING} !^action=rp
#RewriteCond %{HTTP_COOKIE} !^.*wordpress_logged_in_.*$
#RewriteCond %{HTTP_REFERER} !^http://maps\.googleapis\.com(.*)$
#RewriteRule ^(.*)$ - [F,L]

# No directory listing
#Options -Indexes

# Deny access to .gitignore
<Files ".gitignore">
    Order deny,allow
    Deny from all
</Files>

#
# COMMON REWRITES
#

RewriteEngine On
RewriteBase /
Options +FollowSymLinks

RewriteRule ^robots.txt$ /robots.txt.php

# Ensure working of static assets
#RewriteRule ^/(load.php|wp-content|wp-includes|wp-admin|images|skins|stylesheets|config|forum|community|maps|translate|phrasebook-v2|phrasebook-v1)/$ /$1 [R=301,NE,L]

# Don't allow access to .php~ files
RewriteRule \.php~$ - [F,L]

## Hitchwiki Redirects
#RewriteCond %{HTTP_HOST} !^(www\.)?hitchwiki\.(com|info|net)$ [NC]
#RewriteRule ^(.*) http://hitchwiki.org/$1 [R=301,NE,L]
#
#

```

```

## Hitchgathering redirects
#RewriteCond %{HTTP_HOST} !^(www\.)?hitchgathering\.(com|info|net)$ [NC]
#RewriteRule ^(.*) http://hitchgathering.org/$1 [R=301,ME,L]

#
# MEDIAWIKI
#

# Add trailing slash to language codes
#RewriteRule ^(\.)*$ /$1/ [R=301,L]

# Wiki Main_Page for different languages
#RewriteRule ^(\.)/(.*)$ /wiki/$2 [L,QSA]

RewriteCond %{DOCUMENT_ROOT}%{REQUEST_URI} !-f
RewriteCond %{DOCUMENT_ROOT}%{REQUEST_URI} !-d
RewriteRule ^(\.)/images/(\.)/thumb/[0-9a-f]/[0-9a-f][0-9a-f]/([^/]+)/([0-9]+)px-.*$ %
{DOCUMENT_ROOT}/wiki/thumb.php?f=$3&width=$4 [L,QSA,B]

RewriteCond %{DOCUMENT_ROOT}%{REQUEST_URI} !-f
RewriteCond %{DOCUMENT_ROOT}%{REQUEST_URI} !-d
RewriteRule ^(\.)/images/(\.)/thumb/archive/[0-9a-f]/[0-9a-f][0-9a-f]/([^/]+)/([0-9]+)px-.*$
{DOCUMENT_ROOT}/wiki/thumb.php?f=$3&width=$4&archived=3 [L,QSA,B]

#RewriteCond %{REQUEST_URI} !^/noexist.*
#RewriteCond %{REQUEST_URI} !^/(index|redirect|texvc)\.php$
#RewriteCond %{REQUEST_URI} !^/errors/(40(1|3|4)|500)\.php$
#RewriteCond %{REQUEST_URI} !^/(favicon\.png|favicon\.ico|humans\.txt|robots\.txt)$
RewriteCond %{REQUEST_URI}
^/(\.)/(\.)/profileinfo.php|opensearch_desc.php|api.php|load.php|stylesheets|extensions|resource
RewriteRule ^(\.)/(.*)$ /wiki/$2 [L,QSA]

RewriteRule ^/?(\.)/(.*)?$ %{DOCUMENT_ROOT}/wiki/index.php [L]
RewriteRule ^/?$ %{DOCUMENT_ROOT}/wiki/index.php [L]

# If the requested URL to an image directory contains the download query parameter,
# the Content-Disposition-header must be set to attachment.
# https://www.mediawiki.org/wiki/Extension:MultimediaViewer
# https:// Gerrit.wikimedia.org/r/#/c/120614/3/puppet/templates/content_disposition_attachment
RewriteCond %{REQUEST_URI} ^/images.*
RewriteCond %{QUERY_STRING} ^download$

```

```
RewriteRule .* - [E=DOWNLOAD: yes]
```

```
#Header set "Content-Disposition" "attachment" env=DOWNLOAD
```

```
#
```

```
# File uploads
```

```
#
```

```
php_value post_max_size 10M
```

```
php_value upload_max_filesize 8M
```