

```
# Use the front controller as index file. It serves as a fallback solution when
# every other rewrite/redirect fails (e.g. in an aliased environment without
# mod_rewrite). Additionally, this reduces the matching process for the
# start page (path "/") because otherwise Apache will apply the rewriting rules
# to each configured DirectoryIndex file (e.g. index.php, index.html, index.pl).
DirectoryIndex app_dev.php
```

```
# MOD_DEFLATE COMPRESSION
```

```
SetOutputFilter DEFLATE
```

```
AddOutputFilterByType DEFLATE text/html text/css text/plain text/xml application/x-
javascript application/x-httpd-php
```

```
#Pour les navigateurs incompatibles
```

```
BrowserMatch ^Mozilla/4 gzip-only-text/html
```

```
BrowserMatch ^Mozilla/4\.[0-9] no-gzip
```

```
BrowserMatch \bMSIE !no-gzip !gzip-only-text/html
```

```
BrowserMatch \bMSIE[.] !no-gzip !gzip-only-text/html
```

```
#ne pas mettre en cache si ces fichiers le sont déjà
```

```
SetEnvIfNoCase Request_URI \.(?:gif|jpe?g|png)$ no-gzip
```

```
<IfModule mod_gzip.c>
```

```
mod_gzip_on Yes
```

```
mod_gzip_dechunk Yes
```

```
mod_gzip_keep_workfiles No
```

```
mod_gzip_can_negotiate Yes
```

```
mod_gzip_add_header_count Yes
```

```
mod_gzip_send_vary Yes
```

```
mod_gzip_command_version '/mod_gzip_status'
```

```
mod_gzip_min_http 1000
```

```
mod_gzip_minimum_file_size 300
```

```
mod_gzip_maximum_file_size 512000
```

```
mod_gzip_maximum_inmem_size 60000
```

```
mod_gzip_handle_methods GET POST
```

```
mod_gzip_temp_dir /tmp
```

```
mod_gzip_item_include file \.html$
```

```
mod_gzip_item_include file \.php$
```

```
mod_gzip_item_include file \.pl$
```

```
mod_gzip_item_include file \.rb$
```

```
mod_gzip_item_include file \.py$
```

```
mod_gzip_item_include file \.cgi$
```

```
mod_gzip_item_include file \.css$
```

```
mod_gzip_item_include file \.js$
```

```
mod_gzip_item_include mime \.js$
mod_gzip_item_include mime ^application/javascript$
mod_gzip_item_include mime ^application/x-javascript$
mod_gzip_item_include mime ^text/. *
mod_gzip_item_include mime ^httpd/unix-directory$
mod_gzip_item_include handler ^cgi-script$
mod_gzip_item_include handler ^server-status$
mod_gzip_item_include handler ^server-info$
mod_gzip_item_include handler ^application/x-httpd-php
mod_gzip_item_exclude mime ^image/. *
</IfModule>
```

```
<IfModule mod_expires.c>
ExpiresActive On
ExpiresDefault "access plus 7200 seconds"
ExpiresByType image/jpg "access plus 2592000 seconds"
ExpiresByType image/jpeg "access plus 2592000 seconds"
ExpiresByType image/png "access plus 2592000 seconds"
ExpiresByType image/gif "access plus 2592000 seconds"
AddType image/x-icon .ico
ExpiresByType image/ico "access plus 2592000 seconds"
ExpiresByType image/icon "access plus 2592000 seconds"
ExpiresByType image/x-icon "access plus 2592000 seconds"
ExpiresByType text/css "access plus 2592000 seconds"
ExpiresByType text/javascript "access plus 2592000 seconds"
ExpiresByType text/html "access plus 7200 seconds"
ExpiresByType application/xhtml+xml "access plus 7200 seconds"
ExpiresByType application/javascript A2592000
ExpiresByType application/x-javascript "access plus 2592000 seconds"
ExpiresByType application/x-shockwave-flash "access plus 2592000 seconds"
</IfModule>
```

```
<IfModule mod_headers.c>
<FilesMatch "\.(ico|jpe?g|png|gif|swf|css|gz)$">
Header set Cache-Control "max-age=2592000, public"
</FilesMatch>
<FilesMatch "\.(js)$">
Header set Cache-Control "max-age=2592000, private"
</FilesMatch>
```

```
<filesMatch "\.(html|htm)$">
Header set Cache-Control "max-age=7200, public"
```

```

</filesMatch>
# Disable caching for scripts and other dynamic files
<FilesMatch "\.(pl|php|cgi|spl|scgi|fcgi)$">
Header unset Cache-Control
</FilesMatch>
</IfModule>

<IfModule mod_deflate.c>
SetOutputFilter DEFLATE
SetEnvIfNoCase Request_URI \
  \.(?:gif|jpe?g|png)$ no-gzip dont-vary
SetEnvIfNoCase Request_URI \
  \.(?:exe|t?gz|zip|gz2|sit|rar)$ no-gzip dont-vary
</IfModule>

<IfModule mod_rewrite.c>
RewriteEngine On
# Determine the RewriteBase automatically and set it as environment variable.
# If you are using Apache aliases to do mass virtual hosting or installed the
# project in a subdirectory, the base path will be prepended to allow proper
# resolution of the app_dev.php file and to redirect to the correct URI. It will
# work in environments without path prefix as well, providing a safe, one-size
# fits all solution. But as you do not need it in this case, you can comment
# the following 2 lines to eliminate the overhead.
RewriteCond %{REQUEST_URI}::$1 ^(/.+)/(.*):\2$
RewriteRule ^(.*) - [E=BASE:%1]

# Redirect to URI without front controller to prevent duplicate content
# (with and without `app_dev.php`). Only do this redirect on the initial
# rewrite by Apache and not on subsequent cycles. Otherwise we would get an
# endless redirect loop (request -> rewrite to front controller ->
# redirect -> request -> ...).
# So in case you get a "too many redirects" error or you always get redirected
# to the start page because your Apache does not expose the REDIRECT_STATUS
# environment variable, you have 2 choices:
# - disable this feature by commenting the following 2 lines or
# - use Apache >= 2.3.9 and replace all L flags by END flags and remove the
# following RewriteCond (best solution)
RewriteCond %{ENV:REDIRECT_STATUS} ^$
RewriteRule ^app\.php(/(.*)|)$ %{ENV:BASE}/$2 [R=301,L]

```

```
# If the requested filename exists, simply serve it.  
# We only want to let Apache serve files and not directories.  
RewriteCond %{REQUEST_FILENAME} -f  
RewriteRule .* - [L]  
  
# Rewrite all other queries to the front controller.  
RewriteRule .* %{ENV:BASE}/app_dev.php [L]  
</IfModule>
```