

Deflate Compression by FileType

```
<IfModule mod_deflate.c>
  AddType font/opentype .otf
  AddType font/truetype .ttf
  AddOutputFilterByType DEFLATE text/plain
  AddOutputFilterByType DEFLATE text/html
  AddOutputFilterByType DEFLATE text/xml
  AddOutputFilterByType DEFLATE text/css
  AddOutputFilterByType DEFLATE text/javascript
  AddOutputFilterByType DEFLATE image/svg+xml
  AddOutputFilterByType DEFLATE text/html text/plain text/xml text/css font/opentype font/tru
  AddOutputFilterByType DEFLATE application/xml
  AddOutputFilterByType DEFLATE application/xhtml+xml
  AddOutputFilterByType DEFLATE application/rss+xml
  AddOutputFilterByType DEFLATE application/atom+xml
  AddOutputFilterByType DEFLATE application/javascript
  AddOutputFilterByType DEFLATE application/x-javascript
  AddOutputFilterByType DEFLATE application/x-shockwave-flash
</IfModule>
```

turns cache on for 1 week

```
<IfModule mod_expires.c>
  ExpiresActive On
  ExpiresDefault "access plus 1 days"
  ExpiresByType text/html "access 1 days"
  ExpiresByType image/gif "access plus 1 week 1 days"
  ExpiresByType image/jpeg "access plus 1 week 1 days"
  ExpiresByType image/png "access plus 1 week 1 days"
  ExpiresByType image/svg "access plus 1 week 1 days"
  ExpiresByType text/css "access 1 days"
  ExpiresByType text/javascript "access 1 days"
  ExpiresByType application/x-javascript "access 1 days"
  ExpiresByType text/xml "access plus 1 seconds"
</IfModule>
```

```
<ifmodule mod_headers.c>
  <filesmatch "\.(ico|jpe?g|png|gif|swf)$">
    Header set Cache-Control "max-age=2592000, public"
  </filesmatch>
  <filesmatch "\.(css)$">
    Header set Cache-Control "max-age=604800, public"
  </filesmatch>
  <filesmatch "\.(js|xml)$">
```

```
<filesmatch \\.\\.\\.js$ >
  Header set Cache-Control "max-age=604800, private"
</filesmatch>
</ifmodule>

Redirect /donate /spenden

Redirect /betterplace https://www.betterplace.org/de/projects/42019-rette-mit-spende-fur-mi:
unity
Redirect /Betterplace https://www.betterplace.org/de/projects/42019-rette-mit-spende-fur-mi:
unity

Redirect /merch https://diraction.org/cat/index/sCategory/257
Redirect /Merch https://diraction.org/cat/index/sCategory/257

Redirect /LG https://jugendrettet.org/news
Redirect /Lg https://jugendrettet.org/news
Redirect /lg https://jugendrettet.org/news
Redirect /lG https://jugendrettet.org/news

Redirect /HH https://jugendrettet.org/news
Redirect /Hh https://jugendrettet.org/news
Redirect /hh https://jugendrettet.org/news
Redirect /hH https://jugendrettet.org/news

Redirect /crew
https://docs.google.com/forms/d/1Wh6SA_DMnwk26b7JjnJ7ACe0NuB04nJAhm5sP9gd04/viewform?c=0
Redirect /Crew
https://docs.google.com/forms/d/1Wh6SA_DMnwk26b7JjnJ7ACe0NuB04nJAhm5sP9gd04/viewform?c=0
Redirect /crew_english https://docs.google.com/forms/d/e/1FAIpQLSdf_IYzNZQo-NZho0rd9RCP_agJf
heYcVevfQ809PwiHMzku/viewform
Redirect /umbau https://docs.google.com/forms/d/1-
BDVr3R_kjSiC5PyWAui_0_BTlWlI S8AoLC6Xy1KVgk4/viewform?c=0
Redirect /Umbau https://docs.google.com/forms/d/1-
BDVr3R_kjSiC5PyWAui_0_BTlWlI S8AoLC6Xy1KVgk4/viewform?c=0
Redirect /sachspenden https://drive.google.com/open?id=1iKpAX8xsuh_NjJm6v0xumFi0Rai aAoNnNA8f
Redirect /Sachspenden https://drive.google.com/open?id=1iKpAX8xsuh_NjJm6v0xumFi0Rai aAoNnNA8f

Redirect /events https://www.facebook.com/JugendRettet/events
Redirect /events.php https://www.facebook.com/JugendRettet/events
```

```
# Error Documents
ErrorDocument 403 https://jugendrettet.org/forbidden
ErrorDocument 404 https://jugendrettet.org/notfound
#turns off necessity of html extention
RewriteEngine On

RewriteCond %{HTTPS} !=on
RewriteCond %{ENV:HTTPS} !=on
RewriteRule .* https://%{SERVER_NAME}%{REQUEST_URI} [R=301,L]

RewriteCond %{HTTP_HOST} en.jugendrettet.org$
RewriteCond %{REQUEST_URI} !^/en
RewriteCond %{REQUEST_URI} .php$
RewriteRule ^(.*)$ /en/$1

RewriteCond %{HTTP_HOST} en.jugendrettet.org$
RewriteCond %{REQUEST_URI} ^/$
RewriteRule ^(.*)$ /en/index.php

RewriteCond %{HTTP_HOST} =de.jugendrettet.org
RewriteRule (.*) https://jugendrettet.org/$1 [R=301]

RewriteCond %{THE_REQUEST} ^GET\ /de/
RewriteRule ^de/(.*) /$1 [R=301]

RewriteCond %{REQUEST_URI} /aendern
RewriteRule .* /retten [R=302,L]

RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^([\^\.]*)$ $1.php [NC,L]

#RewriteCond %{HTTP_HOST} !^en.jugendrettet.org$ [NC]
#RewriteCond %{HTTP:Accept-Language} ^en [NC]
#RewriteRule .* http://en.jugendrettet.org [R,L]

#RewriteCond %{HTTP_HOST} !^jugendrettet.org$ [NC]
#RewriteCond %{HTTP:Accept-Language} ^de [NC]
#RewriteRule .* http://jugendrettet.org [R,L]
```