

AddDefaultCharset UTF-8

RewriteEngine On

RewriteRule ^([a-zA-Z0-9][a-zA-Z0-9][a-zA-Z0-9][a-zA-Z0-9][a-zA-Z0-9])\$ ?i=\$1

RewriteRule ^([a-zA-Z0-9][a-zA-Z0-9][a-zA-Z0-9][a-zA-Z0-9][a-zA-Z0-9][a-zA-Z0-9])\$ ?  
i=\$1

RewriteRule ^([a-zA-Z0-9][a-zA-Z0-9][a-zA-Z0-9][a-zA-Z0-9][a-zA-Z0-9][a-zA-Z0-9][a-zA-Z0-9][a-zA-Z0-9])\$ ?i=\$1

ErrorDocument 404 /err/404.php

<Files .htaccess>

order allow,deny

deny from all

</Files>

Options All -Indexes

<IfModule mod\_expires.c>

*# Enable expirations*

ExpiresActive On

*# Default directive*

ExpiresDefault "access plus 1 weeks"

*# Images*

ExpiresByType image/gif "access plus 1 weeks"

ExpiresByType image/png "access plus 1 weeks"

*# CSS*

ExpiresByType text/css "access 1 weeks"

*# Javascript*

ExpiresByType application/javascript "access plus 1 weeks"

</IfModule>