

ErrorDocument 404 /404.html

ErrorDocument 403 /403.html

<IfModule mod_rewrite.c>

Options +FollowSymlinks

Options +SymLinksIfOwnerMatch

RewriteEngine On

RewriteBase /

#Admin Pages

RewriteRule ^admin\$ /admin.php

RewriteRule ^disconnect\$ /disconnect.php

Welcome page

RewriteRule ^\$ /en/welcome [R]

RewriteRule ^welcome\$ /welcome.php?lang=en

RewriteRule ^en/welcome\$ /welcome.php?lang=en

RewriteRule ^fr/welcome\$ /welcome.php?lang=fr

Home page

RewriteRule ^home\$ /en/home [R]

RewriteRule ^en/home\$ /index.php?page=home&lang=en

RewriteRule ^fr/home\$ /index.php?page=home&lang=fr

Resume page

RewriteRule ^resume\$ /en/resume [R]

RewriteRule ^en/resume\$ /index.php?page=resume&lang=en

RewriteRule ^fr/resume\$ /index.php?page=resume&lang=fr

</IfModule>

#####

SECURITY

#####

-----

| File access |

-----

Block access to directories without a default document.

You still may should have this commented because you should not allow access

```
# usually you should leave this uncommented because you shouldn't allow anyone  
# to surf through every directory on your server (which may include rather  
# private places like the CMS's directories).
```

```
<IfModule mod_autoindex.c>  
    Options -Indexes  
</IfModule>
```

```
# -----
```

```
# Block access to hidden files and directories.  
# This includes directories used by version control systems such as Git and SVN.
```

```
<IfModule mod_rewrite.c>  
    RewriteCond %{SCRIPT_FILENAME} -d [OR]  
    RewriteCond %{SCRIPT_FILENAME} -f  
    RewriteRule "(^|/)\." - [F]  
</IfModule>
```

```
# -----
```

```
# Block access to backup and source files.  
# These files may be left by some text editors and can pose a great security  
# danger when anyone has access to them.
```

```
<FilesMatch "(^#.*#|\. (bak|config|dist|fla|inc|ini|log|psd|sh|sql|sw[op])| (^)$">  
    Order allow,deny  
    Deny from all  
    Satisfy All  
</FilesMatch>
```