

```
#####
#           Htaccess soubor pro PHP framework CodeIgniter           #
#####

# Ochrana souborů před přímým načtením v prohlížeči
# =====
<FilesMatch "\.(htaccess|htpasswd|aahtpasswd|ini|log|shl|bak|back|sql|mdl|fla|swf|cache)$">
    Order Allow,Deny
    Deny from all
</FilesMatch>

# Zakázání procházení složek
# =====
Options -Indexes

# Nastavení výchozího souboru
# =====
DirectoryIndex index.php /index.php index.html index.htm

# Kontrola modu rewrite
# =====
<IfModule !mod_rewrite.c>
    ErrorDocument 404 /index.php
</IfModule>

# Rewrite pravidla
# =====
<IfModule mod_rewrite.c>
    RewriteEngine On
    RewriteBase /

    RewriteCond %{REQUEST_METHOD} ^(TRACE|TRACK|OPTIONS|HEAD)$ [NC]
    RewriteRule ^(.*)$ - [F]

    RewriteCond %{THE_REQUEST} !^[A-Z]{3,9}\. +\ HTTP/(0\.\.9|1\.\.0|1\.\.1) [NC]
    RewriteRule ^(.*)$ - [F,NS,L]

    RewriteCond %{HTTP:Content-Disposition} \.php [NC]
    RewriteCond %{HTTP:Content-Type} image/.+ [NC]
    RewriteRule ^(.*)$ - [F,NS,L]
```

```
    RewriteCond %{HTTP_USER_AGENT} ^.*
(craftbot|download|extract|stripper|sucker|ninjal|cl|http|webspider|leacher|collector|grabber
[NC])
    RewriteRule ^(.*)$ - [F,L]

    RewriteCond %{REQUEST_URI} ^system.*
    RewriteCond %{REQUEST_URI} ^cache.*
    RewriteCond %{REQUEST_URI} ^logs.*
    RewriteCond %{REQUEST_URI} ^helpers.*
    RewriteCond %{REQUEST_URI} ^libraries.*
    RewriteCond %{REQUEST_URI} ^models.*
    RewriteCond %{REQUEST_URI} ^controllers.*
    RewriteCond %{REQUEST_URI} ^views.*
    RewriteRule ^(.*)$ /index.php/$1 [L]

    RewriteCond %{REQUEST_FILENAME} !-f
    RewriteCond %{REQUEST_FILENAME} !-d
    RewriteCond $1 !^(index\.php)
    RewriteRule ^(.*)$ /index.php?/$1 [L]
</IfModule>

# Cache
# =====

<IfModule mod_expires.c>
    ExpiresActive On
    ExpiresDefault A600
    ExpiresByType text/javascript A2592000
    ExpiresByType application/javascript A2592000
    ExpiresByType text/css A604800
    ExpiresByType image/gif A2592000
    ExpiresByType image/png A2592000
    ExpiresByType image/jpeg A2592000
    ExpiresByType image/x-icon A2592000
    ExpiresByType text/html A1
</IfModule>

<IfModule mod_deflate.c>
    <FilesMatch "\.(js|css)$">
        SetOutputFilter DEFLATE
    </FilesMatch>
.....
```

```
</IfModule>
```

```
<ifModule mod_headers.c>
```

```
Header unset ETag
```

```
</ifModule>
```