

```
Options +FollowSymLinks
RewriteEngine On

#http://<routerIP>/latest/user-data and .../user-data/ (both yield user-data file)
#http://<routerIP>/latest/meta-data and .../meta-data/ (dir listing of meta-data)
RewriteRule ^user-data/?$ .../userdata/%{REMOTE_ADDR}/user-data [L,NC,QSA]
RewriteRule ^meta-data/?$ .../metadata/%{REMOTE_ADDR}/meta-data [L,NC,QSA]

#http://<routerIP>/latest/meta-data/foo and .../foo/ (yield metadata/$IP/foo)
RewriteRule ^meta-data/(.+[^/])/?$ .../metadata/%{REMOTE_ADDR}/$1 [L,NC,QSA]

#http://<routerIP>/latest/foo and .../foo/ (yield metadata/$IP/foo)
#are these used?
RewriteRule ^availability-zone/?$ .../metadata/%{REMOTE_ADDR}/availability-zone [L,NC,QSA]
RewriteRule ^cloud-identifier/?$ .../metadata/%{REMOTE_ADDR}/cloud-identifier [L,NC,QSA]
RewriteRule ^instance-id/?$ .../metadata/%{REMOTE_ADDR}/instance-id [L,NC,QSA]
RewriteRule ^local-hostname/?$ .../metadata/%{REMOTE_ADDR}/local-hostname [L,NC,QSA]
RewriteRule ^local-ipv4/?$ .../metadata/%{REMOTE_ADDR}/local-ipv4 [L,NC,QSA]
RewriteRule ^public-hostname/?$ .../metadata/%{REMOTE_ADDR}/public-hostname [L,NC,QSA]
RewriteRule ^public-ipv4/?$ .../metadata/%{REMOTE_ADDR}/public-ipv4 [L,NC,QSA]
RewriteRule ^public-keys/?$ .../metadata/%{REMOTE_ADDR}/public-keys [L,NC,QSA]
RewriteRule ^service-offering/?$ .../metadata/%{REMOTE_ADDR}/service-offering [L,NC,QSA]
RewriteRule ^vm-id/?$ .../metadata/%{REMOTE_ADDR}/vm-id [L,NC,QSA]
```