

*# 1. To use you need to be running apache with mod\_rewrite enabled.*

Options +FollowSymlinks

*# Prevent Directory listing*

Options -Indexes

FileETag None

AddDefaultCharset utf-8

*# SEO URL Settings*

RewriteEngine On

*# If your CoreCMS installation does not run on the main web folder make sure you folder it does run in ie. / becomes /cms/*

RewriteBase /

*#css / js compressors*

RewriteRule ^view/(. \*\.css) cssjs.php?type=css&files=\$1 [L]

RewriteRule ^view/(. \*\.js) cssjs.php?type=javascript&files=\$1 [L]

RewriteRule ^admin/view/(. \*\.css) admin/cssjs.php?type=css&files=\$1 [L]

RewriteRule ^admin/view/(. \*\.js) admin/cssjs.php?type=javascript&files=\$1 [L]

RewriteRule ^admin/img/(. \*)\$ img/\$1 [L,NC,R]

RewriteRule ^sitemap.xml\$ index.php?p=feed/google\_sitemap [L]

*#reroute everything to the index file :-)*

RewriteRule ^system/downloads/(. \*) /index.php?p=error/not\_found [L]

RewriteCond %{REQUEST\_FILENAME} !-f

RewriteCond %{REQUEST\_FILENAME} !-d

RewriteCond %{REQUEST\_URI} !. \*\. (icol gif| jpgl jpegl pngl jsl css)

RewriteRule ^([^?]\* ) index.php?\_route\_=\$1 [L,QSA]

*#Force (http host) www to non www (optional)*

*#RewriteCond %{HTTP\_HOST} ^www\. (. \*)\$ [NC]*

*#RewriteRule ^(. \*)\$ http://%1/%1 [R=301,L]*

*#Force (https host) www to non www (optional)*

*#RewriteCond %{HTTPS} on*

*#RewriteCond %{HTTP\_HOST} ^www\. (. \*)\$ [NC]*

*#RewriteRule ^(. \*)\$ https://%1/%1 [R=301,L]*

```

#Force (http host) non www to www (optional)
#RewriteCond %{HTTP_HOST} !^www\.
#RewriteRule ^(.*)$ http://www.%{HTTP_HOST}/$1 [R=301,L]

#Force (https host) non www to www (optional)
#RewriteCond %{HTTPS} on
#RewriteCond %{HTTP_HOST} !^www\.
#RewriteRule ^(.*)$ https://www.%{HTTP_HOST}/$1 [R=301,L]

#headers and speed
<ifModule mod_headers.c>
  Header unset ETag
  Header set X-UA-Compatible "IE=edge"
  # `mod_headers` can't match based on the content-type, however, we only
  # want to send this header for HTML pages and not for the other resources
  <FilesMatch "\.(appache|crx|css|curl|eot|gif|htc|ico|jpe?
gl|js|m4a|m4v|manifest|mp4|oex|ogal|ogg|ogv|otf|pdf|png|safariextz|svgz?
|ttf|vcf|webapp|webm|webpl|woff|xml|xpi)$">
    Header unset X-UA-Compatible
  </FilesMatch>
</ifModule>

<ifModule mod_headers.c>
  Header set Connection keep-alive
</ifModule>
<IfModule mod_expires.c>

  ExpiresActive on
  ExpiresDefault "access plus 1 month"

# CSS
  ExpiresByType text/css "access plus 1 year"

# Data interchange
  ExpiresByType application/json "access plus 0 seconds"
  ExpiresByType application/xml "access plus 0 seconds"
  ExpiresByType text/xml "access plus 0 seconds"

# Favicon (cannot be renamed!) and cursor images
  ExpiresByType image/x-icon "access plus 1 week"

```

```

# HTML components (HTCs)
ExpiresByType text/x-component "access plus 1 month"

# HTML
ExpiresByType text/html "access plus 0 seconds"

# JavaScript
ExpiresByType application/javascript "access plus 1 year"

# Manifest files
ExpiresByType application/x-web-app-manifest+json "access plus 0 seconds"
ExpiresByType text/cache-manifest "access plus 0 seconds"

# Media
ExpiresByType audio/ogg "access plus 1 month"
ExpiresByType image/gif "access plus 1 month"
ExpiresByType image/jpeg "access plus 1 month"
ExpiresByType image/png "access plus 1 month"
ExpiresByType video/mp4 "access plus 1 month"
ExpiresByType video/ogg "access plus 1 month"
ExpiresByType video/webm "access plus 1 month"

# Web feeds
ExpiresByType application/atom+xml "access plus 1 hour"
ExpiresByType application/rss+xml "access plus 1 hour"

# Web fonts
ExpiresByType application/font-woff "access plus 1 month"
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"
ExpiresByType application/x-font-ttf "access plus 1 month"
ExpiresByType font/opentype "access plus 1 month"
ExpiresByType image/svg+xml "access plus 1 month"

```

</IfModule>

### Additional Settings that may need to be enabled for some servers  
 ### Uncomment the commands by removing the # sign in front of it.  
 ### If you get an "Internal Server Error 500" after enabling any of the following settings, restore the # as this means your host doesn't allow that.

*# 1. Set max upload file size. Most hosts will limit this and not allow it to be overridden but you can try*

*# php\_value upload\_max\_filesize 999M*

*# 2. set max post size. uncomment this line if you have a lot of product options or are getting errors where forms are not saving all fields*

*# php\_value post\_max\_size 999M*

*# 3. set max time script can take. uncomment this line if you have a lot of product options or are getting errors where forms are not saving all fields*

*# php\_value max\_execution\_time 200*

*# 4. set max time for input to be recieved. Uncomment this line if you have a lot of product options or are getting errors where forms are not saving all fields*

*# php\_value max\_input\_time 200*

*# 5. disable open\_basedir limitations*

*# php\_admin\_value open\_basedir none*

*#ANTI SPAM*

*#custom*

*RewriteCond* %{HTTP\_REFERER} ^https?: \\/( [^ ]+\\. ) \*trafficmonetize\\. org [NC, OR]

*RewriteCond* %{HTTP\_REFERER} ^https?: \\/( [^ ]+\\. ) \*free\\-social\\-buttons\\. com [NC, OR]

*RewriteCond* %{HTTP\_REFERER} ^https?: \\/( [^ ]+\\. ) \*event\\-tracking\\. com [NC, OR]

*#from <http://ads-blocker.com/block-referral-spam/>*

*RewriteCond* %{HTTP\_REFERER} ^https?: \\/( [^ ]+\\. ) \*semalt\\. com [NC, OR]

*RewriteCond* %{HTTP\_REFERER} ^https?: \\/( [^ ]+\\. ) \*Darodar\\. com [NC, OR]

*RewriteCond* %{HTTP\_REFERER} ^https?: \\/( [^ ]+\\. ) \*Priceg\\. com [NC, OR]

*RewriteCond* %{HTTP\_REFERER} ^https?: \\/( [^ ]+\\. ) \*7makemoneyonline\\. com [NC, OR]

*RewriteCond* %{HTTP\_REFERER} ^https?: \\/( [^ ]+\\. ) \*Buttons\\-for\\-website\\. com [NC, OR]

*RewriteCond* %{HTTP\_REFERER} ^https?: \\/( [^ ]+\\. ) \*Ilovevitaly\\. com [NC, OR]

*RewriteCond* %{HTTP\_REFERER} ^https?: \\/( [^ ]+\\. ) \*Blackhatworth\\. com [NC, OR]

*RewriteCond* %{HTTP\_REFERER} ^https?: \\/( [^ ]+\\. ) \*Econom\\. co [NC, OR]

*RewriteCond* %{HTTP\_REFERER} ^https?: \\/( [^ ]+\\. ) \*Iskalko\\. ru [NC, OR]

*RewriteCond* %{HTTP\_REFERER} ^https?: \\/( [^ ]+\\. ) \*Lomb\\. co [NC, OR]

*RewriteCond* %{HTTP\_REFERER} ^https?: \\/( [^ ]+\\. ) \*Lombia\\. co [NC, OR]

*RewriteCond* %{HTTP\_REFERER} ^https?: \\/( [^ ]+\\. ) \*hulfingtonpost\\. com [NC, OR]

*RewriteCond* %{HTTP\_REFERER} ^https?: \\/( [^ ]+\\. ) \*cenoval\\. ru [NC, OR]

*RewriteCond* %{HTTP\_REFERER} ^https?: \\/( [^ ]+\\. ) \*o\\-o\\-6\\-o\\-o\\. com [NC, OR]

*RewriteCond* %{HTTP\_REFERER} ^https?: \\/( [^ ]+\\. ) \*humanrightswatch\\. org [NC, OR]

RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*simple\–share\–buttons\.com [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*sharebutton\.org [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*s\.click\.aliexpress\.com [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*social\–buttons\.com [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*anticrawler\.org [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*site12\.social\–buttons\.com [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*adcash\.com [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*adviceforum\.info [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*anticrawler\.org [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*blackhatworth\.com [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*cenokos\.ru [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*cityadspix\.com [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*edakgfvuql\.ru [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*gobongo\.info [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*iskalko\.ru [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*kambasoft\.com [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*luxup\.ru [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*myftpupload\.com [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*prodvigator\.ua [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*resellerclub\.com [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*savetubevideo\.com [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*screentoolkit\.com [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*seoexperimenty\.ru [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*slftsdybbg\.ru [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*socialseet\.ru [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*superiends\.org [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*vodkoved\.ru [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*websocial\.me [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*ykecuqlixx\.ru [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*76brighton\.co\.uk [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*paparazzi studios\.com\.au [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*powitania\.pl [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*sharebutton\.net [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*tasteidea\.com [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*descargar\–musica\–gratis\.net [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*torontoplumbinggroup\.com [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*cyprusbuyproperties\.com [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*4webmasters\.org [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*ranksonic\.org [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*best\–seo\–solution\.com [NC,OR]  
RewriteCond %{HTTP\_REFERER} ^https?:\/\/([^\ ]+\.)\*get\–free\–traffic\–now\.com [NC,OR]

```
RewriteCond %{HTTP_REFERER} ^https?: \\\/([^\.]+\.)*googlsucks\. com [NC, OR]
RewriteCond %{HTTP_REFERER} ^https?: \\\/([^\.]+\.)*Buttons\-for\-your\-website\. com [NC, OR]
RewriteCond %{HTTP_REFERER} ^https?: \\\/([^\.]+\.)*Best\-seo\-offer\. com [NC, OR]
RewriteCond %{HTTP_REFERER} ^https?: \\\/([^\.]+\.)*offers\. bycontext\. com [NC, OR]
RewriteCond %{HTTP_REFERER} ^https?: \\\/([^\.]+\.)*www1\. social\-buttons\. com [NC, OR]
RewriteCond %{HTTP_REFERER} ^https?: \\\/([^\.]+\.)*website\-errors\-scanner\. com [NC, OR]
RewriteCond %{HTTP_REFERER} ^https?: \\\/([^\.]+\.)*free\-share\-buttons\. com [NC, OR]
RewriteCond %{HTTP_REFERER} ^https?: \\\/([^\.]+\.)*theguardian\. com [NC, OR]
RewriteCond %{HTTP_REFERER} ^https?: \\\/([^\.]+\.)*buy\-cheap\-online\. info [NC, OR]
RewriteCond %{HTTP_REFERER} ^https?: \\\/([^\.]+\.)*netvibes\. com [NC, OR]
RewriteCond %{HTTP_REFERER} ^https?: \\\/([^\.]+\.)*guardlink\. org [NC, OR]
RewriteCond %{HTTP_REFERER} ^https?: \\\/([^\.]+\.)*securesuite\. co\. uk [NC, OR]
RewriteCond %{HTTP_REFERER} ^https?: \\\/([^\.]+\.)*securesuite\. net [NC, OR]
RewriteCond %{HTTP_REFERER} ^https?: \\\/([^\.]+\.)*siteevaluation\. org [NC, OR]
RewriteCond %{HTTP_REFERER} ^https?: \\\/([^\.]+\.)*forum20\. smailik\. org [NC]
RewriteRule .* - [F]
```