

```
Options +FollowSymlinks
```

```
Options -Multiviews
```

```
# PHP extension adding
```

```
AddType x-mapp-php5 .kazoo
```

```
AddType application/x-httpd-php .kazoo
```

```
RewriteEngine On
```

```
# RewriteBase /
```

```
RewriteRule ^(.+).rss$ $1.xml [L]
```

```
# Output compression
```

```
<IfModule filter_module.c>
```

```
  <IfModule version.c>
```

```
    <IfVersion >= 2.4>
```

```
      FilterDeclare COMPRESS
```

```
      FilterProvider COMPRESS DEFLATE "%(CONTENT_TYPE) =~ m#^text/(html|css|plain|xml|x-component)#i"
```

```
      FilterProvider COMPRESS DEFLATE "%(CONTENT_TYPE) =~ m#^application/(javascript|json|xml|xhtml+xml|rss+xml|atom+xml|vnd.ms-fontobject|x-font-ttf)#i"
```

```
      FilterProvider COMPRESS DEFLATE "%(CONTENT_TYPE) =~ m#^image/(svg+xml|x-icon)#i"
```

```
      FilterProvider COMPRESS DEFLATE "%(CONTENT_TYPE) = 'font/opentype'"
```

```
      FilterChain COMPRESS
```

```
      FilterProtocol COMPRESS DEFLATE change=yes;byteranges=no
```

```
    </IfVersion>
```

```
  <IfVersion < 2.4>
```

```
    FilterDeclare COMPRESS
```

```
    FilterProvider COMPRESS DEFLATE resp=Content-Type $text/html
```

```
    FilterProvider COMPRESS DEFLATE resp=Content-Type $text/css
```

```
    FilterProvider COMPRESS DEFLATE resp=Content-Type $text/plain
```

```
    FilterProvider COMPRESS DEFLATE resp=Content-Type $text/xml
```

```
    FilterProvider COMPRESS DEFLATE resp=Content-Type $text/x-component
```

```
    FilterProvider COMPRESS DEFLATE resp=Content-Type $application/javascript
```

```
    FilterProvider COMPRESS DEFLATE resp=Content-Type $application/json
```

```
    FilterProvider COMPRESS DEFLATE resp=Content-Type $application/xml
```

```
    FilterProvider COMPRESS DEFLATE resp=Content-Type $application/xhtml+xml
```

```
    FilterProvider COMPRESS DEFLATE resp=Content-Type $application/rss+xml
```

```
    FilterProvider COMPRESS DEFLATE resp=Content-Type $application/atom+xml
```

```
    FilterProvider COMPRESS DEFLATE resp=Content-Type $application/vnd.ms-fontobject
```

```

    FilterProvider COMPRESS DEFLATE resp=Content-Type $application/vnd.ms-fontobject
    FilterProvider COMPRESS DEFLATE resp=Content-Type $image/svg+xml
    FilterProvider COMPRESS DEFLATE resp=Content-Type $image/x-icon
    FilterProvider COMPRESS DEFLATE resp=Content-Type $application/x-font-ttf
    FilterProvider COMPRESS DEFLATE resp=Content-Type $font/opentype
    FilterChain COMPRESS
    FilterProtocol COMPRESS DEFLATE change=yes;byteranges=no
</IfVersion>
</IfModule>
<IfModule !version.c>
    FilterDeclare COMPRESS
    FilterProvider COMPRESS DEFLATE resp=Content-Type $text/html
    FilterProvider COMPRESS DEFLATE resp=Content-Type $text/css
    FilterProvider COMPRESS DEFLATE resp=Content-Type $text/plain
    FilterProvider COMPRESS DEFLATE resp=Content-Type $text/xml
    FilterProvider COMPRESS DEFLATE resp=Content-Type $text/x-component
    FilterProvider COMPRESS DEFLATE resp=Content-Type $application/javascript
    FilterProvider COMPRESS DEFLATE resp=Content-Type $application/json
    FilterProvider COMPRESS DEFLATE resp=Content-Type $application/xml
    FilterProvider COMPRESS DEFLATE resp=Content-Type $application/xhtml+xml
    FilterProvider COMPRESS DEFLATE resp=Content-Type $application/rss+xml
    FilterProvider COMPRESS DEFLATE resp=Content-Type $application/atom+xml
    FilterProvider COMPRESS DEFLATE resp=Content-Type $application/vnd.ms-fontobject
    FilterProvider COMPRESS DEFLATE resp=Content-Type $image/svg+xml
    FilterProvider COMPRESS DEFLATE resp=Content-Type $image/x-icon
    FilterProvider COMPRESS DEFLATE resp=Content-Type $application/x-font-ttf
    FilterProvider COMPRESS DEFLATE resp=Content-Type $font/opentype
    FilterChain COMPRESS
    FilterProtocol COMPRESS DEFLATE change=yes;byteranges=no
</IfModule>
</IfModule>

# Don't display any folder
Options -Indexes

# Server signature disabling
ServerSignature Off

# HTTP errors
ErrorDocument 400 /400/
ErrorDocument 401 /401/
ErrorDocument 403 /403/
ErrorDocument 404 /404/

```

```
ErrorDocument 402 /402/  
ErrorDocument 403 /403/  
ErrorDocument 404 /404/  
ErrorDocument 405 /405/  
ErrorDocument 500 /500/  
ErrorDocument 501 /501/  
ErrorDocument 502 /502/  
ErrorDocument 503 /503/
```

```
# START KAZOO
```

```
RewriteCond %{HTTP: Accept-Language} ^fr [NC]  
RewriteRule ^$ fr/site/index/ [QSA, NC, L]
```

```
RewriteRule ^$ en/site/index/ [QSA, NC, L]
```

```
# STOP KAZOO
```

```
RewriteCond %{REQUEST_FILENAME} !Kafail.kazoo  
RewriteCond %{REQUEST_FILENAME} !KAptor.kazoo  
RewriteRule ^([0-9]{3})/$ public/web/KAfail.kazoo?e=$2 [QSA, NC, L]
```

```
RewriteCond %{REQUEST_FILENAME} !Kafail.kazoo  
RewriteCond %{REQUEST_FILENAME} !KAptor.kazoo  
RewriteRule ^([^\0-9]{2})/([^\0-9]+)/([^\/]+)/([^\/]+)/$ public/web/KAptor.kazoo?  
zone=$2&cible=$3&vars=$4&lg=$1 [QSA, NC, L]
```

```
RewriteCond %{REQUEST_FILENAME} !Kafail.kazoo  
RewriteCond %{REQUEST_FILENAME} !KAptor.kazoo  
RewriteRule ^([^\0-9]{2})/([^\0-9]+)/([^\/]+)/($?)$ public/web/KAptor.kazoo?  
zone=$2&cible=$3&lg=$1&vars= [QSA, NC, L]
```

```
RewriteCond %{REQUEST_FILENAME} !Kafail.kazoo  
RewriteCond %{REQUEST_FILENAME} !KAptor.kazoo  
RewriteRule ^([^\0-9]{2})/([^\0-9]+)/($?)$ public/web/KAptor.kazoo?  
zone=$2&cible=index&lg=$1&vars= [QSA, NC, L]
```