

```

# BEGIN iThemes Security - Do not modify or remove this line
# iThemes Security Config Details: 2
# Enable the hide backend feature - Security > Settings > Hide Login Area > Hide Backend
RewriteRule ^(/kosshop.info/)?kosshoplogin/?$ /kosshop.info/wp-login.php [QSA,L]
# END iThemes Security - Do not modify or remove this line

# BEGIN WpFastestCache
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
AddDefaultCharset UTF-8
RewriteCond %{HTTP_HOST} ^www.localhost [NC]
RewriteRule ^(.*)$ http://www.localhost/kosshop/$1 [R=301,L]
RewriteCond %{REQUEST_METHOD} !POST
RewriteCond %{QUERY_STRING} !, *=, *
RewriteCond %{HTTP:Cookie} !^.*(comment_author_|wordpress_logged_in|wp-postpass_|wp_woocommerce)
RewriteCond %{HTTP:X-Wap-Profile} !^[a-z0-9\ ]+ [NC]
RewriteCond %{HTTP:Profile} !^[a-z0-9\ ]+ [NC]
RewriteCond %{HTTP_USER_AGENT} !^(iphone|midp|sony|symbos|nokial|samsung|mobile|epoc|eric|portalmm|blazer|avantgo|danger|palm|series60|palmsource|pocketpc|android|blackberry|playbo
RewriteCond %{DOCUMENT_ROOT}/plugins/cache/all/$1/index.html -f [or]
RewriteCond D:\Xampp\htdocs\kosshop.info\wp-content\plugins\cache\all\%1\index.html -f
RewriteRule ^(.*) "/plugins/cache/all/$1/index.html" [L]
</IfModule>
<FilesMatch "\.(html|htm)$">
FileETag None
<ifModule mod_headers.c>
Header unset ETag
Header set Cache-Control "max-age=0, no-cache, no-store, must-revalidate"
Header set Pragma "no-cache"
Header set Expires "Mon, 29 Oct 1923 20:30:00 GMT"
</ifModule>
</FilesMatch>
# END WpFastestCache
# BEGIN GzipWpFastestCache
<IfModule mod_deflate.c>
AddOutputFilterByType DEFLATE image/svg+xml
AddOutputFilterByType DEFLATE text/plain
AddOutputFilterByType DEFLATE text/html
AddOutputFilterByType DEFLATE text/xml
AddOutputFilterByType DEFLATE text/css

```

```
Header unset Expires
AddOutputFilterByType DEFLATE text/css
AddOutputFilterByType DEFLATE text/javascript
AddOutputFilterByType DEFLATE application/xml
AddOutputFilterByType DEFLATE application/xhtml+xml
AddOutputFilterByType DEFLATE application/rss+xml
AddOutputFilterByType DEFLATE application/javascript
AddOutputFilterByType DEFLATE application/x-javascript
AddOutputFilterByType DEFLATE application/x-font-ttf
AddOutputFilterByType DEFLATE application/vnd.ms-fontobject
AddOutputFilterByType DEFLATE font/opentype font/ttf font/eot font/otf
</IfModule>
# END GzipMpFastestCache
# BEGIN LBCMpFastestCache
<FilesMatch "\.(ico|pdf|flv|jpg|jpeg|png|gif|js|css|swf|xhtml|css|xml|js|woff|ttf|svg|eot)">
<IfModule mod_expires.c>
ExpiresActive On
ExpiresDefault A0
ExpiresByType image/gif A2592000
ExpiresByType image/png A2592000
ExpiresByType image/jpg A2592000
ExpiresByType image/jpeg A2592000
ExpiresByType image/ico A2592000
ExpiresByType image/svg+xml A2592000
ExpiresByType text/css A2592000
ExpiresByType text/javascript A2592000
ExpiresByType application/javascript A2592000
</IfModule>
<IfModule mod_headers.c>
Header set Expires "max-age=2592000, public"
Header unset ETag
Header set Connection keep-alive
</IfModule>
FileETag None
</FilesMatch>
# END LBCMpFastestCache
# BEGIN WordPress
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /kosshop.info/
RewriteRule ^index\.php$ - [L]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^(.*)$ index.php/$1 [QSA,PT,L]
```

```
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . /kosshop.info/index.php [L]
</IfModule>
```

*# END WordPress*