

```
#  
# Apache/PHP/Drupal settings:  
#  
  
# Protect files and directories from prying eyes.  
<FilesMatch "\.(engine|incl|info|install|module|profile|test|po|sh|. *sql|theme|tpl(\.php)?|  
|x|tmp|svn-base)|\.(code-style|\.pl|Entries.*|Repository|Root|Tag|Template|all-  
wcp|props|entries|format)$">  
    Order allow,deny  
</FilesMatch>  
  
# Don't show directory listings for URLs which map to a directory.  
Options -Indexes  
  
# Follow symbolic links in this directory.  
Options +FollowSymLinks  
  
# Make Drupal handle any 404 errors.  
ErrorDocument 404 /index.php  
  
# Force simple error message for requests for non-existent favicon.ico.  
<Files favicon.ico>  
    # There is no end quote below, for compatibility with Apache 1.3.  
    ErrorDocument 404 "The requested file favicon.ico was not found."  
</Files>  
  
# Set the default handler.  
DirectoryIndex index.php  
  
# Increase PHP Memory Limit  
  
# http://drupal.org/node/97193  
  
php_value upload_max_filesize 10M  
  
php_value post_max_size 20M  
  
# Override PHP settings. More in sites/default/settings.php  
# but the following cannot be changed at runtime.  
  
# PHP 4.0.4 compat
```

```
# PHP 4, Apache 1.
```

```
<IfModule mod_php4.c>  
    php_value magic_quotes_gpc          0  
    php_value register_globals          0  
    php_value session.auto_start       0  
    php_value mbstring.http_input      pass  
    php_value mbstring.http_output     pass  
    php_value mbstring.encoding_transl 0  
</IfModule>
```

```
# PHP 4, Apache 2.
```

```
<IfModule sapi_apache2.c>  
    php_value magic_quotes_gpc          0  
    php_value register_globals          0  
    php_value session.auto_start       0  
    php_value mbstring.http_input      pass  
    php_value mbstring.http_output     pass  
    php_value mbstring.encoding_transl 0  
</IfModule>
```

```
# PHP 5, Apache 1 and 2.
```

```
<IfModule mod_php5.c>  
    php_value magic_quotes_gpc          0  
    php_value register_globals          0  
    php_value session.auto_start       0  
    php_value mbstring.http_input      pass  
    php_value mbstring.http_output     pass  
    php_value mbstring.encoding_transl 0  
</IfModule>
```

```
# Requires mod_expires to be enabled.
```

```
<IfModule mod_expires.c>
```

```
    # Enable expirations.
```

```
    ExpiresActive On
```

```
    # Cache all files for 2 weeks after access (A).
```

```
    ExpiresDefault A1209600
```

```
<Files index.php>
```

```
    # Caching headers for dynamically generated pages are set from PHP.
```

```
    ExpiresActive Off
```

```
...</Files>
```

```
</Files>
</IfModule>

# Various rewrite rules.
<IfModule mod_rewrite.c>
    RewriteEngine on

    # If your site can be accessed both with and without the 'www.' prefix, you
    # can use one of the following settings to redirect users to your preferred
    # URL, either WITH or WITHOUT the 'www.' prefix. Choose ONLY one option:
    #
    # To redirect all users to access the site WITH the 'www.' prefix,
    # (http://example.com/... will be redirected to http://www.example.com/...)
    # adapt and uncomment the following:
    # RewriteCond %{HTTP_HOST} ^example\.com$ [NC]
    # RewriteRule ^(.*)$ http://www.example.com/$1 [L,R=301]

    # RewriteCond %{HTTP_HOST} ^davisonsoftware\.com$ [NC]
    # RewriteRule ^(.*)$ http://www.davisonsoftware.com/$1 [L,R=301]

    #
    # To redirect all users to access the site WITHOUT the 'www.' prefix,
    # (http://www.example.com/... will be redirected to http://example.com/...)
    # uncomment and adapt the following:
    # RewriteCond %{HTTP_HOST} ^www\.example\.com$ [NC]
    # RewriteRule ^(.*)$ http://example.com/$1 [L,R=301]

    # Modify the RewriteBase if you are using Drupal in a subdirectory or in a
    # VirtualDocumentRoot and the rewrite rules are not working properly.
    # For example if your site is at http://example.com/drupal uncomment and
    # modify the following line:
    # RewriteBase /drupal
    #
    # If your site is running in a VirtualDocumentRoot at http://example.com/,
    # uncomment the following line:
    # RewriteBase /

    ### BOOST START ###
    AddDefaultCharset utf-8
    <FilesMatch "(\\.html\\.html\\.gz|\\.xml\\.xml\\.gz)$">
        <IfModule mod_headers.c>
```

```

    Header set Expires "Sun, 19 Nov 1978 05: 00: 00 GMT"
    Header set Cache-Control "no-store, no-cache, must-revalidate, post-check=0, pre-
check=0"
    </IfModule>
</FilesMatch>
<IfModule mod_mime.c>
    AddCharset utf-8 .html
    AddCharset utf-8 .xml
    AddCharset utf-8 .css
    AddCharset utf-8 .js
    AddEncoding gzip .gz
</IfModule>
<FilesMatch "(\\.html|\\.html\\.gz)$">
    ForceType text/html
</FilesMatch>
<FilesMatch "(\\.xml|\\.xml\\.gz)$">
    ForceType text/xml
</FilesMatch>
<FilesMatch "(\\.js|\\.js\\.gz)$">
    ForceType text/javascript
</FilesMatch>
<FilesMatch "(\\.css|\\.css\\.gz)$">
    ForceType text/css
</FilesMatch>

# Gzip Cookie Test
RewriteRule boost-gzip-cookie-test\\.html cache/perm/boost-gzip-cookie-test\\.html\\.gz
[L, T=text/html]

# GZIP - Cached css & js files
RewriteCond %{HTTP_COOKIE} !(boost-gzip)
RewriteCond %{HTTP: Accept-encoding} !gzip
RewriteRule .* - [S=2]
RewriteCond %{DOCUMENT_ROOT}/cache/perm/%{SERVER_NAME}%{REQUEST_URI}_\\.css\\.gz -s
RewriteRule .* cache/perm/%{SERVER_NAME}%{REQUEST_URI}_\\.css\\.gz [L, QSA, T=text/css]
RewriteCond %{DOCUMENT_ROOT}/cache/perm/%{SERVER_NAME}%{REQUEST_URI}_\\.js\\.gz -s
RewriteRule .* cache/perm/%{SERVER_NAME}%{REQUEST_URI}_\\.js\\.gz
[L, QSA, T=text/javascript]

# NORMAL - Cached css & js files
RewriteCond %{DOCUMENT_ROOT}/cache/perm/%{SERVER_NAME}%{REQUEST_URI}_\\.css -s

```

```

RewriteRule .* cache/perm/%%(SERVER_NAME)%(REQUEST_URI)_\.css [L,QSA,T=text/css]
RewriteCond %%{DOCUMENT_ROOT}/cache/perm/%%(SERVER_NAME)%(REQUEST_URI)_\.js -s
RewriteRule .* cache/perm/%%(SERVER_NAME)%(REQUEST_URI)_\.js [L,QSA,T=text/javascript]

# Caching for anonymous users
# Skip boost IF not get request OR uri has wrong dir OR cookie is set OR request came
from this server OR https request
RewriteCond %%{REQUEST_METHOD} !^GET$ [OR]
RewriteCond %%{REQUEST_URI}
(^{(admin|cache|misc|modules|sites|system|openid|themes|node/add)}|
{/(comment/reply|edit|user|user/{login|password|register})})$ [OR]
RewriteCond %%{HTTP_COOKIE} DRUPAL_UID [OR]
RewriteCond %%{HTTPS} on
RewriteRule .* - [S=5]

# GZIP
RewriteCond %%{HTTP_COOKIE} !(boost-gzip)
RewriteCond %%{HTTP:Accept-encoding} !gzip
RewriteRule .* - [S=2]
RewriteCond %%{DOCUMENT_ROOT}/cache/normal/%%(SERVER_NAME)%(REQUEST_URI)_%
{QUERY_STRING}\.html\.gz -s
RewriteRule .* cache/normal/%%(SERVER_NAME)%(REQUEST_URI)_%{QUERY_STRING}\.html\.gz
[L,T=text/html]
RewriteCond %%{DOCUMENT_ROOT}/cache/normal/%%(SERVER_NAME)%(REQUEST_URI)_%
{QUERY_STRING}\.xml\.gz -s
RewriteRule .* cache/normal/%%(SERVER_NAME)%(REQUEST_URI)_%{QUERY_STRING}\.xml\.gz
[L,T=text/xml]

# NORMAL
RewriteCond %%{DOCUMENT_ROOT}/cache/normal/%%(SERVER_NAME)%(REQUEST_URI)_%
{QUERY_STRING}\.html -s
RewriteRule .* cache/normal/%%(SERVER_NAME)%(REQUEST_URI)_%{QUERY_STRING}\.html
[L,T=text/html]
RewriteCond %%{DOCUMENT_ROOT}/cache/normal/%%(SERVER_NAME)%(REQUEST_URI)_%
{QUERY_STRING}\.xml -s
RewriteRule .* cache/normal/%%(SERVER_NAME)%(REQUEST_URI)_%{QUERY_STRING}\.xml
[L,T=text/xml]

### BOOST END ###

# Rewrite URLs of the form 'x' to the form 'index.php?q=x'.

```

```
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteCond %{REQUEST_URI} !=/favicon.ico
RewriteRule ^(.*)$ index.php?q=$1 [L,QSA]
</IfModule>
```

```
# $Id: .htaccess,v 1.90.2.3 2008/12/10 20:04:08 goba Exp $
```