

```
# compress text, html, javascript, css, xml:
AddOutputFilterByType DEFLATE text/plain
AddOutputFilterByType DEFLATE text/html
AddOutputFilterByType DEFLATE text/xml
AddOutputFilterByType DEFLATE text/css
AddOutputFilterByType DEFLATE application/xml
AddOutputFilterByType DEFLATE application/xhtml+xml
AddOutputFilterByType DEFLATE application/rss+xml
AddOutputFilterByType DEFLATE application/javascript
AddOutputFilterByType DEFLATE application/x-javascript
AddOutputFilterByType DEFLATE application/vnd.ms-fontobject .eot
AddOutputFilterByType DEFLATE font/ttf .ttf
AddOutputFilterByType DEFLATE font/otf .otf
AddOutputFilterByType DEFLATE application/x-font-woff .woff

AddType application/vnd.ms-fontobject .eot
AddType font/ttf .ttf
AddType font/otf .otf
AddType application/x-font-woff .woff

# Or, compress certain file types by extension:
<Files *.php>
SetOutputFilter DEFLATE
</Files>

# Set php.ini settings.
php_value upload_max_filesize 128M
php_value post_max_size 128M

<IfModule mod_rewrite.c>

#FollowSymlinks is turned on and Indexes is turned off.
#Indexes off prevents the directory structure of a directory without an index file from
displaying.
Options +FollowSymlinks -Indexes

RewriteEngine On

#Send a forbidden message to anyone attempting to access the .htaccess file on the server.
RewriteRule ^.htaccess$ [F]
```

*#This condition disables include injection through the URL.*

```
RewriteCond %{QUERY_STRING} (.*) (http|https|ftp): \\/(.*)
```

```
RewriteRule ^(.+)$ - [F]
```

```
RewriteCond %{REQUEST_FILENAME} !-f
```

```
RewriteCond %{REQUEST_FILENAME} !-d
```

```
</IfModule>
```