

```
<IfModule mod_deflate.c>
SetOutputFilter DEFLATE

AddOutputFilterByType DEFLATE text/html text/plain text/xml text/x-js text/javascript
text/css
AddOutputFilterByType DEFLATE application/xml application/xhtml+xml application/x-
javascript application/javascript
AddOutputFilterByType DEFLATE application/json

BrowserMatch ^Mozilla/4 gzip-only-text/html
BrowserMatch ^Mozilla/4.[0-9] no-gzip
BrowserMatch \bMSIE !no-gzip !gzip-only-text/html

# Don't compress images
SetEnvIfNoCase Request_URI \
\. (? : gif|jpe?g|png)$ no-gzip dont-vary

SetEnvIfNoCase Request_URI \
\. (? : exe|t?gz|zip|bz2|sit|rar)$ \
no-gzip dont-vary
SetEnvIfNoCase Request_URI \.pdf$ no-gzip dont-vary
</IfModule>

<IfModule mod_expires.c>
ExpiresActive On
ExpiresByType image/jpg "access 1 week"
ExpiresByType image/jpeg "access 1 week"
ExpiresByType image/gif "access 1 week"
ExpiresByType image/png "access 1 week"
ExpiresByType text/css "access 1 week"
ExpiresByType application/pdf "access 1 month"
ExpiresByType text/x-javascript "access 1 week"
ExpiresByType application/x-shockwave-flash "access 1 week"
ExpiresByType image/x-icon "access 1 year"
ExpiresDefault "access 2 days"
</IfModule>

<IfModule mod_setenvif.c>
BrowserMatch "MSIE" force-no-vary
BrowserMatch "Mozilla/4.[0-9]{2}" force-no-vary
</IfModule>
```

```
</IfModule>
```

```
<IfModule mod_headers.c>
```

```
  <FilesMatch .*\.(js|css)$>
```

```
    Header set Cache-control: private
```

```
  </FilesMatch>
```

```
  <FilesMatch .*\.(gif|jpg|png)$>
```

```
    Header set Cache-control: public
```

```
  </FilesMatch>
```

```
  Header unset Etag
```

```
  FileETag none
```

```
</IfModule>
```

```
RewriteEngine On
```

```
# htaccess forbidden
```

```
RewriteRule .htaccess - [F]
```

```
RewriteRule \.svn - [F]
```

```
RewriteRule ^storage/keys/([0-9]+)/(.*)\.pem$ farms_view.php?
```

```
id=$1&task=download_private_key [NE,L]
```

```
#Farm events RSS
```

```
RewriteRule ^storage/events/([0-9]+)/rss\.xml$ rss.xml.php?farmid=$1 [NE,L]
```

```
#Environment
```

```
RewriteRule ^query-env/([0-9]+)/(.*)$ environment.php?version=$1&operation=$2&%
```

```
{QUERY_STRING} [NE,L]
```

```
# New UI Controller
```

```
RewriteRule ^ui/js/(.*)-[0-9]+\.(js|ui/js/$1.js [NE,L]
```

```
RewriteRule ^ui/js/(.*)-[0-9]+\.(css|ui/js/$1.css [NE,L]
```

```
RewriteRule ^ui2/js/(.*)-[0-9]+\.(js|ui2/js/$1.js [NE,L]
```

```
RewriteRule ^ui2/js/(.*)-[0-9]+\.(css|ui2/js/$1.css [NE,L]
```

```
# Show standard 404 error for not-found files
```

```
RewriteCond %{REQUEST_FILENAME} !-f
```

```
RewriteRule ^ui2/ - [L,R=404]
```

```
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
#RewriteCond %{REQUEST_URI} ^[^\.]+$
RewriteRule ^([0-9]+)/. *$ /api.php?version=$1&%{QUERY_STRING} [L]

RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^api/(user|account|admin)\.(. +?)\.(yaml|yml)$ /public/describeApiSpec?
service=$1&version=$2&%{QUERY_STRING} [L]
RewriteRule ^api/(v\d. *)/(user|account|admin)/. *$ /restapi.php [L]
RewriteRule ^api/(user|account|admin)/. *$ /restapi.php [L]

RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
#RewriteCond %{REQUEST_URI} ^[^\.]+$
RewriteRule ^. *$ /ui.php [L]
```