

DirectoryIndex app.php

```
<IfModule mod_rewrite.c>
    RewriteEngine On
    # skip "real" requests
    RewriteCond %{REQUEST_FILENAME} -f
    RewriteRule .* - [QSA, L]

    # equipo_homepage
    RewriteCond %{REQUEST_URI} ^/index$
    RewriteRule .* $0/ [QSA, L, R=301]
    RewriteCond %{REQUEST_URI} ^/index/$
    RewriteRule .* app.php [QSA, L, E=_ROUTING_route: equipo_homepage, E=_ROUTING_default__control

    # equipos
    RewriteCond %{REQUEST_URI} ^/equipos/([^/]+)$
    RewriteRule .* app.php
[QSA, L, E=_ROUTING_route: equipos, E=_ROUTING_param_nombre: %1, E=_ROUTING_default__controller: Li

    # tabla
    RewriteCond %{REQUEST_URI} ^/tabla$
    RewriteRule .* app.php [QSA, L, E=_ROUTING_route: tabla, E=_ROUTING_default__controller: Lig

    # estadisticas
    RewriteCond %{REQUEST_URI} ^/estadisticas$
    RewriteRule .* app.php [QSA, L, E=_ROUTING_route: estadisticas, E=_ROUTING_default__control

    # equipoelegido
    RewriteCond %{REQUEST_URI} ^/equipos/([^/]+)$
    RewriteRule .* app.php
[QSA, L, E=_ROUTING_route: equipoelegido, E=_ROUTING_param_nombre: %1, E=_ROUTING_default__control

    # equipo
    RewriteCond %{REQUEST_URI} ^/equipo$
    RewriteRule .* app.php [QSA, L, E=_ROUTING_route: equipo, E=_ROUTING_default__controller: Lig

    # _equipo
    RewriteCond %{REQUEST_URI} ^/equipo$
    RewriteRule .* $0/ [QSA, L, R=301]
    RewriteCond %{REQUEST_URI} ^/equipo/$
    RewriteRule .* app.php
```

```

RewriteRule .* app.php
[QSA,L,E=_ROUTING_route:_equipo,E=_ROUTING_default__controller:Symfony\\Bundle\\FrameworkBur

# equipo_show
RewriteCond %(REQUEST_URI) ^/equipo_show/([^/]+)$
RewriteRule .* app.php
[QSA,L,E=_ROUTING_route:equipo_show,E=_ROUTING_param_id:%1,E=_ROUTING_default__controller:Li

# equipo_edit
RewriteCond %(REQUEST_URI) ^/equipo_edit/([^/]+)$
RewriteRule .* app.php
[QSA,L,E=_ROUTING_route:equipo_edit,E=_ROUTING_param_id:%1,E=_ROUTING_default__controller:Li

# equipo_new
RewriteCond %(REQUEST_URI) ^/equipo_new$
RewriteRule .* $0/ [QSA,L,R=301]
RewriteCond %(REQUEST_URI) ^/equipo_new/$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:equipo_new,E=_ROUTING_default__controller

# equipo_update
RewriteCond %(REQUEST_URI) ^/equipo/update/([^/]+)$
RewriteRule .* app.php
[QSA,L,E=_ROUTING_route:equipo_update,E=_ROUTING_param_id:%1,E=_ROUTING_default__controller:

# equipo_delete
RewriteCond %(REQUEST_URI) ^/equipo/delete/([^/]+)$
RewriteRule .* app.php
[QSA,L,E=_ROUTING_route:equipo_delete,E=_ROUTING_param_id:%1,E=_ROUTING_default__controller:

# partido_homepage
RewriteCond %(REQUEST_URI) ^/calendario$
RewriteRule .* $0/ [QSA,L,R=301]
RewriteCond %(REQUEST_URI) ^/calendario/$
RewriteRule .* app.php [QSA,L,E=_ROUTING_route:partido_homepage,E=_ROUTING_default__cont

# jugador_homepage
RewriteCond %(REQUEST_URI) ^/hello/([^/]+)$
RewriteRule .* app.php
[QSA,L,E=_ROUTING_route:jugador_homepage,E=_ROUTING_param_name:%1,E=_ROUTING_default__cont

# backend_homepage

```

```

RewriteCond %(REQUEST_URI) ^/hello/([0-9]+)$
RewriteRule .* app.php
[QSA, L, E=_ROUTING_route: backend_homepage, E=_ROUTING_param_name: %1, E=_ROUTING_default__contr

# pagina_estatica
RewriteCond %(REQUEST_URI) ^/pagina$
RewriteRule .* $0/ [QSA, L, R=301]
RewriteCond %(REQUEST_URI) ^/pagina/$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: pagina_estatica, E=_ROUTING_default__contr

# portada
RewriteCond %(REQUEST_URI) ^/$
RewriteRule .* app.php [QSA, L, E=_ROUTING_route: portada, E=_ROUTING_default__controller: Li

# 405 Method Not Allowed
RewriteCond %(ENV: _ROUTING__allow_GET) =1 [OR]
RewriteCond %(ENV: _ROUTING__allow_POST) =1 [OR]
RewriteCond %(ENV: _ROUTING__allow_HEAD) =1
RewriteRule .* app.php [QSA, L]
</IfModule>

<IfModule !mod_rewrite.c>
  <IfModule mod_alias.c>
    # When mod_rewrite is not available, we instruct a temporary redirect of
    # the start page to the front controller explicitly so that the website
    # and the generated links can still be used.
    RedirectMatch 302 ^/$ /app.php/
    # RedirectTemp cannot be used instead
  </IfModule>
</IfModule>

```