

```
# Don't show directory listings for URLs which map to a directory.
```

```
Options -Indexes -MultiViews
```

```
# Follow symbolic links in this directory.
```

```
Options +FollowSymLinks
```

```
AddDefaultCharset UTF-8
```

```
<IfModule mod_php5.c>
```

```
php_flag register_globals Off
```

```
php_flag magic_quotes_gpc Off
```

```
php_flag magic_quotes_runtime Off
```

```
php_flag magic_quotes_sybase Off
```

```
php_value session.auto_start 0
```

```
php_value output_buffering 0
```

```
php_value session.use_trans_sid 0
```

```
php_value memory_limit 128M
```

```
php_value max_execution_time 18000
```

```
php_flag suhosin.session.cryptua off
```

```
php_flag zend.zel_compatibility_mode Off
```

```
php_value short_open_tag On
```

```
php_value mbstring.func_overload 0
```

```
php_value default_charset UTF-8
```

```
</IfModule>
```

```
<IfModule mod_security.c>
```

```
# disable POST processing to not break multiple image upload
```

```
SecFilterEngine Off
```

```
SecFilterScanPOST Off
```

```
</IfModule>
```

```
<IfModule mod_ssl.c>
```

```
## make HTTPS env vars available for CGI mode
```

```
SSLOptions StdEnvVars
```

```
</IfModule>
```

```
<IfModule mod_expires.c>
```

```
# Add default Expires header
```

```
ExpiresDefault "access plus 1 year"
```

```
</IfModule>
```

```

<IfModule mod_headers.c>
<FilesMatch "\.(ico|pdf|flv)$">
    Header set Cache-Control "max-age=29030400, public"
</FilesMatch>

<FilesMatch "\.(jpg|jpeg|png|gif|swf)$">
    Header set Cache-Control "max-age=604800, public"
</FilesMatch>

<FilesMatch "\.(xml|txt|css|js)$">
    Header set Cache-Control "max-age=172800, proxy-revalidate"
</FilesMatch>

<FilesMatch "\.(html|html|php)$">
    Header set Cache-Control "max-age=60, private, proxy-revalidate"
</FilesMatch>
</IfModule>

<IfModule mod_rewrite.c>
### Query string exploits
RewriteEngine On
RewriteBase /
RewriteCond %{QUERY_STRING} \. \. \. \. [NC,OR]
RewriteCond %{QUERY_STRING} boot\.ini [NC,OR]
RewriteCond %{QUERY_STRING} tag\= [NC,OR]
RewriteCond %{QUERY_STRING} ftp\:[NC,OR]
RewriteCond %{QUERY_STRING} http\:[NC,OR]
RewriteCond %{QUERY_STRING} https\:[NC,OR]
RewriteCond %{QUERY_STRING} mosConfig [NC,OR]
RewriteCond %{QUERY_STRING} ^.*(\\[\\]|\\(|\\)|<|>|'|"|;|\\?|\\*).* [NC,OR]
RewriteCond %{QUERY_STRING} ^.*(\\%22|\\%27|\\%3C|\\%3E|\\%5C|\\%7B|\\%7C).* [NC,OR]
RewriteCond %{QUERY_STRING} ^.*(\\%0|\\%A|\\%B|\\%C|\\%D|\\%E|\\%F|127\\.|0).* [NC,OR]
RewriteCond %{QUERY_STRING} ^.*(global|sl|encode|config|localhost|loopback).* [NC,OR]
RewriteCond %{QUERY_STRING} ^.*(request|select|insert|union|declare|drop).* [NC]

RewriteRule ^(.*)$ - [F,L]
RewriteRule .* - [E=HTTP_AUTHORIZATION:%{HTTP:Authorization}]
RewriteCond %{REQUEST_URI} !^/(static|js)/
RewriteRule ^(core|application|test|var) - [F,L]
RewriteCond %{REQUEST_FILENAME} !-f

```

```
RewriteCond %{REQUEST_FILENAME} !-d
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule .* index.php [L]
</IfModule>
```