

BEGIN W3TC Browser Cache

```
<IfModule mod_mime.c>
  AddType text/css .css
  AddType text/x-component .htc
  AddType application/x-javascript .js
  AddType application/javascript .js2
  AddType text/javascript .js3
  AddType text/x-js .js4
  AddType text/html .html .htm
  AddType text/richtext .rtf .rtx
  AddType image/svg+xml .svg .svgz
  AddType text/plain .txt
  AddType text/xsd .xsd
  AddType text/xsl .xsl
  AddType text/xml .xml
  AddType video/asf .asf .asx .wax .wmv .wmx
  AddType video/avi .avi
  AddType image/bmp .bmp
  AddType application/java .class
  AddType video/divx .divx
  AddType application/msword .doc .docx
  AddType application/vnd.ms-fontobject .eot
  AddType application/x-msdownload .exe
  AddType image/gif .gif
  AddType application/x-gzip .gz .gzip
  AddType image/x-icon .ico
  AddType image/jpeg .jpg .jpeg .jpe
  AddType application/json .json
  AddType application/vnd.ms-access .mdb
  AddType audio/midi .mid .midi
  AddType video/quicktime .mov .qt
  AddType audio/mpeg .mp3 .m4a
  AddType video/mp4 .mp4 .m4v
  AddType video/mpeg .mpeg .mpg .mpe
  AddType application/vnd.ms-project .mpp
  AddType application/x-font-otf .otf
  AddType application/vnd.ms-opentype .otf
  AddType application/vnd.oasis.opendocument.database .odb
  AddType application/vnd.oasis.opendocument.chart .odc
  AddType application/vnd.oasis.opendocument.formula .odf
  AddType application/vnd.oasis.opendocument.presentation .odp
```

```
AddType application/vnd.oasis.opendocument.graphics .odg
AddType application/vnd.oasis.opendocument.presentation .odp
AddType application/vnd.oasis.opendocument.spreadsheet .ods
AddType application/vnd.oasis.opendocument.text .odt
AddType audio/ogg .ogg
AddType application/pdf .pdf
AddType image/png .png
AddType application/vnd.ms-powerpoint .pot .pps .ppt .pptx
AddType audio/x-realaudio .ra .ram
AddType application/x-shockwave-flash .swf
AddType application/x-tar .tar
AddType image/tiff .tif .tiff
AddType application/x-font-ttf .ttf .ttc
AddType application/vnd.ms-opentype .ttf .ttc
AddType audio/wav .wav
AddType audio/wma .wma
AddType application/vnd.ms-write .wri
AddType application/font-woff .woff
AddType application/vnd.ms-excel .xla .xls .xlsx .xlt .xlw
AddType application/zip .zip
```

```
</IfModule>
```

```
<IfModule mod_expires.c>
```

```
ExpiresActive On
ExpiresByType text/css A31536000
ExpiresByType text/x-component A31536000
ExpiresByType application/x-javascript A31536000
ExpiresByType application/javascript A31536000
ExpiresByType text/javascript A31536000
ExpiresByType text/x-js A31536000
ExpiresByType text/html A3600
ExpiresByType text/richtext A3600
ExpiresByType image/svg+xml A3600
ExpiresByType text/plain A3600
ExpiresByType text/xsd A3600
ExpiresByType text/xsl A3600
ExpiresByType text/xml A3600
ExpiresByType video/asf A31536000
ExpiresByType video/avi A31536000
ExpiresByType image/bmp A31536000
ExpiresByType application/java A31536000
ExpiresByType video/divx A31536000
```

ExpiresByType application/msword A31536000
ExpiresByType application/vnd.ms-fontobject A31536000
ExpiresByType application/x-msdownload A31536000
ExpiresByType image/gif A31536000
ExpiresByType application/x-gzip A31536000
ExpiresByType image/x-icon A31536000
ExpiresByType image/jpeg A31536000
ExpiresByType application/json A31536000
ExpiresByType application/vnd.ms-access A31536000
ExpiresByType audio/midi A31536000
ExpiresByType video/quicktime A31536000
ExpiresByType audio/mpeg A31536000
ExpiresByType video/mp4 A31536000
ExpiresByType video/mpeg A31536000
ExpiresByType application/vnd.ms-project A31536000
ExpiresByType application/x-font-otf A31536000
ExpiresByType application/vnd.ms-opentype A31536000
ExpiresByType application/vnd.oasis.opendocument.database A31536000
ExpiresByType application/vnd.oasis.opendocument.chart A31536000
ExpiresByType application/vnd.oasis.opendocument.formula A31536000
ExpiresByType application/vnd.oasis.opendocument.graphics A31536000
ExpiresByType application/vnd.oasis.opendocument.presentation A31536000
ExpiresByType application/vnd.oasis.opendocument.spreadsheet A31536000
ExpiresByType application/vnd.oasis.opendocument.text A31536000
ExpiresByType audio/ogg A31536000
ExpiresByType application/pdf A31536000
ExpiresByType image/png A31536000
ExpiresByType application/vnd.ms-powerpoint A31536000
ExpiresByType audio/x-realaudio A31536000
ExpiresByType image/svg+xml A31536000
ExpiresByType application/x-shockwave-flash A31536000
ExpiresByType application/x-tar A31536000
ExpiresByType image/tiff A31536000
ExpiresByType application/x-font-ttf A31536000
ExpiresByType application/vnd.ms-opentype A31536000
ExpiresByType audio/wav A31536000
ExpiresByType audio/wma A31536000
ExpiresByType application/vnd.ms-write A31536000
ExpiresByType application/font-woff A31536000
ExpiresByType application/vnd.ms-excel A31536000
ExpiresByType application/zip A31536000

```

</IfModule>
<IfModule mod_deflate.c>
    <IfModule mod_headers.c>
        Header append Vary User-Agent env=!dont-vary
    </IfModule>
    <IfModule mod_filter.c>
        AddOutputFilterByType DEFLATE text/css text/x-component application/x-javascript app
    <IfModule mod_mime.c>
        # DEFLATE by extension
        AddOutputFilter DEFLATE js css htm html xml
    </IfModule>
</IfModule>
</IfModule>
<FilesMatch "\.(css|htc|less|js|js2|js3|js4|CSS|HTC|LESS|JS|JS2|JS3|JS4)$">
    FileETag MTime Size
    <IfModule mod_headers.c>
        Header set Pragma "public"
        Header append Cache-Control "public"
    </IfModule>
</FilesMatch>
<FilesMatch "\.(html|html|rtf|rtx|svg|svgz|txt|xsd|xsl|xml|HTML|HTML|RTF|RTX|SVG|SVGZ|TXT|XSD|
    FileETag MTime Size
    <IfModule mod_headers.c>
        Header set Pragma "public"
        Header append Cache-Control "public"
    </IfModule>
</FilesMatch>
<FilesMatch "\.(asf|asx|wax|wmv|wmx|avi|bmp|class|divx|doc|docx|eot|exel|gif|gz|gzip|ico|jpg|jpeg|jpe|json|
    FileETag MTime Size
    <IfModule mod_headers.c>
        Header set Pragma "public"
        Header append Cache-Control "public"
    </IfModule>
</FilesMatch>
# END W3TC Browser Cache
# BEGIN WordPress
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
RewriteRule ^index\.php$ - [L]

```

```
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . /index.php [L]
</IfModule>

# END WordPress

<IfModule mod_expires.c>
# Enable expirations
ExpiresActive On
# Default directive
ExpiresDefault "access plus 1 month"
# My favicon
ExpiresByType image/x-icon "access plus 1 year"
# Images
ExpiresByType image/gif "access plus 1 month"
ExpiresByType image/png "access plus 1 month"
ExpiresByType image/jpg "access plus 1 month"
ExpiresByType image/jpeg "access plus 1 month"
# CSS
ExpiresByType text/css "access 1 month"
# Javascript
ExpiresByType application/javascript "access plus 1 year"
</IfModule>

## EXPIRES CACHING ##
<IfModule mod_expires.c>
ExpiresActive On
ExpiresByType image/jpg "access plus 1 year"
ExpiresByType image/jpeg "access plus 1 year"
ExpiresByType image/gif "access plus 1 year"
ExpiresByType image/png "access plus 1 year"
ExpiresByType text/css "access plus 1 month"
ExpiresByType application/pdf "access plus 1 month"
ExpiresByType text/x-javascript "access plus 1 month"
ExpiresByType application/x-shockwave-flash "access plus 1 month"
ExpiresByType image/x-icon "access plus 1 year"
ExpiresDefault "access plus 2 days"
</IfModule>

## EXPIRES CACHING ##
```

```
<ifModule mod_headers.c>  
Header set Connection keep-alive  
</ifModule>
```

```
<IfModule mod_deflate.c>
```

```
  # Compress HTML, CSS, JavaScript, Text, XML and fonts  
  AddOutputFilterByType DEFLATE application/javascript  
  AddOutputFilterByType DEFLATE application/rss+xml  
  AddOutputFilterByType DEFLATE application/vnd.ms-fontobject  
  AddOutputFilterByType DEFLATE application/x-font  
  AddOutputFilterByType DEFLATE application/x-font-opentype  
  AddOutputFilterByType DEFLATE application/x-font-otf  
  AddOutputFilterByType DEFLATE application/x-font-truetype  
  AddOutputFilterByType DEFLATE application/x-font-ttf  
  AddOutputFilterByType DEFLATE application/x-javascript  
  AddOutputFilterByType DEFLATE application/xhtml+xml  
  AddOutputFilterByType DEFLATE application/xml  
  AddOutputFilterByType DEFLATE font/opentype  
  AddOutputFilterByType DEFLATE font/otf  
  AddOutputFilterByType DEFLATE font/ttf  
  AddOutputFilterByType DEFLATE image/svg+xml  
  AddOutputFilterByType DEFLATE image/x-icon  
  AddOutputFilterByType DEFLATE text/css  
  AddOutputFilterByType DEFLATE text/html  
  AddOutputFilterByType DEFLATE text/javascript  
  AddOutputFilterByType DEFLATE text/plain  
  AddOutputFilterByType DEFLATE text/xml
```

```
</IfModule>
```