

Environment settings - picked up by settings.php

```
SetEnvIfNoCase Host ^nqh.mof-dev.com$ ENVIRONMENT=prod
SetEnvIfNoCase Host ^niquesa\.ec2$ ENVIRONMENT=prod

SetEnvIfNoCase Host ^(\w*\.)?niquesahotels\.com$ ENVIRONMENT=prod
SetEnvIfNoCase Host ^(\w*\.)?royaldemeure.com$ ENVIRONMENT=prod
SetEnvIfNoCase Host ^(\w*\.)?royal-demeure.com$ ENVIRONMENT=prod
SetEnvIfNoCase Host ^(\w*\.)?royaldemeure.it$ ENVIRONMENT=prod
SetEnvIfNoCase Host ^(\w*\.)?royal-demeure.it$ ENVIRONMENT=prod

SetEnvIfNoCase Host ^(\w*\.)?beverlyhotelrome.eu$ ENVIRONMENT=prod
SetEnvIfNoCase Host ^(\w*\.)?beverlyhotelrome.it$ ENVIRONMENT=prod
SetEnvIfNoCase Host ^(\w*\.)?hotelbeverly.com$ ENVIRONMENT=prod
SetEnvIfNoCase Host ^(\w*\.)?hotelbeverlyhillssrome.com$ ENVIRONMENT=prod
SetEnvIfNoCase Host ^(\w*\.)?hotelbeverlyrome.com$ ENVIRONMENT=prod
SetEnvIfNoCase Host ^(\w*\.)?hotelbeverlyrome.it$ ENVIRONMENT=prod

SetEnvIfNoCase Host ^(\w*\.)?grandhotelcontinentalsiena.com$ ENVIRONMENT=prod
SetEnvIfNoCase Host ^(\w*\.)?grandhotelcontinentalsiena.it$ ENVIRONMENT=prod
SetEnvIfNoCase Host ^(\w*\.)?ghcs.it$ ENVIRONMENT=prod

SetEnvIfNoCase Host ^(\w*\.)?hoteldinghilterra.com$ ENVIRONMENT=prod
SetEnvIfNoCase Host ^(\w*\.)?hoteldinghilterraroma.com$ ENVIRONMENT=prod
SetEnvIfNoCase Host ^(\w*\.)?hoteldinghilterraroma.it$ ENVIRONMENT=prod
SetEnvIfNoCase Host ^(\w*\.)?hoteldinghilterrarome.com$ ENVIRONMENT=prod
SetEnvIfNoCase Host ^(\w*\.)?hoteldinghilterrarome.it$ ENVIRONMENT=prod

SetEnvIfNoCase Host ^(\w*\.)?hotelhelvetiabristol.com$ ENVIRONMENT=prod
SetEnvIfNoCase Host ^(\w*\.)?hotelhelvetiabristol.it$ ENVIRONMENT=prod
SetEnvIfNoCase Host ^(\w*\.)?hotelhelvetiabristolfirenze.it$ ENVIRONMENT=prod
SetEnvIfNoCase Host ^(\w*\.)?hotelhelvetiabristolflorence.com$ ENVIRONMENT=prod

SetEnvIfNoCase Host ^(\w*\.)?sapordivino.com$ ENVIRONMENT=prod

SetEnvIfNoCase Host ^(\w*\.)?hotelvillamichelangelo.com$ ENVIRONMENT=prod
SetEnvIfNoCase Host ^(\w*\.)?hotelvillamichelangelovicenza.com$ ENVIRONMENT=prod
SetEnvIfNoCase Host ^(\w*\.)?hotelvillamichelangelovicenza.it$ ENVIRONMENT=prod
SetEnvIfNoCase Host ^(\w*\.)?villamichelangelo.it$ ENVIRONMENT=prod

SetEnvIfNoCase Host ^(\w*\.)?residenzadiripetta.com$ ENVIRONMENT=prod
SetEnvIfNoCase Host ^(\w*\.)?residenzadiripetta.it$ ENVIRONMENT=prod
```

```

SetEnvIfNoCase Host ^(\w*\.)?residenzadiripetta.it$ ENVIRONMENT=prod
SetEnvIfNoCase Host ^(\w*\.)?residenzadiripettaroma.it$ ENVIRONMENT=prod
SetEnvIfNoCase Host ^(\w*\.)?residenzadiripettarome.com$ ENVIRONMENT=prod
SetEnvIfNoCase Host ^(\w*\.)?ripetta.it$ ENVIRONMENT=prod

SetEnvIfNoCase Host ^niquesa\.local$ ENVIRONMENT=local
SetEnvIfNoCase Host ^local\.niquesa\.com$ ENVIRONMENT=local
SetEnvIfNoCase Host ^niquesa\.shared$ ENVIRONMENT=shared
SetEnvIfNoCase Host ^dev\.niquesa\.com$ ENVIRONMENT=dev
SetEnvIfNoCase Host ^niquesa\.office\.matterofform\.com$ ENVIRONMENT=dev
SetEnvIfNoCase Host ^niquesa\.mof-dev\.com$ ENVIRONMENT=staging

#
# Apache/PHP/Drupal settings:
#

# Protect files and directories from prying eyes.
<FilesMatch "\.(engine|incl|info|install|make|module|profile|test|po|shl|\.sql|theme|tpl(\.php
|\.xhtml)?(\.sw[op]|\.bak|\.orig|\.save))?"
  Order allow,deny
  Deny from all
</FilesMatch>

# Don't show directory listings for URLs which map to a directory.
Options -Indexes

# Follow symbolic links in this directory.
Options +FollowSymLinks

# Make Drupal handle any 404 errors.
ErrorDocument 404 /index.php

# Set the default handler.
DirectoryIndex index.php index.html index.htm

# Override PHP settings that cannot be changed at runtime. See
# sites/default/default.settings.php and drupal_environment_initialize() in
# includes/bootstrap.inc for settings that can be changed at runtime.

# PHP 5, Apache 1 and 2.
<IfModule mod_php5.c>

```

```

php_flag magic_quotes_gpc                off
php_flag magic_quotes_sybase             off
php_flag register_globals                 off
php_flag session.auto_start              off
php_value mbstring.http_input             pass
php_value mbstring.http_output           pass
php_flag mbstring.encoding_translation    off
</IfModule>

# Requires mod_expires to be enabled.
<IfModule mod_expires.c>
    # Enable expirations.
    ExpiresActive On

    # Cache all files for 2 weeks after access (A).
    ExpiresDefault A1209600

<FilesMatch \.php$>
    # Do not allow PHP scripts to be cached unless they explicitly send cache
    # headers themselves. Otherwise all scripts would have to overwrite the
    # headers set by mod_expires if they want another caching behavior. This may
    # fail if an error occurs early in the bootstrap process, and it may cause
    # problems if a non-Drupal PHP file is installed in a subdirectory.
    ExpiresActive Off
</FilesMatch>
</IfModule>

# Various rewrite rules.
<IfModule mod_rewrite.c>
    RewriteEngine on

    # Permanent URL redirect
    Redirect 301 /hotel_inghilterra/ita/hotel_5_stelle_lusso_roma.html
    http://niquesa-hotels.com/hotel-dinghilterra
    Redirect 301 /hotel_helvetia_bristol/ita/hotel_lusso_firenze.html
    http://niquesa-hotels.com/hotel-helvetia-bristol

    # Set "protocol" to "s" if we were accessed via https://. This is used later
    # if you enable "www." stripping or enforcement, in order to ensure that
    # you don't bounce between http and https.
    RewriteRule ^ - [E=protocol]

```

```

RewriteCond %{HTTPS} on
RewriteRule ^ - [E=protossl:s]

# Make sure Authorization HTTP header is available to PHP
# even when running as CGI or FastCGI.
RewriteRule ^ - [E=HTTP_AUTHORIZATION:%{HTTP:Authorization}]

# Block access to "hidden" directories whose names begin with a period. This
# includes directories used by version control systems such as Subversion or
# Git to store control files. Files whose names begin with a period, as well
# as the control files used by CVS, are protected by the FilesMatch directive
# above.
#
# NOTE: This only works when mod_rewrite is loaded. Without mod_rewrite, it is
# not possible to block access to entire directories from .htaccess, because
# <DirectoryMatch> is not allowed here.
#
# If you do not have mod_rewrite installed, you should remove these
# directories from your webroot or otherwise protect them from being
# downloaded.
RewriteRule "(^/)\." - [F]

# If your site can be accessed both with and without the 'www.' prefix, you
# can use one of the following settings to redirect users to your preferred
# URL, either WITH or WITHOUT the 'www.' prefix. Choose ONLY one option:
#
# To redirect all users to access the site WITH the 'www.' prefix,
# (http://example.com/... will be redirected to http://www.example.com/...)
# uncomment the following:
# RewriteCond %{HTTP_HOST} .
# RewriteCond %{HTTP_HOST} !^www\. [NC]
# RewriteRule ^ http://%{ENV:protossl}://www.%{HTTP_HOST}%{REQUEST_URI} [L,R=301]
#
# To redirect all users to access the site WITHOUT the 'www.' prefix,
# (http://www.example.com/... will be redirected to http://example.com/...)
# uncomment the following:
# RewriteCond %{HTTP_HOST} ^www\.(.+) $ [NC]
# RewriteRule ^ http://%{ENV:protossl}://%1%{REQUEST_URI} [L,R=301]

# Modify the RewriteBase if you are using Drupal in a subdirectory or in a
# VirtualDocumentRoot and the rewrite rules are not working properly.

```

```
# For example if your site is at http://example.com/drupal uncomment and
# modify the following line:
# RewriteBase /drupal
#
# If your site is running in a VirtualDocumentRoot at http://example.com/,
# uncomment the following line:
# RewriteBase /

# Pass all requests not referring directly to files in the filesystem to
# index.php. Clean URLs are handled in drupal_environment_initialize().
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteCond %{REQUEST_URI} !=/favicon.ico
RewriteRule ^ index.php [L]

# Rules to correctly serve gzip compressed CSS and JS files.
# Requires both mod_rewrite and mod_headers to be enabled.
<IfModule mod_headers.c>
    # Serve gzip compressed CSS files if they exist and the client accepts gzip.
    RewriteCond %{HTTP:Accept-encoding} gzip
    RewriteCond %{REQUEST_FILENAME}\.gz -s
    RewriteRule ^(.*)\.css $1\.css\.gz [QSA]

    # Serve gzip compressed JS files if they exist and the client accepts gzip.
    RewriteCond %{HTTP:Accept-encoding} gzip
    RewriteCond %{REQUEST_FILENAME}\.gz -s
    RewriteRule ^(.*)\.js $1\.js\.gz [QSA]

    # Serve correct content types, and prevent mod_deflate double gzip.
    RewriteRule \.css\.gz$ - [T=text/css,E=no-gzip:1]
    RewriteRule \.js\.gz$ - [T=text/javascript,E=no-gzip:1]

    <FilesMatch "(\.js\.gz|\.css\.gz)$">
        # Serve correct encoding type.
        Header set Content-Encoding gzip
        # Force proxies to cache gzipped & non-gzipped css/js files separately.
        Header append Vary Accept-Encoding
    </FilesMatch>
</IfModule>
</IfModule>
```