

```
# follow symlinks & disallow directory listing
# note: your hosting company might not allow these directives to be set. In that case,
# you should either find another hosting company (advised) or remove the line below.
Options +FollowSymlinks -Indexes
DirectorySlash Off
```

```
# file etags (used when comparing local cached file to server file)
FileETag MTime Size
```

```
<IfModule mod_rewrite.c>
```

```
    # nice urls
```

```
    RewriteEngine On
```

```
    RewriteBase /
```

```
    # forbidden folders
```

```
    RewriteRule .git - [F]
```

```
    RewriteRule .*\.gitignore - [F]
```

```
    RewriteRule composer\.json - [F]
```

```
    RewriteRule composer\.lock - [F]
```

```
    RewriteRule phpunit\.xml\.dist - [F]
```

```
    RewriteRule .*\.md - [F]
```

```
    RewriteRule app/logs - [F]
```

```
    RewriteRule app/config - [F]
```

```
    RewriteRule src/Frontend/Cache/CachedTemplates - [F]
```

```
    RewriteRule src/Frontend/Cache/CompiledTemplates - [F]
```

```
    RewriteRule src/Frontend/Cache/Config - [F]
```

```
    RewriteRule src/Frontend/Cache/Locale/.*\.php - [F]
```

```
    RewriteRule src/Frontend/Cache/Logs - [F]
```

```
    RewriteRule src/Frontend/Cache/Navigation/.*\.php - [F]
```

```
    RewriteRule src/Frontend/Cache/Search - [F]
```

```
    RewriteRule src/Backend/Cache/CompiledTemplates - [F]
```

```
    RewriteRule src/Backend/Cache/Config - [F]
```

```
    RewriteRule src/Backend/Cache/Cronjobs - [F]
```

```
    RewriteRule src/Backend/Cache/Locale/.*\.php - [F]
```

```
    RewriteRule src/Backend/Cache/Logs - [F]
```

```
    RewriteRule src/Backend/Cache/Navigation - [F]
```

```
    # one url to rule them all
```

```
    # RewriteCond %{HTTP_HOST} !^www\.<domain>\.be [NC]
```

```
    # RewriteCond %{HTTP_HOST} !.*\.dev [NC]
```

```
    # RewriteRule ^(.*)$ http://www.<domain>/$1 [R=301,L]
```

```

# RewriteRule ^(.*)$ http://www.<domain>.de/$1 [R=301,L]

# src dir should pass via the front controller
RewriteCond %{REQUEST_URI} ^/(src|src\/$)
RewriteRule . /index.php [NC,L]

# handle urls
RewriteCond %{REQUEST_URI} !^$
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . index.php [NC,L]

# set environment variable to let PHP know that urls are being rewritten
RewriteRule .* - [E=MOD_REWRITE:1]
</IfModule>

# file caching in browser
<IfModule mod_expires.c>
    ExpiresActive On
    <FilesMatch "\.(ico|gif|jpe?g|png|svg|svgz|js|css|swf|tfl|otfl|woff|eot)$">
        ExpiresDefault "access plus 1 month"
    </FilesMatch>
</IfModule>

# gzip on Apache 2
<IfModule mod_deflate.c>
    AddOutputFilterByType DEFLATE text/html text/plain text/xml application/xml
    text/javascript text/css application/x-javascript application/xhtml+xml
    application/javascript application/json image/svg+xml

    # these browsers do not support deflate
    BrowserMatch ^Mozilla/4 gzip-only-text/html
    BrowserMatch ^Mozilla/4.[0678] no-gzip
    BrowserMatch bMSIE !no-gzip !gzip-only-text/html

    SetEnvIf User-Agent ".*MSIE.*" nokeepalive ssl-unclean-shutdown downgrade-1.0 force
</IfModule>

# gzip on Apache 1
<IfModule mod_gzip.c>
    mod_gzip_on Yes

```

```
mod_gzip_item_include mime ^application/javascript$
mod_gzip_item_include mime ^application/x-javascript$
mod_gzip_item_include mime ^application/json$
mod_gzip_item_include mime ^application/xhtml+xml$
mod_gzip_item_include mime ^application/xml$
mod_gzip_item_include mime ^text/css$
mod_gzip_item_include mime ^text/html$
mod_gzip_item_include mime ^text/javascript$
mod_gzip_item_include mime ^text/plain$
mod_gzip_item_include mime ^text/xml$
mod_gzip_item_exclude mime ^image/
```

```
# browser issues
```

```
mod_gzip_item_exclude reqheader "User-agent: Mozilla/4.0[678]"
```

```
</IfModule>
```