

```

#
# GetSimple CMS htaccess ALLOW file
#

# prevent breaking plugin htaccess, prefer compat, since require is not overridable by
order

# apache < 2.3
<IfModule !mod_authz_core.c>
    Allow from all
</IfModule>

# apache > 2.3 with mod_access_compat
<IfModule mod_access_compat.c>
    Allow from all
</IfModule>

# apache > 2.3 without mod_access_compat
<IfModule mod_authz_core.c>

    <IfModule !mod_access_compat.c>
        Require all granted
    </IfModule>

</IfModule>

# Deny access to all script files
# <FilesMatch "(?i)\.((php[0-9]?|ph[0-
9]?|phtml|phtm|pl|py|jspl|aspl|html|shtml|sh|cgi|)$">
# 500 error apache 1.3, case insensitive, so we have ot use this nonsense
<FilesMatch "\.(([pP][hH][pP][0-9]?|([pP][hH][0-9]?|([pP][hH][tT][mM]|([pP][hH][tT][mM]
[1L]|([pP][1L]|([pP][yY]|([jJ][sS][pP]|([aA][sS][pP]|([hH][tT][mM]|([sS][hH][tT][mM][1L]|([sS]
[hH][cC][gG][iI]))$">
    ForceType text/plain
    Deny from all
    Require all denied
</FilesMatch>

# Disable php execution
SetHandler GS_DISABLED_SECURITY
</FilesMatch>

```

```
<IfModule mod_php5.c>  
    php_flag engine off  
</IfModule>
```