

```

<IfModule mod_rewrite.c>
    RewriteEngine On
    RewriteCond %{REQUEST_FILENAME} !-f
    RewriteRule ^(.*)$ web/$1 [QSA,L]
</IfModule>

##### Sécurité #####

# Protection des fichier .htaccess
<files .htaccess>
order allow,deny
deny from all
</files>

# MOD_DEFLATE COMPRESSION
SetOutputFilter DEFLATE
AddOutputFilterByType DEFLATE text/html text/css text/plain text/xml application/x-
javascript application/x-httpd-php
#Pour les navigateurs incompatibles
BrowserMatch ^Mozilla/4 gzip-only-text/html
BrowserMatch ^Mozilla/4\.0[678] no-gzip
BrowserMatch \bMSIE !no-gzip !gzip-only-text/html
BrowserMatch \bMSIE[E] !no-gzip !gzip-only-text/html
#ne pas compresser si ces fichiers le sont déjà
SetEnvIfNoCase Request_URI \.(?:gif|jpe?g|png)$ no-gzip dont-vary
SetEnvIfNoCase Request_URI \.(?:exe|t?gz|zip|bz2|sit|rar)$ no-gzip dont-vary
SetEnvIfNoCase Request_URI \.(?:pdf|avi|mov|mp3|mp4|rm)$ no-gzip dont-vary
#les proxies doivent donner le bon contenu
Header append Vary User-Agent env=!dont-vary

# BEGIN Expire headers
<IfModule mod_expires.c>
ExpiresActive On
ExpiresDefault "access plus 7200 seconds"
ExpiresByType image/jpg "access plus 2592000 seconds"
ExpiresByType image/jpeg "access plus 2592000 seconds"
ExpiresByType image/png "access plus 2592000 seconds"
ExpiresByType image/gif "access plus 2592000 seconds"
AddType image/x-icon .ico
ExpiresByType image/ico "access plus 2592000 seconds"
ExpiresByType image/flash "access plus 2592000 seconds"

```

```
ExpiresByType image/icon access plus 2592000 seconds
ExpiresByType image/x-icon "access plus 2592000 seconds"
ExpiresByType text/css "access plus 2592000 seconds"
ExpiresByType text/javascript "access plus 2592000 seconds"
ExpiresByType text/html "access plus 7200 seconds"
ExpiresByType application/xhtml+xml "access plus 7200 seconds"
ExpiresByType application/javascript A2592000
ExpiresByType application/x-javascript "access plus 2592000 seconds"
ExpiresByType application/x-shockwave-flash "access plus 2592000 seconds"
```

```
</IfModule>
```

```
# END Expire headers
```

```
# BEGIN Cache-Control Headers
```

```
<IfModule mod_headers.c>
```

```
<FilesMatch "\\.(ico|jpe?g|png|gif|swf|gz|ttf)$">
```

```
Header set Cache-Control "max-age=2592000, public"
```

```
</FilesMatch>
```

```
<FilesMatch "\\.(css)$">
```

```
Header set Cache-Control "max-age=2592000, public"
```

```
</FilesMatch>
```

```
<FilesMatch "\\.(js)$">
```

```
Header set Cache-Control "max-age=2592000, private"
```

```
</FilesMatch>
```

```
<filesMatch "\\.(html|htm)$">
```

```
Header set Cache-Control "max-age=7200, public"
```

```
</filesMatch>
```

```
# Disable caching for scripts and other dynamic files
```

```
<FilesMatch "\\.(pl|php|cgi|spl|scgi|fcgi)$">
```

```
Header unset Cache-Control
```

```
</FilesMatch>
```

```
</IfModule>
```

```
# END Cache-Control Headers
```

```
# KILL THEM ETAGS
```

```
Header unset ETag
```

```
FileETag none
```