

```

<IfModule mod_deflate.c>
  <IfModule mod_setenvif.c>
    <IfModule mod_headers.c>
      Header unset Pragma
      FileETag None
      Header unset ETag
      SetEnvIfNoCase ^(\Accept-Encoding|X-cept-Encoding|X(15)|^(15)|-(15))$
^((gzip|deflate)\s*,?\s*)+([X"-]{4,13})$ HAVE_Accept-Encoding
      RequestHeader append Accept-Encoding "gzip,deflate" env=HAVE_Accept-Encoding
    </IfModule>
  </IfModule>

# HTML, TXT, CSS, JavaScript, JSON, XML, HTC:
<IfModule filter_module.c>
  FilterDeclare    COMPRESS
  FilterProvider   COMPRESS DEFLATE resp=Content-Type $text/html
  FilterProvider   COMPRESS DEFLATE resp=Content-Type $text/css
  FilterProvider   COMPRESS DEFLATE resp=Content-Type $text/plain
  FilterProvider   COMPRESS DEFLATE resp=Content-Type $text/xml
  FilterProvider   COMPRESS DEFLATE resp=Content-Type $text/x-component
  FilterProvider   COMPRESS DEFLATE resp=Content-Type $application/javascript
  FilterProvider   COMPRESS DEFLATE resp=Content-Type $application/json
  FilterProvider   COMPRESS DEFLATE resp=Content-Type $application/xml
  FilterProvider   COMPRESS DEFLATE resp=Content-Type $application/xhtml+xml
  FilterProvider   COMPRESS DEFLATE resp=Content-Type $application/rss+xml
  FilterProvider   COMPRESS DEFLATE resp=Content-Type $application/atom+xml
  FilterProvider   COMPRESS DEFLATE resp=Content-Type $application/vnd.ms-fontobject
  FilterProvider   COMPRESS DEFLATE resp=Content-Type $image/svg+xml
  FilterProvider   COMPRESS DEFLATE resp=Content-Type $application/x-font-ttf
  FilterProvider   COMPRESS DEFLATE resp=Content-Type $font/opentype
  FilterChain      COMPRESS
  FilterProtocol   COMPRESS DEFLATE change=yes;byteranges=no
</IfModule>

<IfModule mod_filter.c>
  # Legacy versions of Apache
  AddOutputFilterByType DEFLATE text/html text/plain text/css application/json
  AddOutputFilterByType DEFLATE application/javascript
  AddOutputFilterByType DEFLATE text/xml application/xml text/x-component
  AddOutputFilterByType DEFLATE application/xhtml+xml application/rss+xml

```

```
application/atom+xml
    AddOutputFilterByType DEFLATE image/svg+xml application/vnd.ms-fontobject application/x-
font-ttf font/opentype
    </IfModule>

</IfModule>

<ifModule mod_headers.c>
    # Turn on Expires and set default expires to 7 days
    ExpiresActive On
    ExpiresDefault A604800

    # Set up caching on media files and fonts for 1 month
    <filesMatch ".(ico|gif|jpg|jpeg|png|swf|mp3|mp4|ttf|woff)$">
        ExpiresDefault A2419200
        Header append Cache-Control "public"
    </filesMatch>

    # Set up 1 week caching on commonly updated files
    <filesMatch ".(html|js|css)$">
        #ExpiresDefault A2678400
        ExpiresDefault A0
        #Header append Cache-Control "private, must-revalidate"
        Header append Cache-Control "no-store, no-cache, must-revalidate, max-age=0"
    </filesMatch>

    # Force no caching for dynamic files
    <filesMatch ".(php|cgi)$">
        ExpiresDefault A0
        Header set Cache-Control "no-store, no-cache, must-revalidate, max-age=0"
        Header set Pragma "no-cache"
    </filesMatch>
</ifModule>

#Options +FollowSymlinks
#Options +SymLinksIfOwnerMatch
<IfModule mod_rewrite.c>
    RewriteEngine On

    RewriteCond %{REQUEST_FILENAME} -f
    RewriteRule
```

```
^(\apine/| controllers/| modules/| views/| config\, ini| config_sample\, ini| \, xml| composer\, *| VERSI
```

```
- [F, L, NC]
```

```
# APIne Rules
```

```
RewriteCond %(REQUEST_FILENAME) !-f
```

```
RewriteCond %(REQUEST_FILENAME) !-d
```

```
RewriteRule ^api/(.+)?$ /?request=/$1&api=api [QSA, L]
```

```
RewriteCond %(REQUEST_FILENAME) !-f
```

```
RewriteCond %(REQUEST_FILENAME) !-d
```

```
RewriteRule ^([a-zA-Z]{2})(-[a-zA-Z]{2})?(/.(+)?)?$ /?request=$3&l language=$1 [QSA, L]
```

```
RewriteCond %(REQUEST_FILENAME) !-f
```

```
RewriteCond %(REQUEST_FILENAME) !-d
```

```
RewriteRule ^(.*)$ /?request=/$1 [QSA, L]
```

```
</IfModule>
```