

```
RewriteEngine On

# Cascade of routes to handle specific cases

# If the path typed in corresponds to an actual, existing file... Don't rewrite anything.
RewriteCond %{REQUEST_FILENAME} -f
RewriteRule ^(.*)$ $1 [QSA,L]

#RewriteRule ^([^\?]+)([^\?]+)\?$/index.php?pp_controller=$1&pp_action=$2 [QSA,L]
RewriteRule ^(.*)/?$ /index.php?pp_path=$1 [QSA,L]

# RewriteRule ^ *$ index.php?pp_controller=home&pp_action=view [QSA,L]

# If what was typed in is not a real file, try to match it to our "routes."
# RewriteRule ^item/([^\?]+)([^\?]+)\?$/item/$2/index.php?item=$1 [QSA,L]
# RewriteRule ^user/([^\?]+)([^\?]+)\?$/user/$2/index.php?username=$1 [QSA,L]

php_value session.save_handler "user"
php_value session.name "npxsess"
php_value session.auto_start "false"
php_value session.gc_maxlifetime "86400"
php_value session.use_cookies "true"
php_value session.use_only_cookies "true"
php_value session.cookie_lifetime "86400"
php_value session.hash_function "sha512"
php_value session.hash_bits_per_character "4"
```