

```

# BEGIN GZIP
<ifmodule mod_deflate.c>
AddOutputFilterByType DEFLATE text/text text/html text/plain text/xml text/css
application/x-javascript application/javascript
</ifmodule>
# END GZIP

# -----
# | Custom error messages / pages |
# -----

# You can customize what Apache returns to the client in case of an error (see
# http://httpd.apache.org/docs/current/mod/core.html#errordocument), e.g.:

ErrorDocument 404 /404.php

# Block access to hidden files and directories.
# This includes directories used by version control systems such as Git and SVN.

<IfModule mod_rewrite.c>
    RewriteCond %{SCRIPT_FILENAME} -d [OR]
    RewriteCond %{SCRIPT_FILENAME} -f
    RewriteRule "(^|/)\." - [F]
</IfModule>

# #####
# # WEB PERFORMANCE #
# #####

# -----
# | Compression |
# -----

<IfModule mod_deflate.c>

    # Force compression for mangled headers.
    # http://developer.yahoo.com/blogs/ymdn/posts/2010/12/pushing-beyond-gzipping
    <IfModule mod_setenvif.c>
        <IfModule mod_headers.c>
            SetEnvIfNoCase ^(\Accept-EncodXngl X-cept-Encodingl X(15)|^(15)|-(15))$

```

```

(\(gzip|deflate)\s*,(\s*)+|X-Header-Field-Value: deflate, gzip) HAVE_Accept-Encoding
    RequestHeader append Accept-Encoding "gzip,deflate" env=HAVE_Accept-Encoding
</IfModule>
</IfModule>

# Compress all output labeled with one of the following MIME-types
# (for Apache versions below 2.3.7, you don't need to enable `mod_filter`
# and can remove the `<IfModule mod_filter.c>` and `</IfModule>` lines
# as `AddOutputFilterByType` is still in the core directives).
<IfModule mod_filter.c>
    AddOutputFilterByType DEFLATE application/atom+xml \
        application/javascript \
        application/json \
        application/rss+xml \
        application/vnd.ms-fontobject \
        application/x-font-ttf \
        application/x-web-app-manifest+json \
        application/xhtml+xml \
        application/xml \
        font/opentype \
        image/svg+xml \
        image/x-icon \
        text/css \
        text/html \
        text/plain \
        text/x-component \
        text/xml

</IfModule>

</IfModule>

#####
# # Rewrite Rules #
#####

Options +FollowSymLinks
RewriteEngine On

RewriteCond %{SCRIPT_FILENAME} !-d
RewriteCond %{SCRIPT_FILENAME} !-f

```

RewriteRule ^store\$./store.php

RewriteRule ^store/\$./store.php

RewriteRule ^store/categories\$./categories.php

RewriteRule ^store/categories/\$./categories.php

RewriteRule ^store/category/thanksgiving-decorations\$./category.php?id=6515126

RewriteRule ^store/category/thanksgiving-decorations/\$./category.php?id=6515126

RewriteRule ^store/category/halloween-decorations\$./category.php?id=6634210

RewriteRule ^store/category/halloween-decorations/\$./category.php?id=6634210

RewriteRule ^store/category/floral-decor\$./category.php?id=6515165

RewriteRule ^store/category/floral-decor/\$./category.php?id=6515165

RewriteRule ^store/category/general-deals\$./category.php?id=6515127

RewriteRule ^store/category/general-deals/\$./category.php?id=6515127

RewriteRule ^store/category/christmas-decorations\$./category.php?id=6515114

RewriteRule ^store/category/christmas-decorations/\$./category.php?id=6515114

RewriteRule ^about\$./about.php

RewriteRule ^about/\$./about.php

RewriteRule ^contact\$./contact.php

RewriteRule ^contact/\$./contact.php

RewriteRule ^contactthanks\$./contactthanks.php

RewriteRule ^contactthanks/\$./contactthanks.php