

```
Options +FollowSymLinks
```

```
RewriteEngine On
```

```
RewriteCond %{SCRIPT_FILENAME} !-d
```

```
RewriteCond %{SCRIPT_FILENAME} !-f
```

```
RewriteRule ^$ ./dist/index.html [L]
```

```
RewriteRule ^/?$ ./dist/index.html [L]
```

```
RewriteRule ^about$ ./dist/about.html [L]
```

```
RewriteRule ^about/$ ./dist/about.html [L]
```

```
RewriteRule ^about.html$ ./dist/about.html [L]
```

```
RewriteRule ^contact$ ./dist/contact.html [L]
```

```
RewriteRule ^contact/$ ./dist/contact.html [L]
```

```
RewriteRule ^contact.html$ ./dist/contact.html [L]
```

```
RewriteRule ^interior$ ./dist/interior.html [L]
```

```
RewriteRule ^interior/$ ./dist/interior.html [L]
```

```
RewriteRule ^interior.html$ ./dist/interior.html [L]
```

```
RewriteRule ^exterior$ ./dist/exterior.html [L]
```

```
RewriteRule ^exterior/$ ./dist/exterior.html [L]
```

```
RewriteRule ^exterior.html$ ./dist/exterior.html [L]
```

```
RewriteRule ^sitemap$ ./dist/sitemap.xml [L]
```

```
RewriteRule ^sitemap/$ ./dist/sitemap.xml [L]
```

```
RewriteRule ^styleguide$ ./dist/styleguide.html [L]
```

```
RewriteRule ^styleguide/$ ./dist/styleguide.html [L]
```

```
RewriteRule ^styleguide.html$ ./dist/styleguide.html [L]
```

```
RewriteRule ^404$ ./dist/404.html [L]
```

```
RewriteRule ^404/$ ./dist/404.html [L]
```

```
RewriteRule ^404.html$ ./dist/404.html [L]
```

```
# BEGIN GZIP
```

```
<ifmodule mod_deflate.c>
```

```
AddOutputFilterByType DEFLATE text/text text/html text/plain text/xml text/css
```

```
application/x-javascript application/javascript
```

```
</ifmodule>
```

```

</ITModule>
# END GZIP

# Browser Caching
ExpiresActive On
ExpiresByType image/gif A2592000
ExpiresByType image/jpeg A2592000
ExpiresByType image/jpg A2592000
ExpiresByType image/png A2592000
ExpiresByType image/x-icon A2592000
ExpiresByType text/css A86400
ExpiresByType text/javascript A86400
ExpiresByType application/x-shockwave-flash A2592000
#
<FilesMatch "\.(gif|jpe?g|png|ico|css|js|swf)$">
Header set Cache-Control "public"
</FilesMatch>
# END Browser Caching

# #####
# # ERRORS #
# #####

# -----
# | 404 error prevention for non-existing redirected folders |
# -----

# Prevent Apache from returning a 404 error for a rewrite if a directory
# with the same name does not exist.
# http://httpd.apache.org/docs/current/content-negotiation.html#multiviews
# http://www.webmasterworld.com/apache/3808792.htm

Options -MultiViews

# -----
# | Custom error messages / pages |
# -----

# You can customize what Apache returns to the client in case of an error (see
# http://httpd.apache.org/docs/current/mod/core.html#errordocument), e.g.:

```

```
# #####  
# # INTERNET EXPLORER #  
# #####
```

```
# -----  
# | Better website experience |  
# -----
```

```
# Force IE to render pages in the highest available mode in the various  
# cases when it may not: http://hsivonen.iki.fi/doctype/ie-mode.pdf.
```

```
<IfModule mod_headers.c>  
  Header set X-UA-Compatible "IE=edge"  
  # `mod_headers` can't match based on the content-type, however, we only  
  # want to send this header for HTML pages and not for the other resources  
  <FilesMatch "\.(appcache|crx|css|eot|gif|html|ico|jpe?  
gl|js|m4a|m4v|manifest|mp4|oex|ogal|oggl|ogv|otf|pdf|png|safariextz|svgz?  
|ttf|vcf|webapp|webm|webpl|woff|xml|xpi)$">  
    Header unset X-UA-Compatible  
  </FilesMatch>  
</IfModule>
```