

```
# BEGIN W3TC CDN
<FilesMatch "\.(ttfl|ttcl|otfl|eotl|woff|font. css)$">
<IfModule mod_headers.c>
    Header set Access-Control-Allow-Origin "*"
</IfModule>
</FilesMatch>
# END W3TC CDN
# BEGIN W3TC Browser Cache
<IfModule mod_mime.c>
    AddType text/css .css
    AddType text/x-component .htc
    AddType application/x-javascript .js
    AddType application/javascript .js2
    AddType text/javascript .js3
    AddType text/x-js .js4
    AddType text/html .html .htm
    AddType text/richtext .rtf .rtx
    AddType image/svg+xml .svg .svgz
    AddType text/plain .txt
    AddType text/xsd .xsd
    AddType text/xsl .xsl
    AddType text/xml .xml
    AddType video/asf .asf .asx .wax .wmv .wmx
    AddType video/avi .avi
    AddType image/bmp .bmp
    AddType application/java .class
    AddType video/divx .divx
    AddType application/msword .doc .docx
    AddType application/vnd.ms-fontobject .eot
    AddType application/x-msdownload .exe
    AddType image/gif .gif
    AddType application/x-gzip .gz .gzip
    AddType image/x-icon .ico
    AddType image/jpeg .jpg .jpeg .jpe
    AddType application/json .json
    AddType application/vnd.ms-access .mdb
    AddType audio/midi .mid .midi
    AddType video/quicktime .mov .qt
    AddType audio/mpeg .mp3 .m4a
    AddType video/mp4 .mp4 .m4v
    AddType application/x-shockwave-flash .swf
```

```
MediaType video/mpeg .mpeg .mpg .mpe
AddType application/vnd.ms-project .mpp
AddType application/x-font-otf .otf
AddType application/vnd.ms-opentype .otf
AddType application/vnd.oasis.opendocument.database .odb
AddType application/vnd.oasis.opendocument.chart .odc
AddType application/vnd.oasis.opendocument.formula .odf
AddType application/vnd.oasis.opendocument.graphics .odg
AddType application/vnd.oasis.opendocument.presentation .odp
AddType application/vnd.oasis.opendocument.spreadsheet .ods
AddType application/vnd.oasis.opendocument.text .odt
AddType audio/ogg .ogg
AddType application/pdf .pdf
AddType image/png .png
AddType application/vnd.ms-powerpoint .pot .pps .ppt .pptx
AddType audio/x-realaudio .ra .ram
AddType application/x-shockwave-flash .swf
AddType application/x-tar .tar
AddType image/tiff .tif .tiff
AddType application/x-font-ttf .ttf .ttc
AddType application/vnd.ms-opentype .ttf .ttc
AddType audio/wav .wav
AddType audio/wma .wma
AddType application/vnd.ms-write .wri
AddType application/font-woff .woff
AddType application/vnd.ms-excel .xla .xls .xlsx .xlt .xlw
AddType application/zip .zip
```

```
</IfModule>
```

```
<IfModule mod_expires.c>
```

```
ExpiresActive On
ExpiresByType text/css A31536000
ExpiresByType text/x-component A31536000
ExpiresByType application/x-javascript A31536000
ExpiresByType application/javascript A31536000
ExpiresByType text/javascript A31536000
ExpiresByType text/x-js A31536000
ExpiresByType text/html A3600
ExpiresByType text/richtext A3600
ExpiresByType image/svg+xml A3600
ExpiresByType text/plain A3600
ExpiresByType text/xsd A3600
```

```
-----
```

ExpiresByType text/xsl R3600
ExpiresByType text/xml R3600
ExpiresByType video/asf R31536000
ExpiresByType video/avi R31536000
ExpiresByType image/bmp R31536000
ExpiresByType application/java R31536000
ExpiresByType video/divx R31536000
ExpiresByType application/msword R31536000
ExpiresByType application/vnd.ms-fontobject R31536000
ExpiresByType application/x-msdownload R31536000
ExpiresByType image/gif R31536000
ExpiresByType application/x-gzip R31536000
ExpiresByType image/x-icon R31536000
ExpiresByType image/jpeg R31536000
ExpiresByType application/json R31536000
ExpiresByType application/vnd.ms-access R31536000
ExpiresByType audio/midi R31536000
ExpiresByType video/quicktime R31536000
ExpiresByType audio/mpeg R31536000
ExpiresByType video/mp4 R31536000
ExpiresByType video/mpeg R31536000
ExpiresByType application/vnd.ms-project R31536000
ExpiresByType application/x-font-otf R31536000
ExpiresByType application/vnd.ms-opentype R31536000
ExpiresByType application/vnd.oasis.opendocument.database R31536000
ExpiresByType application/vnd.oasis.opendocument.chart R31536000
ExpiresByType application/vnd.oasis.opendocument.formula R31536000
ExpiresByType application/vnd.oasis.opendocument.graphics R31536000
ExpiresByType application/vnd.oasis.opendocument.presentation R31536000
ExpiresByType application/vnd.oasis.opendocument.spreadsheet R31536000
ExpiresByType application/vnd.oasis.opendocument.text R31536000
ExpiresByType audio/ogg R31536000
ExpiresByType application/pdf R31536000
ExpiresByType image/png R31536000
ExpiresByType application/vnd.ms-powerpoint R31536000
ExpiresByType audio/x-realaudio R31536000
ExpiresByType image/svg+xml R31536000
ExpiresByType application/x-shockwave-flash R31536000
ExpiresByType application/x-tar R31536000
ExpiresByType image/tiff R31536000
ExpiresByType application/x-font-ttf R31536000

```

ExpiresByType application/vnd.ms-opentype A31536000
ExpiresByType audio/wav A31536000
ExpiresByType audio/wma A31536000
ExpiresByType application/vnd.ms-write A31536000
ExpiresByType application/font-woff A31536000
ExpiresByType application/vnd.ms-excel A31536000
ExpiresByType application/zip A31536000
</IfModule>
<IfModule mod_deflate.c>
  <IfModule mod_headers.c>
    Header append Vary User-Agent env=!dont-vary
  </IfModule>
  AddOutputFilterByType DEFLATE text/css text/x-component application/x-javascript ap
<IfModule mod_mime.c>
  # DEFLATE by extension
  AddOutputFilter DEFLATE js css htm html xml
</IfModule>
</IfModule>
<FilesMatch "\.(css|htc|less|js|js2|js3|js4|CSS|HTC|LESS|JS|JS2|JS3|JS4)$">
  FileETag MTime Size
  <IfModule mod_headers.c>
    Header set Pragma "public"
    Header append Cache-Control "public"
    Header set X-Powered-By "W3 Total Cache/0.9.4.1"
  </IfModule>
</FilesMatch>
<FilesMatch "\.(html|html|rtf|rtx|svg|svgz|txt|xsl|xsl|xml|HTML|HTML|RTF|RTX|SVG|SVGZ|TXT|XSL|
  FileETag MTime Size
  <IfModule mod_headers.c>
    Header set Pragma "public"
    Header append Cache-Control "public"
    Header set X-Powered-By "W3 Total Cache/0.9.4.1"
  </IfModule>
</FilesMatch>
<FilesMatch "\.
(asf|asx|wax|wmx|avi|bmp|class|divx|doc|docx|eot|exel|gif|gz|gzip|ico|jpg|jpeg|jpe|json|
  FileETag MTime Size
  <IfModule mod_headers.c>
    Header set Pragma "public"
    Header append Cache-Control "public"
    Header set X-Powered-By "W3 Total Cache/0.9.4.1"

```

```

    </IfModule>
</FilesMatch>
# END W3TC Browser Cache
# BEGIN W3TC Page Cache core
<IfModule mod_rewrite.c>
    RewriteEngine On
    RewriteBase /
    RewriteCond %{HTTP:Accept-Encoding} gzip
    RewriteRule .* - [E=W3TC_ENC:_gzip]
    RewriteCond %{HTTP_COOKIE} w3tc_preview [NC]
    RewriteRule .* - [E=W3TC_PREVIEW:_preview]
    RewriteCond %{REQUEST_METHOD} !=POST
    RewriteCond %{QUERY_STRING} =""
    RewriteCond %{REQUEST_URI} \/$
    RewriteCond %{HTTP_COOKIE} !(comment_author|wp\-postpass|w3tc_logged_out|wordpress_logged_
    RewriteCond "%{ENV:PHP_DOCUMENT_ROOT}/wp-content/cache/page_enhanced/%{HTTP_HOST}/%{REQ
    RewriteRule .* "/wp-content/cache/page_enhanced/%{HTTP_HOST}/%{REQUEST_URI}/_index%{ENV:
</IfModule>
# END W3TC Page Cache core
# BEGIN WordPress
<IfModule mod_rewrite.c>
    RewriteEngine On
    RewriteBase /
    RewriteRule ^index\.php$ - [L]
    RewriteCond %{REQUEST_FILENAME} !-f
    RewriteCond %{REQUEST_FILENAME} !-d
    RewriteRule . /index.php [L]
</IfModule>

# END WordPress

```