

```
# BEGIN WordPress
```

```
<IfModule mod_rewrite.c>  
RewriteEngine On  
RewriteBase /  
RewriteRule ^index\.php$ - [L]  
RewriteCond %{REQUEST_FILENAME} !-f  
RewriteCond %{REQUEST_FILENAME} !-d  
RewriteRule . /index.php [L]  
</IfModule>
```

```
# END WordPress
```

```
<IfModule mod_rewrite.c>  
    RewriteEngine On  
    # Protect wp-includes  
    RewriteRule ^wp-admin/includes/ - [F]  
    RewriteRule !^wp-includes/ - [S=3]  
    RewriteCond %{SCRIPT_FILENAME} !^(. *)wp-includes/ms-files.php  
    RewriteRule ^wp-includes/[^\.]+\.(php|php2|php3|php4|php5|php7|php8|php9|phpn|phpt|php~)$ - [F]  
    RewriteRule ^wp-includes/js/tinymce/langs/.+\.php - [F]  
    RewriteRule ^wp-includes/theme-compat/ - [F]  
    # Disable PHP in Uploads  
    RewriteRule ^wp-content/uploads/.+\. (?:php[1-6]?|pht|phtml)?$ - [NC,F]  
    # Filter Request Methods  
    RewriteCond %{REQUEST_METHOD} ^(TRACE|DELETE|TRACK) [NC]  
    RewriteRule ^.* - [F]  
</IfModule>
```

```
# autoriser la compression gzip SI DEFLATE NE FONCTIONNE PAS
```

```
<ifModule mod_gzip.c>  
mod_gzip_on Yes  
mod_gzip_dechunk Yes  
mod_gzip_item_include file .(html?|txt|css|js|php|pl)$  
mod_gzip_item_include handler ^cgi-script$  
mod_gzip_item_include mime ^text/. *  
mod_gzip_item_include mime ^application/x-javascript.*  
mod_gzip_item_exclude mime ^image/. *  
mod_gzip_item_exclude rspheader ^Content-Encoding:.*gzip.*  
</ifModule>
```

```
# End of config
```

expire headers

```
<IfModule mod_expires.c>
```

```
ExpiresActive On
```

```
ExpiresDefault "access plus 7200 seconds"
```

```
ExpiresByType text/css "access plus 604800 seconds"
```

```
ExpiresByType text/html "access plus 7200 seconds"
```

```
ExpiresByType application/xml "access plus 7200 seconds"
```

```
ExpiresByType text/xml "access plus 7200 seconds"
```

```
ExpiresByType application/json "access plus 7200 seconds"
```

```
ExpiresByType application/xhtml+xml "access plus 7200 seconds"
```

```
ExpiresByType text/javascript "access plus 604800 seconds"
```

```
ExpiresByType application/javascript "access plus 604800 seconds"
```

```
ExpiresByType application/x-javascript "access plus 604800 seconds"
```

```
ExpiresByType application/x-shockwave-flash "access plus 2592000 seconds"
```

```
ExpiresByType application/atom+xml "access plus 1 hour"
```

```
ExpiresByType application/rss+xml "access plus 1 hour"
```

```
ExpiresByType image/jpg "access plus 1 months"
```

```
ExpiresByType image/jpeg "access plus 1 months"
```

```
ExpiresByType image/png "access plus 1 months"
```

```
ExpiresByType image/gif "access plus 1 months"
```

```
AddType image/x-icon .ico
```

```
ExpiresByType image/ico "access plus 1 months"
```

```
ExpiresByType image/icon "access plus 1 months"
```

```
ExpiresByType image/x-icon "access plus 1 months"
```

```
ExpiresByType application/x-font-ttf "access plus 1 month"
```

```
ExpiresByType font/opentype "access plus 1 month"
```

```
ExpiresByType application/x-font-woff "access plus 1 month"
```

```
ExpiresByType image/svg+xml "access plus 1 month"
```

```
ExpiresByType application/font-woff2 "access plus 1 month"
```

```
ExpiresByType application/font-woff "access plus 1 month"
```

```
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"
```

```
</IfModule>
```

Cache-Control Headers

```
<IfModule mod_headers.c>
```

```
Header ETag "no-cache"
```

```
BrowserMatch MSIE is-msie
Header set X-UA-Compatible IE=edge env=is-msie
Header unset ETag
Header set vary "Accept-Encoding"
Header append vary "User-Agent"
Header append Cache-Control "public"
Header append Connection "Keep-Alive"
Header append Keep-Alive "timeout=5, max=100"
<FilesMatch "\.(ico|jpe?g|png|gif|swf|gz|ttf|svg|eot|woff|pdf|mp4|mpeg|avi|svg|woff2)$">
Header set Cache-Control "max-age=31536000"
</FilesMatch>
<filesmatch "\.(css|js)$">
Header set Cache-Control "max-age=604800, public"
</filesmatch>
<filesmatch "\.(html|htm)$">
Header set Cache-Control "max-age=7200, must-revalidate"
</filesmatch>
<filesmatch "\.(pl|php|cgi|spl|scgi|fcgi)$">
Header unset Cache-Control
</filesmatch>
# disallow site to be in iframe or clickjacking attack
Header always set X-FRAME-OPTIONS SAMEORIGIN
</IfModule>

# KILL ETAGS
FileETag none

<files .htaccess>
  <IfModule mod_authz_core.c>
    Require all denied
  </IfModule>
  <IfModule !mod_authz_core.c>
    Order allow,deny
    Deny from all
  </IfModule>
</files>
<files readme.html>
  <IfModule mod_authz_core.c>
    Require all denied
  </IfModule>
  <IfModule !mod_authz_core.c>
```

```
    Order allow,deny
    Deny from all
</IfModule>
</files>
<files readme.txt>
    <IfModule mod_authz_core.c>
        Require all denied
    </IfModule>
    <IfModule !mod_authz_core.c>
        Order allow,deny
        Deny from all
    </IfModule>
</files>
<files install.php>
    <IfModule mod_authz_core.c>
        Require all denied
    </IfModule>
    <IfModule !mod_authz_core.c>
        Order allow,deny
        Deny from all
    </IfModule>
</files>
<files wp-config.php>
    <IfModule mod_authz_core.c>
        Require all denied
    </IfModule>
    <IfModule !mod_authz_core.c>
        Order allow,deny
        Deny from all
    </IfModule>
</files>
```

[Options -Indexes](#)