

Remember to enable display_errors on development environments only.

```
<IfModule mod_php5.c>
    php_value display_errors 0
    php_flag register_globals off
</IfModule>
```

RewriteEngine on

*# If you know that mod_rewrite is enabled, but you are still getting mod_rewrite errors,
uncomment the line below and replace "/" with your base directory.
RewriteBase /*

```
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^admin/ - [C]
RewriteRule .* admin/index.php [L]
```

```
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule .* index.php
```

```
<FilesMatch "\.(phpl?ini)$">
    Order Allow,Deny
    Deny from all
</FilesMatch>
```

```
<Files index.php>
Allow from all
</Files>
```

*# Uncomment the lines below in order to enable caching of some files via Apache (after a
finished site has gone live)*

```
<IfModule mod_expires.c>
    <FilesMatch "\.(js|ico|gif|jpg|png|css|xml)$">
        ExpiresActive on
        ExpiresDefault "access plus 2 hours"
    </FilesMatch>
</IfModule>
```

```
<ifModule mod_deflate.c>
SetOutputFilter DEFLATE
    <FilesMatch "\.(js|ico|css|html|htm|php|xml|swf)$">
        SetOutputFilter DEFLATE
    </FilesMatch>
```

```
</filesMatch>
</ifModule>

<ifModule mod_gzip.c>
  mod_gzip_on Yes
  mod_gzip_dechunk Yes
  mod_gzip_item_include file \.(html?|txt|css|js|php|pl|swf|xml)$
  mod_gzip_item_include handler ^cgi-script$
  mod_gzip_item_include mime ^text/*
  mod_gzip_item_include mime ^application/x-javascript.*
  mod_gzip_item_exclude mime ^image/*
  mod_gzip_item_exclude rspheader ^Content-Encoding:.*gzip.*
</ifModule>
```