

```

#
# @copyright Copyright 2003-2015 Zen Cart Development Team
# @license http://www.zen-cart.com/license/2_0.txt GNU Public License V2.0
# @version $Id: .htaccess 18695 2011-05-04 05:24:19Z drbyte Modified in v1.5.0 $
#
# This is used with Apache WebServers
#
# The following blocks direct HTTP requests to all filetypes in this directory
recursively, except certain approved exceptions
# It also prevents the ability of any scripts to run. No type of script, be it PHP, PERL
or whatever, can normally be executed if ExecCGI is disabled.
# Will also prevent people from seeing what is in the dir. and any sub-directories
#
# For this to work, you must include either 'All' or at least: 'Limit' and 'Indexes'
parameters to the AllowOverride configuration in your apache/conf/httpd.conf file.
# Additionally, if you want the added protection offered by the OPTIONS directive below,
you'll need to add 'Options' to the AllowOverride list, if 'All' is not specified.
# Example:
#<Directory "/usr/local/apache/htdocs">
# AllowOverride Limit Options Indexes
#</Directory>
#####

# deny *everything*
<FilesMatch ".*">
  <IfModule mod_authz_core.c>
    Require all denied
  </IfModule>
  <IfModule !mod_authz_core.c>
    Order Allow,Deny
    Deny from all
  </IfModule>
</FilesMatch>

# but now allow just *certain* necessary files:
<FilesMatch "(?i).*\.(js|css|html?|ico|jpe?
gl|gif|webp|png|swf|flv|xml|xsl|otf|ttf|woff|eot|svg|map)$">
  <IfModule mod_authz_core.c>
    Require all granted
  </IfModule>
</FilesMatch>

```

```
<IfModule :mod_authz_core.c>
    Order Allow,Deny
    Allow from all
</IfModule>
</FilesMatch>
```

```
IndexIgnore /*
```

```
<limit POST PUT>
    <IfModule mod_authz_core.c>
        Require all denied
    </IfModule>
    <IfModule !mod_authz_core.c>
        Order Allow,Deny
        Deny from all
    </IfModule>
</limit>
```

NOTE: If you want even greater security to prevent hackers from running scripts in this folder, uncomment the following line (if your hosting company will allow you to use OPTIONS):

```
# OPTIONS -Indexes -ExecCGI
```

```
#####
```

```
## Optional caching improvements
```

```
## Requires mod_header and mod_deflate to be enabled within Apache
```

```
#####
```

```
<IfModule mod_headers.c>
    Header unset Pragma
    FileETag None
    Header unset ETag
    #Header set Cache-Control "no-transform"
    <FilesMatch "(?i).*\.(ico|jpe?g|gif|webp|png|otf|swf|flv|ttf|woff|eot|svg)$">
        Header set Cache-control "max-age=864000, public, must-revalidate"
        Header unset Last-Modified
    </FilesMatch>
    <FilesMatch "(?i).*\.(html|html|xml|txt|xsl)$">
        Header set Cache-control "max-age=7200, must-revalidate"
    </FilesMatch>
</IfModule>
<IfModule mod_deflate.c>
    #AddOutputFilterByType DEFLATE text/css
```

```
<FilesMatch "(?i)\.(js|css)$">
  SetOutputFilter DEFLATE
</FilesMatch>
</IfModule>

#####
## Optional improvements
## Requires mod_expires to be enabled within Apache
#####
<ifmodule mod_expires.c>
  ExpiresActive On
  ExpiresDefault A300
  ExpiresByType application/x-javascript A3600
  ExpiresByType text/css A3600
  ExpiresByType image/gif A604800
  ExpiresByType video/x-flv A604800
  ExpiresByType application/pdf A604800
  ExpiresByType text/html A300
  ExpiresByType image/x-icon A86400
  ExpiresByType image/jpeg A2592000
  ExpiresByType image/png A2592000
</ifmodule>
```