

```
# Turn on URL rewriting
RewriteEngine on

# Installation directory
RewriteBase /playground/server/

# Protect hidden files from being viewed
<Files .*>
    Order Deny, Allow
    Deny From All
</Files>

# Protect application and system files from being viewed
RewriteRule ^(?: config engine)\b.* index.php/$0 [L]

# Allow any files or directories under static folder to be displayed directly
RewriteCond %{DOCUMENT_ROOT}/static/$1 -f
RewriteRule ^(.*)$ static/$1 [PT,L,QSA]

# Rewrite all other URLs to index.php/URL
RewriteCond %{THE_REQUEST} \s/public/ [NC,OR]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^ index.php?$0 [PT,L,QSA]

<IfModule mod_php5.c>
    php_value opcache.enable 0
</IfModule>

<IfModule mod_mime.c>
    AddType text/css .css
    AddType application/x-javascript .js
    AddType text/x-component .htc
    AddType text/html .html .htm
    AddType text/richtext .rtf .rtx
    AddType image/svg+xml .svg .svgz
    AddType text/plain .txt
    AddType text/xsd .xsd
    AddType text/xsl .xsl
    AddType text/xml .xml
    AddType video/asf .asf .asx .wax .wmv .wmx
    AddType application/vnd.ms-fontobject .eot
```

```
AddType video/avi .avi
AddType image/bmp .bmp
AddType application/java .class
AddType video/divx .divx
AddType application/msword .doc .docx
AddType application/vnd.ms-fontobject .eot
AddType application/x-msdownload .exe
AddType image/gif .gif
AddType application/x-gzip .gz .gzip
AddType image/x-icon .ico
AddType image/jpeg .jpg .jpeg .jpe
AddType application/vnd.ms-access .mdb
AddType audio/midi .mid .midi
AddType video/quicktime .mov .qt
AddType audio/mpeg .mp3 .m4a
AddType video/mp4 .mp4 .m4v
AddType video/mpeg .mpeg .mpg .mpe
AddType application/vnd.ms-project .mpp
AddType application/x-font-otf .otf
AddType application/vnd.oasis.opendocument.database .odb
AddType application/vnd.oasis.opendocument.chart .odc
AddType application/vnd.oasis.opendocument.formula .odf
AddType application/vnd.oasis.opendocument.graphics .odg
AddType application/vnd.oasis.opendocument.presentation .odp
AddType application/vnd.oasis.opendocument.spreadsheet .ods
AddType application/vnd.oasis.opendocument.text .odt
AddType audio/ogg .ogg
AddType application/pdf .pdf
AddType image/png .png
AddType application/vnd.ms-powerpoint .pot .pps .ppt .pptx
AddType audio/x-realaudio .ra .ram
AddType application/x-shockwave-flash .swf
AddType application/x-tar .tar
AddType image/tiff .tif .tiff
AddType application/x-font-ttf .ttf .ttc
AddType audio/wav .wav
AddType audio/wma .wma
AddType application/vnd.ms-write .wri
AddType application/vnd.ms-excel .xla .xls .xlsx .xlt .xlw
AddType application/zip .zip
```

</IfModule>

```

# Compress response with gzip
<IfModule mod_deflate.c>
    <filesMatch "\.(js|css|json|xml|txt|html|php|woff|woff2|eot|ttf|svg|jpg|jpeg)$">
        SetOutputFilter DEFLATE
    </filesMatch>
    <IfModule mod_setenvif.c>
        <IfModule mod_headers.c>
            SetEnvIfNoCase ^(\Accept-EncodXng|X-cept-Encoding|X(15)|^(15)|-(15))$
            ^((gzip|deflate)\s*,\s*\?|s*)+ [X"-]{4,13}$ HAVE_Accept-Encoding
            RequestHeader append Accept-Encoding "gzip,deflate" env=HAVE_Accept-Encoding
        </IfModule>
    </IfModule>
    <IfModule filter_module="">
        # HTML, TXT, CSS, JavaScript, JSON, XML, HTC:
        FilterDeclare    COMPRESS
        FilterProvider   COMPRESS DEFLATE "%(CONTENT_TYPE) = '$text/html'"
        FilterProvider   COMPRESS DEFLATE "%(CONTENT_TYPE) = '$text/css'"
        FilterProvider   COMPRESS DEFLATE "%(CONTENT_TYPE) = '$text/plain'"
        FilterProvider   COMPRESS DEFLATE "%(CONTENT_TYPE) = '$text/xml'"
        FilterProvider   COMPRESS DEFLATE "%(CONTENT_TYPE) = '$text/x-component'"
        FilterProvider   COMPRESS DEFLATE "%(CONTENT_TYPE) = '$application/javascript'"
        FilterProvider   COMPRESS DEFLATE "%(CONTENT_TYPE) = '$application/json'"
        FilterProvider   COMPRESS DEFLATE "%(CONTENT_TYPE) = '$application/xml'"
        FilterProvider   COMPRESS DEFLATE "%(CONTENT_TYPE) = '$application/xhtml+xml'"
        FilterProvider   COMPRESS DEFLATE "%(CONTENT_TYPE) = '$application/rss+xml'"
        FilterProvider   COMPRESS DEFLATE "%(CONTENT_TYPE) = '$application/atom+xml'"
        FilterProvider   COMPRESS DEFLATE "%(CONTENT_TYPE) = '$application/vnd.ms-
fontobject'"
        FilterProvider   COMPRESS DEFLATE "%(CONTENT_TYPE) = '$image/svg+xml'"
        FilterProvider   COMPRESS DEFLATE "%(CONTENT_TYPE) = '$image/x-icon'"
        FilterProvider   COMPRESS DEFLATE "%(CONTENT_TYPE) = '$application/x-font-ttf'"
        FilterProvider   COMPRESS DEFLATE "%(CONTENT_TYPE) = '$font/opentype'"
        FilterChain      COMPRESS
        FilterProtocol   COMPRESS DEFLATE change=yes;byteranges=no
    </IfModule>
    <IfModule mod_filter.c>
        # Legacy versions of Apache
        AddOutputFilterByType DEFLATE text/html text/plain text/css application/json
        AddOutputFilterByType DEFLATE application/javascript
        AddOutputFilterByType DEFLATE text/xml application/xml text/x-component

```

```
    AddOutputFilterByType DEFLATE application/xhtml+xml application/rss+xml  
application/atom+xml
```

```
    AddOutputFilterByType DEFLATE image/x-icon image/svg+xml application/vnd.ms-  
fontobject application/x-font-ttf font/opentype
```

```
  </IfModule>
```

```
</IfModule>
```