

```

# AddDefaultCharset UTF-8
AddType text/x-component .htc

<IfModule mod_php5.c>
php_flag display_errors Off
php_flag log_errors On
# php_value error_log logs/errors

#Disable override if you require less memory size/process & upload size!
#Default was 5M / 6M / 64M
php_value upload_max_filesize 25M
php_value post_max_size 26M
php_value memory_limit 128M

php_flag register_globals Off
php_flag zlib.output_compression Off
php_flag magic_quotes_gpc Off
php_flag magic_quotes_runtime Off
php_flag zend.zel_compatibility_mode Off
php_flag suhosin.session.encrypt Off

#php_value session.cookie_path /
php_flag session.auto_start Off
php_value session.gc_maxlifetime 21600
php_value session.gc_divisor 500
php_value session.gc_probability 1
</IfModule>

<IfModule mod_rewrite.c>
RewriteEngine On
RewriteRule ^favicon\.ico$ skins/larry/images/favicon.ico

# security rules:
# - deny access to files not containing a dot or starting with a dot
# in all locations except installer directory
RewriteRule ^(?!installer)(\.[^\.]*)$ - [F]
# - deny access to some locations
RewriteRule ^/?
(\.git|\.txt|SQL|bin|config|logs|templ|tests|program\|(include|lib|localization|steps)) -
[F]
# - deny access to some documentation files

```

```
# - deny access to some documentation files
RewriteRule /?(README\.md|composer\.json-dist|composer\.json|package\.xml)$ - [F]
</IfModule>

<IfModule mod_deflate.c>
SetOutputFilter DEFLATE
</IfModule>

<IfModule mod_headers.c>
# replace 'append' with 'merge' for Apache version 2.2.9 and later
#Header append Cache-Control public env=!NO_CACHE
</IfModule>

<IfModule mod_expires.c>
ExpiresActive On
ExpiresDefault "access plus 1 month"
</IfModule>

FileETag MTime Size

<IfModule mod_autoindex.c>
Options -Indexes
</ifModule>
```