
#####

WARNING

#####

*# Only modify this file if you know what you're doing. This file has
the potential to make pages become PERMANENTLY UNREACHABLE. If in
doubt, refer to these links:*

#

RewriteRule - http://httpd.apache.org/docs/current/mod/mod_rewrite.html

RewriteRule flags - <http://httpd.apache.org/docs/current/rewrite/flags.html>

.htaccess tester - <http://htaccess.madewithlove.be/>

#

And remember: three-oh-ONE (301) means you get ONE chance to get it right;

three-oh-TWO (302) means you get TWO chances.

#####

set error pages

`ErrorDocument 404 {(site.baseurl)}/404.html`

turn off automatic directory indices

`Options -Indexes`

turn on redirection

`Options +FollowSymLinks`

`RewriteEngine on`

NOTE:

*# Some of the below redirects are 302s, and some are 301s. 302s are used
for redirects whose targets change sometimes. For example:*

- /docs/ -> /docs/fr/, /docs/en/, etc.

- /docs/en/ -> /docs/en/dev/, /docs/en/latest/, etc.

- /docs/en/latest -> /docs/en/4.0.0/, /docs/en/5.0.0/, etc.

#

*# 301s are for PERMANENT redirects. These are used only for mapping old
pages to new pages.*

#

NOTE:

(\w\w(?:-\w\w)?) - regex for languages

(?:/dev|/latest|/4.0.0|/5.0.0) - regex for versions

```

#      (\? \d+\, (\? \d+\, \d+ \X) | dev | latest - regex for versions
#
# NOTE:
#      Meanings of some of the flags at the ends of rules:
#
#      L - terminal rule; if it applies, no more rules are checked
#      R - redirect (followed by code)
#      NE - no escaping special characters

# 302 (temporary):
#
#      docs/          -> docs/[default language]/latest/
#      docs/*         -> docs/*/latest/
#      docs/*/*       -> docs/*/latest/
#      docs/*/*/*     -> docs/*/latest/
#
RewriteRule ^.*docs/$ {{site.baseurl}}/docs/{{site.language}}/latest/ [R=302,L]
RewriteRule ^.*docs/(\w\w(?:-\w\w)?)$ {{site.baseurl}}/docs/$1/latest/ [R=302,L]
RewriteRule ^.*docs/(\w\w(?:-\w\w)?)/$ {{site.baseurl}}/docs/$1/latest/ [R=302,L]
RewriteRule ^.*docs/(\w\w(?:-\w\w)?)/latest$ {{site.baseurl}}/docs/$1/latest/ [R=302,L]

# 302 (temporary):
#
#      docs/*/*/*/* -> docs/*/*/*/*
#
{% for redirect in site.data.redirects.version-renames %}RewriteRule ^.*docs/(\w\w(?:-\w\w)?)/{{redirect[0]}}/(.*)$ {{site.baseurl}}/docs/$1/{{redirect[1]}}/$2 [R=302,L]
{% endfor %}

# 302 (temporary):
#
#      docs/*/*/*/* -> docs/*/*/*/*
#
{% for redirect in site.data.redirects.language-renames %}RewriteRule
^.*docs/{{redirect[0]}}/((?: \d+\, (\? \d+\, \d+ \X) | dev | latest) /(.*)$
{{site.baseurl}}/docs/{{redirect[1]}}/$1/$2 [R=302,L]
{% endfor %}

# 301 (PERMANENT):
#
#      old docs pages -> new docs pages (global)
..

```

```

#
# NOTE:
#     The first part of the path (i. e. the ". #") is thrown away and replaced
#     by site.baseurl. It is thrown away because there is no RewriteCond to
#     control whether the rewrite happens to a URI or a local file path
#     (when Apache is locating the local file to serve).
(% for redirect in site.data.redirects.docs-global %RewriteRule ^.*docs/(\\w\\w(?:-
\\w\\w)?)/((?: \\d+\\. (?: \\d+\\. \\d+| x))| dev| latest)/((redirect[0]))$
((site.baseurl))/docs/$1/$2/((redirect[1])) [NE,R=301,L]
(% endfor %)

# 301 (PERMANENT):
#
#     old docs pages -> new docs pages (version-specific)
#
(% for redirect in site.data.redirects.docs %RewriteRule ^.*docs/(\\w\\w(?:-
\\w\\w)?)/((redirect[0]))$ ((site.baseurl))/docs/$1/((redirect[1])) [NE,R=301,L]
(% endfor %)

# 301 (PERMANENT):
#
#     old pages -> new pages
#
(% for redirect in site.data.redirects.general %RewriteRule ^.*//((redirect[0]))$
((site.baseurl))/((redirect[1])) [NE,R=301,L]
(% endfor %)

# rewrite only:
#
#     /docs/XX/latest/* -> /docs/XX/Y. Y. Y/*
#
# NOTE:
#     This does NOT return a redirect. It returns the resource as if the
#     redirected URI was requested. That is, both URIs return the same
#     resource, but the browser won't change the URI (no redirects followed).
#
# NOTE:
#     This needs to be after the docs redirects because they might need the
#     "/latest/" to be in the URI in order to activate. Placing this rule
#     before them will rewrite "/latest/" to the latest version and redirects
#     for "/latest/some/path.html" will never activate.

```

```
RewriteRule ^.*docs/(\w\w(?:-\w\w)?)/latest/(.*)$  
((site.baseurl))/docs/$1/((site.latest_docs_version))/ $2 [L]
```