

```
#
DirectoryIndex index.php index.html

#
Options +FollowSymLinks -Indexes

# URL
<IfModule mod_rewrite.c>
    RewriteEngine on

    # gzgz
    RewriteCond %{HTTP:Accept-Encoding} gzip
    RewriteCond %{REQUEST_FILENAME} !.gz$
    RewriteCond %{REQUEST_FILENAME}\.gz -s
    RewriteRule .+ %{REQUEST_URI}.gz

    # javascript
    <FilesMatch "\.js\.gz$" >
        ForceType application/x-javascript
        AddEncoding x-gzip .gz
    </FilesMatch>

    # css
    <FilesMatch "\.css\.gz$" >
        ForceType text/css
        AddEncoding x-gzip .gz
    </FilesMatch>
</IfModule>

#
<IfModule mod_expires.c>
    ExpiresActive On
    ExpiresDefault "access plus 1 seconds"
    ExpiresByType text/html "access plus 1 seconds"
    ExpiresByType text/css "access plus 7 days"
    ExpiresByType text/javascript "access plus 7 days"
    ExpiresByType application/x-javascript "access plus 7 days"
    ExpiresByType image/gif "access plus 30 days"
    ExpiresByType image/jpg "access plus 30 days"
    ExpiresByType image/jpeg "access plus 30 days"
    ExpiresByType image/png "access plus 30 days"
```

```

ExpiresByType image/jpeg access plus 30 days
ExpiresByType image/png "access plus 30 days"
ExpiresByType image/x-png "access plus 30 days"
ExpiresByType image/x-icon "access plus 30 days"
</IfModule>

#
<IfModule mod_deflate.c>
    AddOutputFilterByType DEFLATE text/plain
    AddOutputFilterByType DEFLATE text/html
    AddOutputFilterByType DEFLATE text/xml
    AddOutputFilterByType DEFLATE text/css
    AddOutputFilterByType DEFLATE application/xml
    AddOutputFilterByType DEFLATE application/xhtml+xml
    AddOutputFilterByType DEFLATE application/rss+xml
    AddOutputFilterByType DEFLATE application/javascript
    AddOutputFilterByType DEFLATE application/x-javascript
    AddOutputFilterByType DEFLATE application/x-httpd-php
    AddOutputFilterByType DEFLATE application/x-httpd-fastphp
    AddOutputFilterByType DEFLATE image/svg+xml

    # DEFLATE
    BrowserMatch ^Mozilla/4 gzip-only-text/html
    BrowserMatch ^Mozilla/4\.0[678] no-gzip
    BrowserMatch \bMSIE[E] !no-gzip !gzip-only-text/html

    #
    SetEnvIfNoCase Request_URI "\.(?:gif|jpe?g|png)$" no-gzip dont-vary

    Header append Vary User-Agent env=!dont-vary
</IfModule>

#
<Files .*>
    Order Deny,Allow
    Deny From All
</Files>
<FilesMatch "\./*src">
    Order Deny,Allow
    Deny From All
</FilesMatch>

```

```
<FilesMatch "\/?build">  
    Order Deny,Allow  
    Deny From All  
</FilesMatch>  
<Files "bower.json">  
    Order Deny,Allow  
    Deny From All  
</Files>  
<Files "package.json">  
    Order Deny,Allow  
    Deny From All  
</Files>  
<Files "gulpfile.*">  
    Order Deny,Allow  
    Deny From All  
</Files>  
<Files "LICENSE">  
    Order Deny,Allow  
    Deny From All  
</Files>  
<Files "README.md">  
    Order Deny,Allow  
    Deny From All  
</Files>
```