

```

# -----
# Environment Name
# -----

# Sets the environment that CodeIgniter runs under.
SetEnv CI_ENV development

# -----
# UTF-8 encoding
# -----

# Use UTF-8 encoding for anything served text/plain or text/html
AddDefaultCharset utf-8

# Force UTF-8 for a number of file formats
<IfModule mod_mime.c>
    AddCharset utf-8 .atom .css .js .json .rss .vtt .xml
</IfModule>

# -----
# Rewrite engine
# -----

# Turning on the rewrite engine is necessary for the following rules and features.
# FollowSymLinks must be enabled for this to work.
<IfModule mod_rewrite.c>
    Options +FollowSymLinks
    RewriteEngine On

# If you installed CodeIgniter in a subfolder, you will need to
# change the following line to match the subfolder you need.
# http://httpd.apache.org/docs/current/mod/mod_rewrite.html#rewritebase
RewriteBase /

# Redirect Trailing Slashes...
RewriteRule ^(.*)/$ /$1 [L,R=301]

# Rewrite "www.example.com -> example.com"
RewriteCond %{HTTPS} !=on
RewriteCond %{HTTP_HOST} ^www\.(.+) [NC]
RewriteRule ^(.*)$ /$1 [R=301,L]

```

```

RewriteRule http://%{REQUEST_URI} /R=301, L]

# Checks to see if the user is attempting to access a valid file,
# such as an image or css document, if this isn't true it sends the
# request to the front controller, index.php
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule ^(.*)$ index.php/$1 [L]

# Ensure Authorization header is passed along
RewriteCond %{HTTP:Authorization} .
RewriteRule .* - [E=HTTP_AUTHORIZATION:%{HTTP:Authorization}]
</IfModule>

<IfModule !mod_rewrite.c>
# If we don't have mod_rewrite installed, all 404's
# can be sent to index.php, and everything works as normal.
ErrorDocument 404 index.php
</IfModule>

# -----
# Gzip compression
# -----

<IfModule mod_deflate.c>

# Force deflate for mangled headers developer.yahoo.com/blogs/ymn/posts/2010/12/pushing-
beyond-gzipping/
<IfModule mod_setenvif.c>
<IfModule mod_headers.c>
SetEnvIfNoCase ^(\Accept-EncodXng|X-cept-Encoding|X(15)|^(15)|-(15))$
^((gzip|deflate)\s*,?\s*)+([X"]-){4,13}$ HAVE_Accept-Encoding
RequestHeader append Accept-Encoding "gzip,deflate" env=HAVE_Accept-Encoding
</IfModule>
</IfModule>

# Compress all output labeled with one of the following MIME-types
# (for Apache versions below 2.3.7, you don't need to enable `mod_filter`
# and can remove the `<IfModule mod_filter.c>` and `</IfModule>` lines as
# `AddOutputFilterByType` is still in the core directives)
<IfModule mod_filter.c>
AddOutputFilterByType DEFLATE text/css text/javascript text/xml

```

```
AddOutputFilterByType DEFLATE application/atom+xml \  
    application/javascript \  
    application/json \  
    application/rss+xml \  
    application/vnd.ms-fontobject \  
    application/x-font-ttf \  
    application/xhtml+xml \  
    application/xml \  
    font/opentype \  
    image/svg+xml \  
    image/x-icon \  
    text/css \  
    text/html \  
    text/plain \  
    text/x-component \  
    text/xml
```

```
</IfModule>
```

```
</IfModule>
```