

```

#forces IE to render properly to latest version.
<IfModule mod_setenvif.c>
  <IfModule mod_headers.c>
    BrowserMatch MSIE ie
    Header set X-UA-Compatible "IE=Edge,chrome=1" env=ie
  </IfModule>
</IfModule>

<IfModule mod_headers.c>
  Header append Vary User-Agent
</IfModule>

<FilesMatch "\.(ttf|otf|eot|woff|font. css)$">
  <IfModule mod_headers.c>
    Header set Access-Control-Allow-Origin "*"
  </IfModule>
</FilesMatch>

# video
AddType video/ogg          ogg ogv
AddType video/mp4         mp4
AddType video/webm       webm

# Proper svg serving. Required for svg webfonts on iPad
AddType    image/svg+xml    svg svgz
AddEncoding gzip           svgz

# webfonts
AddType application/vnd.ms-fontobject eot
AddType font/truetype               ttf
AddType font/opentype               otf
AddType font/woff                   woff

# assorted types
AddType image/vnd.microsoft.icon    ico
AddType image/webp                  webp
AddType text/cache-manifest          manifest
AddType text/x-component             htc
AddType application/x-chrome-extension crx

<FilesMatch "\.(ttf|otf|eot|woff|font. css)$">

```

```

<FilesMatch "\.(combined\.|\.js|css)$" >
    Options +Includes
    SetOutputFilter INCLUDES
</FilesMatch>

<IfModule mod_deflate.c>

# force deflate for mangled headers
# developer.yahoo.com/blogs/ymn/posts/2010/12/pushing-beyond-gzipping/
<IfModule mod_setenvif.c>
    <IfModule mod_headers.c>
        SetEnvIfNoCase ^(\Accept-Encoding|X-cept-Encoding|X(15)|^(15)|-(15))$
        ^((gzip|deflate)\s,?\s(gzip|deflate)?|X(4,13)|^(4,13)|-(4,13))$ HAVE_Accept-Encoding
        RequestHeader append Accept-Encoding "gzip,deflate" env=HAVE_Accept-Encoding
    </IfModule>
</IfModule>
# html, txt, css, js, json, xml, htc:
<IfModule filter_module>
    FilterDeclare    COMPRESS
    FilterProvider   COMPRESS DEFLATE resp=Content-Type
/text/(html|css|javascript|plain|x(ml|-component))/
    FilterProvider   COMPRESS DEFLATE resp=Content-Type /application/(javascript|json|xml|x-
javascript)/
    FilterChain      COMPRESS
    FilterProtocol   COMPRESS  change=yes;byteranges=no
</IfModule>

<IfModule !mod_filter.c>
    # Legacy versions of Apache
    AddOutputFilterByType DEFLATE text/html text/plain text/css application/json
    AddOutputFilterByType DEFLATE text/javascript application/javascript application/x-
javascript
    AddOutputFilterByType DEFLATE text/xml application/xml text/x-component
</IfModule>

# webfonts and svg:
<FilesMatch "\.(ttf|otf|eot|svg)$" >
    SetOutputFilter DEFLATE
</FilesMatch>
</IfModule>

```

```

<IfModule mod_expires.c>
  Header set Cache-Control "public"
  ExpiresActive on

# Perhaps better to whitelist expires rules? Perhaps.
ExpiresDefault          "access plus 1 month"

# cache.manifest needs re-requests in FF 3.6 (thx Remy "Introducing HTML5")
ExpiresByType text/cache-manifest "access plus 0 seconds"

# your document html
ExpiresByType text/html "access plus 0 seconds"

# data
ExpiresByType text/xml "access plus 0 seconds"
ExpiresByType application/xml "access plus 0 seconds"
ExpiresByType application/json "access plus 0 seconds"

# rss feed
ExpiresByType application/rss+xml "access plus 1 hour"

# favicon (cannot be renamed)
ExpiresByType image/vnd.microsoft.icon "access plus 1 week"

# media: images, video, audio
ExpiresByType image/gif "access plus 1 month"
ExpiresByType image/png "access plus 1 month"
ExpiresByType image/jpg "access plus 1 month"
ExpiresByType image/jpeg "access plus 1 month"
ExpiresByType video/ogg "access plus 1 month"
ExpiresByType audio/ogg "access plus 1 month"
ExpiresByType video/mp4 "access plus 1 month"
ExpiresByType video/webm "access plus 1 month"

# webfonts
ExpiresByType font/truetype "access plus 1 month"
ExpiresByType font/opentype "access plus 1 month"
ExpiresByType font/woff "access plus 1 month"
ExpiresByType image/svg+xml "access plus 1 month"
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"

```

```
# css and javascript
ExpiresByType text/css          "access plus 1 month"
ExpiresByType application/javascript "access plus 1 month"
ExpiresByType text/javascript   "access plus 1 month"
</IfModule>
```

```
FileETag None
```

```
Options -MultiViews
```

```
# custom 404 page
```

```
ErrorDocument 404 /404.html
```

```
# use utf-8 encoding for anything served text/plain or text/html
```

```
AddDefaultCharset utf-8
```

```
# force utf-8 for a number of file formats
```

```
AddCharset utf-8 .html .css .js .xml .json .rss
```

```
# We don't need to tell everyone we're apache.
```

```
ServerSignature Off
```