

```

<IfModule mod_rewrite.c>
RewriteEngine on

#RewriteBase /shopware/

# Https config for the backend
#RewriteCond %{HTTPS} !=on
#RewriteRule backend/(.*) https://%{HTTP_HOST}%{REQUEST_URI} [L,R=301]

RewriteRule shopware.dll shopware.php
RewriteRule files/documents/. * engine [NC,L]
RewriteRule backend/media/(.*) media/$1 [NC,L]

RewriteCond %{REQUEST_URI} !(\^(engine|files|templates|themes|web)\/)
RewriteCond %{REQUEST_URI} !(\^/media\^(archive|banner|image|music|pdf|unknown|video)\/)
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule ^(.*)$ shopware.php [PT,L,QSA]

# Fix missing authorization-header on fast_cgi installations
RewriteRule .* - [E=HTTP_AUTHORIZATION:%{HTTP:Authorization},L]
</IfModule>

<IfModule mod_alias.c>
    # Block access to VCS directories
    RedirectMatch 404 /\.(svn|git|hg|bzr|cvs)(</I $)

    # Restrict access to root folder files
    RedirectMatch 404 /(composer\.(json|lock)|README\.(md|UPGRADE\.(md))$
</IfModule>

# Staging environment
#SetEnvIf Host "staging.test.shopware.in" SHOPWARE_ENV=staging

# Development environment
#SetEnvIf Host "dev.shopware.in" SHOPWARE_ENV=dev
#SetEnv SHOPWARE_ENV dev

DirectoryIndex index.html
DirectoryIndex index.php

```

[v:directoryindex](#) [shopware.pnp](#)

Disables download of configuration

```
<Files ~ "\.(tpl|yml|ini)$">
```

```
    # Deny all requests from Apache 2.4+
```

```
    <IfModule mod_authz_core.c>
```

```
        Require all denied
```

```
    </IfModule>
```

```
    # Deny all requests from Apache 2.0-2.2
```

```
    <IfModule !mod_authz_core.c>
```

```
        Deny from all
```

```
    </IfModule>
```

```
</Files>
```

Enable gzip compression

```
<IfModule mod_deflate.c>
```

```
    AddOutputFilterByType DEFLATE text/html text/xml text/plain text/css text/javascript  
    application/javascript application/json
```

```
</IfModule>
```

```
<Files ~ "\.(jpe?g|png|gif|css|js|woff|eot)$">
```

```
    <IfModule mod_expires.c>
```

```
        ExpiresActive on
```

```
        ExpiresDefault "access plus 1 month"
```

```
    </IfModule>
```

```
    <IfModule mod_headers.c>
```

```
        Header append Cache-Control "public"
```

```
        Header unset ETag
```

```
    </IfModule>
```

```
    FileETag None
```

```
</Files>
```

Match generated files like:

```
# 1429684458_t22_s1.css
```

```
# 1429684458_t22_s1.js
```

```
<FilesMatch "([0-9]{10})_(.+)\.(js|css)$">
```

```
    <ifModule mod_headers.c>
```

```
        Header set Cache-Control "max-age=31536000, public"
```

```
    </ifModule>
```

```
</ifModule>

<IfModule mod_expires.c>
    ExpiresActive on
    ExpiresDefault "access plus 1 year"
</IfModule>
</FilesMatch>

# Disables auto directory index
<IfModule mod_autoindex.c>
    Options -Indexes
</IfModule>

<IfModule mod_negotiation.c>
    Options -MultiViews
</IfModule>

<IfModule mod_php5.c>
# php_value memory_limit 256M
# php_value max_execution_time 120
# php_value upload_max_filesize 20M
    php_flag phar.readonly off
    php_flag magic_quotes_gpc off
    php_flag session.auto_start off
    php_flag suhosin.session.cryptua off
    php_flag zend.zel_compatibility_mode off
</IfModule>

# AddType x-mapp-php5 .php
# AddHandler x-mapp-php5 .php

<IfModule mod_headers.c>
    Header append X-Frame-Options SAMEORIGIN
</IfModule>
```