

```
# BEGIN WordPress
```

```
# END WordPress
```

```
#### TURN ON PHP ERROR LOGGING
```

```
php_flag log_errors on
```

```
php_flag display_errors off
```

```
# php_value error_log /path_to_wp_root/errors/php_error.log
```

```
php_value error_reporting -1
```

```
#####
```

```
# Modifications based on recommendations from Smashing Magazine
```

```
# http://www.smashingmagazine.com/2014/06/25/how-to-speed-up-your-wordpress-website/
```

```
#####
```

```
<IfModule mod_rewrite.c>
```

```
#### BLOCK CONTENT SCRAPERS AND HOT LINKS
```

```
#{http://www.smashingmagazine.com/2010/07/01/10-useful-wordpress-security-tweaks/}
```

```
# Replace ?mysite.com/ with your blog url
```

```
#RewriteCond %{HTTP_REFERER} !^http://(.+)?mysite.com/ [NC]
```

```
RewriteCond %{HTTP_REFERER} !^$
```

```
# Replace /images/nohotlink.jpg with your "don't hotlink" image url
```

```
#RewriteRule .*(.jpe?g|gif|bmp|png)$ /images/nohotlink.jpg [L]
```

```
#### BLOCK SCRIPT INJECTIONS
```

```
#{http://www.smashingmagazine.com/2010/07/01/10-useful-wordpress-security-tweaks/}
```

```
Options +FollowSymLinks
```

```
RewriteCond %{QUERY_STRING} (<|>|%3C). *script. *(>|<|%3E) [NC,OR]
```

```
RewriteCond %{QUERY_STRING} GLOBALS(=| [ ]|%0-9A-Z){0,2} [OR]
```

```
RewriteCond %{QUERY_STRING} _REQUEST(=| [ ]|%0-9A-Z){0,2}
```

```
RewriteRule ^(.*)$ index.php [F,L]
```

```
</IfModule>
```

```
<IfModule mod_deflate.c>
```

```
#### GZIP COMPRESSION
```

```
# http://www.smashingmagazine.com/2014/06/25/how-to-speed-up-your-wordpress-website/
```

```
# (http://www.smashingmagazine.com/2014/06/25/how-to-speed-up-your-wordpress-website/)
```

```
AddOutputFilterByType DEFLATE text/plain
AddOutputFilterByType DEFLATE text/html
AddOutputFilterByType DEFLATE text/xml
AddOutputFilterByType DEFLATE text/css
AddOutputFilterByType DEFLATE text/js
AddOutputFilterByType DEFLATE text/.min.css
AddOutputFilterByType DEFLATE text/svg
AddOutputFilterByType DEFLATE application/xml
AddOutputFilterByType DEFLATE application/xhtml+xml
AddOutputFilterByType DEFLATE application/rss+xml
AddOutputFilterByType DEFLATE application/javascript
AddOutputFilterByType DEFLATE application/x-javascript
```

```
# Insert filter
```

```
SetOutputFilter DEFLATE
```

```
# Don't compress images
```

```
SetEnvIfNoCase Request_URI \.(?:gif|jpe?g|png)$ no-gzip dont-vary
```

```
# Make sure proxies don't deliver the wrong content
```

```
Header append Vary User-Agent env=!dont-vary
```

```
</IfModule>
```

```
#### BROWSER CACHING (http://www.smashingmagazine.com/2014/06/25/how-to-speed-up-your-
wordpress-website/)
```

```
# associate .js with "text/javascript" type (if not present in mime.conf)
```

```
AddType text/javascript .js
```

```
#### CONFIGURE mod_expires
```

```
 #(http://httpd.apache.org/docs/2.2/mod/mod_expires.html)
```

```
ExpiresActive On
```

```
ExpiresDefault "access plus 1 second"
```

```
ExpiresByType image/x-icon "access plus 2692000 seconds"
```

```
ExpiresByType image/jpeg "access plus 2692000 seconds"
```

```
ExpiresByType image/png "access plus 2692000 seconds"
```

```
ExpiresByType image/gif "access plus 2692000 seconds"
```

```
ExpiresByType application/x-shockwave-flash "access plus 2692000 seconds"
```

```
ExpiresByType text/css "access plus 2692000 seconds"
```

```
ExpiresByType text/javascript "access plus 2692000 seconds"
```

```
ExpiresByType text/javascript "access plus 2692000 seconds"  
ExpiresByType applicaiton/x-javascript "access plus 2692000 seconds"  
ExpiresByType text/html "access plus 600 seconds"  
ExpiresByType appliaction/xhtml+xml "access plus 600 seconds"
```

```
# CONFIGURE mod_headers
```

```
# URL: http://httpd.apache.org/docs/2.2/mod/mod\_headers.html
```

```
<FilesMatch "\.(ico|flv|jpg|jpeg|png|gif|swf|mpeg|wav|mp3|wma|mpg|css|js)$">  
  Header set Cache-Control "max-age=2692000, public"  
</FilesMatch>
```

```
<FilesMatch "\.(x?html?|php)$">  
  Header set Cache-Control "max-age=600, private, must-revalidate"  
</FilesMatch>
```

```
Header unset ETag
```

```
Header unset Last-Modified
```

```
Header set Connection keep-alive
```