

```
# .htaccess #

# CORS enabled image
# https://developer.mozilla.org/en-US/docs/HTML/CORS\_Enabled\_Image

<IfModule mod_setenvif.c>
  <IfModule mod_headers.c>
    <FilesMatch "\.(curl gif ico jpe?gl pngl svgz?l webp)$">
      SetEnvIf Origin ":" IS_CORS
      Header set Access-Control-Allow-Origin "*" env=IS_CORS
    </FilesMatch>
  </IfModule>
</IfModule>

# Web fonts access
# http://stackoverflow.com/questions/5008944/how-to-add-an-access-control-allow-origin-header

<IfModule mod_headers.c>
  <FilesMatch "\.(ttf|otf|eot|woff)$">
    Header set Access-Control-Allow-Origin "*"
  </FilesMatch>
</IfModule>

# Custom error pages
# http://httpd.apache.org/docs/current/mod/core.html#error-document

ErrorDocument 403 /403.html
ErrorDocument 404 /404.html
ErrorDocument 500 /500.html

# UTF-8 encoding
# http://www.w3.org/International/questions/qa-htaccess-charset.en

AddDefaultCharset utf-8

# URL Rewriting
# http://httpd.apache.org/docs/2.0/misc/rewriteguide.html

# Delete this line and uncomment the lines below to get started with URL rewriting
# <#ModuleSet mod_rewrite>
```



```
# Leverage browser caching, as defined by Google PageSpeed  
# https://developers.google.com/speed/docs/best-practices/caching
```

```
<IfModule mod_expires.c>  
ExpiresActive On  
ExpiresByType image/jpg "access plus 1 year"  
ExpiresByType image/jpeg "access plus 1 year"  
ExpiresByType image/gif "access plus 1 year"  
ExpiresByType image/png "access plus 1 year"  
ExpiresByType text/css "access plus 1 month"  
ExpiresByType application/pdf "access plus 1 month"  
ExpiresByType text/x-javascript "access plus 1 month"  
ExpiresByType application/javascript "access plus 1 month"  
ExpiresByType text/javascript "access plus 1 month"  
ExpiresByType application/x-shockwave-flash "access plus 1 month"  
ExpiresByType image/x-icon "access plus 1 year"  
ExpiresDefault "access plus 2 days"  
</IfModule>
```