

```
# .htaccess #

# CORS enabled image
# https://developer.mozilla.org/en-US/docs/HTML/CORS\_Enabled\_Image

<IfModule mod_setenvif.c>
  <IfModule mod_headers.c>
    <FilesMatch "\.(curl|gif|icol|jpe?g|png|svgz?!webp)$">
      SetEnvIf Origin ":" IS_CORS
      Header set Access-Control-Allow-Origin "*" env=IS_CORS
    </FilesMatch>
  </IfModule>
</IfModule>

# Web fonts access
# http://stackoverflow.com/questions/5008944/how-to-add-an-access-control-allow-origin-header

<IfModule mod_headers.c>
  <FilesMatch "\.(ttf|otf|eot|woff)$">
    Header set Access-Control-Allow-Origin "*"
  </FilesMatch>
</IfModule>

# Custom error pages
# http://httpd.apache.org/docs/current/mod/core.html#error-document

ErrorDocument 403 /403.html
ErrorDocument 404 /404.html
ErrorDocument 500 /500.html

# UTF-8 encoding
# http://www.w3.org/International/questions/qa-htaccess-charset.en

AddDefaultCharset utf-8

# URL Rewriting
# http://httpd.apache.org/docs/2.0/misc/rewriteguide.html

# Delete this line and uncomment the lines below to get started with URL rewriting
# <#ModuleSet mod_rewrite>
```

```
# <!--Module mod_rewrite.c>
#     Options +FollowSymlinks
#     RewriteEngine On
# </IfModule>

# Stop directory listing
# http://httpd.apache.org/docs/2.2/mod/mod_autoindex.html

<IfModule mod_autoindex.c>
    Options -Indexes
</IfModule>

# Block access to backup files and original (source) files

<FilesMatch "(^#.#\ \.(bak|config|dist|fla|incl|ini|log|psd|sh|sql|sw[op])|~)">
order allow,deny
deny from all
</FilesMatch>

# Enable gzip

<ifModule mod_gzip.c>
mod_gzip_on Yes
mod_gzip_dechunk Yes
mod_gzip_item_include file \.(html?|txt|css|js|php|pl)$
mod_gzip_item_include handler ^cgi-script$ mod_gzip_item_include mime ^text/. *
mod_gzip_item_include mime ^application/x-javascript.*
mod_gzip_item_exclude mime ^image/. *
mod_gzip_item_exclude rspheader ^Content-Encoding:.*gzip.*
</ifModule>

# Enable deflate

<IfModule mod_deflate.c>
AddOutputFilterByType DEFLATE text/text text/html text/plain text/xml text/css
application/x-javascript application/javascript
BrowserMatch ^Mozilla/4 gzip-only-text/html
BrowserMatch ^Mozilla/4.\.0[678] no-gzip
BrowserMatch \bMSIE !no-gzip !gzip-only-text/html
</IfModule>
```

```
# Leverage browser caching, as defined by Google PageSpeed  
# https://developers.google.com/speed/docs/best-practices/caching
```

```
<IfModule mod_expires.c>  
ExpiresActive On  
ExpiresByType image/jpg "access plus 1 year"  
ExpiresByType image/jpeg "access plus 1 year"  
ExpiresByType image/gif "access plus 1 year"  
ExpiresByType image/png "access plus 1 year"  
ExpiresByType text/css "access plus 1 month"  
ExpiresByType application/pdf "access plus 1 month"  
ExpiresByType text/x-javascript "access plus 1 month"  
ExpiresByType application/javascript "access plus 1 month"  
ExpiresByType text/javascript "access plus 1 month"  
ExpiresByType application/x-shockwave-flash "access plus 1 month"  
ExpiresByType image/x-icon "access plus 1 year"  
ExpiresDefault "access plus 2 days"  
</IfModule>
```