

RewriteEngine on

RewriteCond %{HTTP_HOST} ^www.listerooz.com\$ [NC,OR]

RewriteCond %{HTTP_HOST} ^listerooz.com\$ [NC,OR]

RewriteCond %{REQUEST_URI} !Naveshtar/public/

RewriteRule (.*) Naveshtar/public/\$1 [L]

<IfModule mod_deflate.c>

force deflate for mangled headers

developer.yahoo.com/blogs/ydn/posts/2010/12/pushing-beyond-gzipping/

<IfModule mod_setenvif.c>

<IfModule mod_headers.c>

SetEnvIfNoCase ^(\Accept-EncodXngl X-cept-Encodingl X(15)|^(15)|-(15))\$

^((gzip|deflate)\s*,?\s*)+ [X"-]{4,13}\$ HAVE_Accept-Encoding

RequestHeader append Accept-Encoding "gzip,deflate" env=HAVE_Accept-Encoding

</IfModule>

</IfModule>

HTML, TXT, CSS, JavaScript, JSON, XML, HTC:

<IfVersion < 2.4>

<IfModule filter_module>

FilterDeclare COMPRESS

FilterProvider COMPRESS DEFLATE resp=Content-Type \$text/html

FilterProvider COMPRESS DEFLATE resp=Content-Type \$text/css

FilterProvider COMPRESS DEFLATE resp=Content-Type \$text/plain

FilterProvider COMPRESS DEFLATE resp=Content-Type \$text/xml

FilterProvider COMPRESS DEFLATE resp=Content-Type \$text/x-component

FilterProvider COMPRESS DEFLATE resp=Content-Type \$application/javascript

FilterProvider COMPRESS DEFLATE resp=Content-Type \$application/json

FilterProvider COMPRESS DEFLATE resp=Content-Type \$application/xml

FilterProvider COMPRESS DEFLATE resp=Content-Type \$application/xhtml+xml

FilterProvider COMPRESS DEFLATE resp=Content-Type \$application/rss+xml

FilterProvider COMPRESS DEFLATE resp=Content-Type \$application/atom+xml

FilterProvider COMPRESS DEFLATE resp=Content-Type \$application/vnd.ms-fontobject

FilterProvider COMPRESS DEFLATE resp=Content-Type \$image/svg+xml

FilterProvider COMPRESS DEFLATE resp=Content-Type \$application/x-font-ttf

FilterProvider COMPRESS DEFLATE resp=Content-Type \$font/opentype

FilterChain COMPRESS

FilterProtocol COMPRESS DEFLATE change=yes;byteranges=no

</IfModule>

</IfVersion>

```

<IfModule !mod_filter.c>
  # Legacy versions of Apache
  AddOutputFilterByType DEFLATE text/html text/plain text/css application/json
  AddOutputFilterByType DEFLATE application/javascript
  AddOutputFilterByType DEFLATE text/xml application/xml text/x-component
  AddOutputFilterByType DEFLATE application/xhtml+xml application/rss+xml
application/atom+xml
  AddOutputFilterByType DEFLATE image/svg+xml application/vnd.ms-fontobject application/x-
font-ttf font/opentype
</IfModule>
</IfModule>

<IfModule mod_expires.c>
  ExpiresActive on

  # Perhaps better to whitelist expires rules? Perhaps.
  ExpiresDefault                                     "access plus 1 month"

  # cache.appcache needs re-requests in FF 3.6 (thx Remy "Introducing HTML5")
  ExpiresByType text/cache-manifest                 "access plus 0 seconds"

  # Your document html
  ExpiresByType text/html                            "access plus 0 seconds"

  # Data
  ExpiresByType text/xml                             "access plus 0 seconds"
  ExpiresByType application/xml                     "access plus 0 seconds"
  ExpiresByType application/json                    "access plus 0 seconds"

  # RSS feed
  ExpiresByType application/rss+xml                 "access plus 1 hour"

  # Favicon (cannot be renamed)
  ExpiresByType image/x-icon                        "access plus 1 week"

  # Media: images, video, audio
  ExpiresByType image/gif                           "access plus 1 month"
  ExpiresByType image/png                           "access plus 1 month"
  ExpiresByType image/jpg                           "access plus 1 month"
  ExpiresByType image/jpeg                          "access plus 1 month"
  ExpiresByType image/vnd.microsoft.icon            "access plus 1 month"

```

```
ExpiresByType video/ogg "access plus 1 month"
ExpiresByType audio/ogg "access plus 1 month"
ExpiresByType video/mp4 "access plus 1 month"
ExpiresByType video/webm "access plus 1 month"

# HTC files (css3pie)
ExpiresByType text/x-component "access plus 1 month"

# Webfonts
ExpiresByType font/truetype "access plus 1 month"
ExpiresByType font/opentype "access plus 1 month"
ExpiresByType application/x-font-woff "access plus 1 month"
ExpiresByType image/svg+xml "access plus 1 month"
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"

# CSS and JavaScript
ExpiresByType text/css "access plus 1 year"
ExpiresByType application/javascript "access plus 1 year"
ExpiresByType text/javascript "access plus 1 year"

<IfModule mod_headers.c>
  Header append Cache-Control "public"
</IfModule>

</IfModule>

# FileETag None is not enough for every server.
<IfModule mod_headers.c>
  Header unset ETag
</IfModule>

# Since we're sending far-future expires, we don't need ETags for static content.
# developer.yahoo.com/performance/rules.html#etags
FileETag None
```